

Kantharia-Mine/EC/Compliance/24-25**Through Email****Date: -28-05-25**

To,
The Director (M),
Ministry of Environment, Forest & Climate Change,
Indira Paryavaran Bhawan,
JOR Bagh Road, Aliganj,
New Delhi-110003

**Sub: Environmental Clearance Compliance report China Clay Mine, production capacity of 42495 TPA
M.L. 23/92 (Measuring 5.0 Ha.). N/V: Kantharia, Tehsil & District: Chittorgarh (Rajasthan) owned by M/s J.
K. White Cement Works, P.O.- Gotan, District - Nagaur, Rajasthan.**

Ref.: **EC letter no. – F()/DEIAA/Project/Cat.1(a) B2 (EC)/16-17/857 dated 06.08.2016**

Dear Sir,


Kindly refer to the above subject matter and refer EC letter no., please find attached herewith EC compliance report for the period of **October 2024 to March 2025**.

As per MoEF & CC notification no. S.O. 5845 (E) 26.11.2018 the soft copy of same has been sent through email to moef@nic.in, ccb.cpcb@nic.in, member-secretary@rpcb.nic.in, cpcb.bhopal@gov.in, monitoring-ec@nic.in, iro.jaipur-mefcc@gov.in, seiaaseiaa2018@gmail.com, ro.chittorgarh@gmail.com.

We hope that the compliance is in order.

Thanking you.

Yours Faithfully

For J. K. White Cement Works
Manish Toshniwal
Unit Head (Operations)**Encl: as above****Copy to:**

1. The Deputy Director(S), Ministry of Environment, Forests & Climate Change, Integrated Regional office, Jaipur, A-218, Aranya Bhawan, Jhalana Institutional Area, **Jaipur-302004**
2. The Regional Director, Central Pollution Control Board, Paryavaran Parisar, E-5, Arera colony, **Bhopal (M.P) 462016**
3. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-CUM office complex, East Arjun Nagar, **New Delhi 110032**.
4. The Chairman, Rajasthan State Pollution Control Board, 4, Institutional Area, Jhalana Doongri, **Jaipur - 302004 (Rajasthan)**

**Corporate Office**

Padam Tower, 19 DDA Community Centre
Okhla, Phase - 1, New Delhi - 110020, India
+011-49220000
admin.padamtower@jkcement.com
www.jkcement.com

Registered Office : Kamla Tower, Kanpur-208001, U.P., India ☎ +91-512-2371478 to 85 ☎ +91-512-2399854 🌐 www.jkcement.com

**JK SUPER
CEMENT**
BUILD SAFE




Manufacturing Units at:
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
Jharia (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

**JK CEMENT
WallMaxX**
White Cement Based Putty

EC Compliance Report for period of October 2024 to March 2025 (FY – 2024-25)

Six Monthly Compliance Report of China Clay Mine production capacity of 42495 TPA M.L. 23/92 (Measuring 5.0 Hactares). N/V: Kantharia, Tehsil & District – Chittorgarh (Rajasthan) Owned by M/s. J.K. White Cement Works, P.O.-Gotan, District-Nagaur, Rajasthan-342902. Compliance of Environmental Clearance No. F (/DEIAA/Project/Cat.1 (a) B2 (EC)/16-17/857 dated 06.08.2016 for the Period from **October 2024 to March 2025.**

S.No.	Specific Conditions	Compliance status
1.	Consent to Establish and Operate should be obtained from RPCB before starting production from the mine.	The Consent to Establish obtained. Consent to Operate obtained from RSPCB vide letter no. F(Mines)/Chittorgarh (Chittorgarh)/4071(1)/2017-2018/4964-4968, Order No 2022-2023/Mines/10675 dated 19/12/2022
2.	This Environment Clearance (EC) is granted to the project proponent for the mining lease as per details mentioned against that name in the Table above.	Noted and agreed. The production of China clay shall be within stipulated quantity i.e. 42495 TPA.
3.	That the PP shall comply with all the applicable provisions mentioned in the MOEF and CC Office Memorandum Dated 24 th June 2014 and 24 th December 2014.	Agreed and being followed.
4.	That the grant of this E.C. is issued from the environmental angle only and does not absolve the project proponent from the other statutory obligations prescribed under any other law and any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry / unit / project proponent. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Noted and agreed.
5.	As stated by the PP, the total water requirement for the project shall be limited to the quality mentioned against the name of project proponent in Column no.-7 necessary permission shall be taken from CGWA for withdrawal project proponent of ground water.	Water requirement is 5 KLD. Rainwater accumulated in mine sump is used for plantation and sprinkling on haul roads. We are not withdrawing the ground water.
6.	As Envisaged, the PP shall invest the amount as mentioned in the column-9 of table against the name of project proponent towards annual recurring cost for implementing the Environment Management plan.	Environmental plan has been implemented.

S.No.	Specific Conditions	Compliance status
7.	Further, for ESR CSR an amount as mentioned in col no.10 of Table – 1 against the name of project proponent (towards annual recurring cost) shall be kept earmarked for socio economic up-liftment activities of the area particularly in the field of education, health, sanitation, other social work (need based) such as drinking water supply, assistance in farming, providing Toilets in Schools, etc. This amount shall be earmarked, effectively utilized and reflected in the books of accounts. Relevant report of the same to be made a part of social monitoring and six monthly compliance reports should be submitted to RPCB and MOEF, Regional Office, Lucknow.	<p>We are committed to up lift the Socio-economic condition to the nearby society under CSR.</p>  
8.	The mining operations shall not intersect groundwater table. In case of working below ground water table, prior approval of the Central Ground Water Authority shall be obtained.	Mining is being done above ground water table. Prior permission shall be obtained from the central ground water authority before intersecting the ground water table.
9.	The PP shall construct Rainwater Harvesting Structure and Artificial Recharge Structure in the lease area as also implement other / suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, CGWB.	Mining pit is being used for accumulating rainwater and recharging the ground water table.
10.	Occupational health and safety of mine labour shall be given the highest priority.	Periodical medical check is being done .
11.	Budgetary provision of amount as mentioned in col. No.-12 of Table – 1 against the name of project proponent towards annual recurring cost for the labours working in the Mine for all necessary infrastructure facilities such as health facility, sanitation facility, fuel for cooking along with safe drinking water, medical camps and toilets for women, creche for infants should be made and submitted to RPCB, Jaipur at the time of CTE / CTO. The housing facilities and Group Insurance should be provided for mining labours.	<p>Complied .</p> 

S.No.	Specific Conditions	Compliance status
12.	Topsoil shall be stacked temporarily at earmarked sites only and it should not be kept unutilized for a period more than three years; it should be used for land reclamation and plantation in mined out areas.	Topsoil availability is very less and is being stacked separately at earmarked site. It is being used for plantation.
13.	The project proponent shall ensure that no natural water course / water body shall be obstructed due to any mining operation.	There is no natural water course fall under mining area.
14.	The waste should be dumped at designated site as per approval mining plan on non-mineralized land within lease area or outside lease area at land provided by district authority or occupied by the lease. STP / Quarry License holder. The height of the dump shall be as per the approved mining plan and toe of the dump should have retaining wall.	The waste is being dumped at designated site in the lease area as per the approved mining plan. Retaining wall has been provided at toe of dump.
15.	The benches height, width and slope shall be maintained as per the MMR 1961 of the DGMS approval.	The benches height, width and slope are being maintained as per the MMR 1961 of the DGMS approval.
16.	Garland drains: settling tanks and check dams of appropriate size, gradient and length shall be constructed both around the mine pit and over burden dumps and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years' data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate pits which should be constructed at the corners of the garland drains and de-silted.	Catch drains and siltation ponds of appropriate size have been constructed. The water collected in mine pit is being utilized for dust suppression in mine area, green belt development etc.
17.	Drills shall either be operated with dust extractors or equipped with water injections system.	Agreed. Presently drilling is not required for mining of China Clay.
18.	As envisaged, plantation shall be raised in an area of 33% of total area including green belt in the safety zone around the mining lease by planting the native species around ML area, OB dumps, backfilled and reclaimed around water body, road etc. or outside lease area in consultation with the Gram Panchayat or Forests Department in the coming rainy season.	Plantations are being done as per approved mining plan. <ul style="list-style-type: none"> • Plantation done till 2020-21 is 1251 nos. in 1.3 ha. • Plantation done in 2021-22 is 45 nos. in 0.04 ha. • Plantation done in 2022-23 is 10 nos. in 0.005 ha. • Plantation done in 2023-24 is 50 nos. in 0.01 ha • Plantation done in 2024 - 25 is 50 nos. in 0.03 ha.

S.No.	Specific Conditions	Compliance status
19.	Regular water sprinkling should be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as haul roads, loading and unloading points and transfer points. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the CPCB.	Water sprinkling is being done on haul roads, loading and unloading points for the purpose of dust suppression.
20.	Data on ambient air quality and stack emissions should be submitted to Rajasthan State Pollution Control Board once in six months, carried out by MOEF/NABL/CPCB/RPCB/ Government approved lab.	The regular monitoring of AAQ is being carried out. AAQ monitored report by NABL recognised lab attached as Annexure I
21.	Blasting operation should be carried out only during the daytime with safe blasting parameters.	Agreed, Blasting is presently not carried out in the mining area.
22.	The project proponent shall all take due care to protect the existing Flora and Fauna. Utmost precaution shall be taken to conserve wildlife.	Being followed.
23.	No further expansion or modification in the plant shall be carried out without the approval of the DEIAA, District – Chittorgarh, Rajasthan. In case of deviation or alterations in the project proposal from those submitted to this authority for clearance, a fresh reference shall be made to the authority to assess the adequacy of the conditions imposed and to add additional environmental protection measures required, if any.	There is no proposal for expansion, if any prior permission to be obtained.
24.	Applicant shall also take prior Environment Clearance under the Aravalli Notification dated 7/5/1992.If applicable	Not Applicable.
25.	This Environment Clearance is being issued on the basis of documents of project proponent agency. No member of DEAC/DEIAA has inspected the project site. Hence, if is found otherwise in the inspection of site, the NOC issued by this authority shall be cancelled forthwith.	Agreed.
26	This Environment Clearance is not an alternate to forest clearance. The agency will have to get the forest clearance from the competent authority separately, if needed.	Not Applicable.
27.	The Department of Mines & geology in the process of forming cluster as per the provision of the notification dated 15/01/2016. This EC is being issued to PP or individual mine/QL/Etc. with the condition, that if the mine/QL/etc. will	Agreed.

S.No.	Specific Conditions	Compliance status
	form a part of any cluster formed by the mines & Geology Department, Rajasthan, the PPE will then have to obtain a fresh EC from the competent authority as a part of such cluster.	
28.	This EC is being issued in continuation with the category of cluster mines as decided by the secretariat of SEIAA SEAC, Rajasthan, as the file have been sent to DEIAA with different correspondence. The same procedure and definition is being adopted for fresh file which have been received by DEIAA. In case of any discrepancy regarding cluster formation, category and other aspects, this Environment Clearance will be treated as null and void.	Agreed and noted.
29	If mining activity in and around the vicinity of this ML / QL, is found to be of such a nature that the Environment Clearance of collective mining area has to be obtained from another competent authority, PP will be under obligation to obtain environment clearance from that competent authority.	Agreed and noted.
30.	If this ML/QL fall under the collective mining area defined by the mining cluster of B-2 category, then it is the liability of all individual project proponent of the collective area to submit the collective EMP of the concerned area to DEIAA/DEAC within a period of 15 days for onward consideration of DEIAA.	Agreed and noted.
31	Garland drain made around the mining pit and dump in such a manner, so that the rainwater runoff should not be collected in mine pit.	Garland drain has been constructed as per the mining plan.
S.N.	General Conditions	Compliance status
1.	Any change in mining technology / scope of working shall not be made without prior approval of the DEIAA.	No change in mining technology.
2.	Any change in the calendar plan including excavation, quantum of mineral and waste shall not be made.	No change in the calendar plan including excavation, quantum of mineral and waste.
3.	Periodic monitoring of ambient air quality shall be carried out for PM10, PM2.5, SPM, So2 and NOx monitoring. Location of the station (minimum 6) shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring shall be decided in consultation with the Rajasthan State Pollution Control Board (RPCB). Six monthly	Data on ambient air quality RSPM (Particulate matter with size less than 10 micron i.e., PM10), NOx are well within the norms and is being submitted regularly.

S.No.	Specific Conditions	Compliance status
	reports of the data so collected shall be regularly submitted to the RPCB/CPCB including the MOEF, Regional office, Lucknow.	
4.	Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM etc. shall be provided with earplug / muffs.	All the equipment's properly maintained & workers are provided with all necessary PPE. Noise monitoring is done & results are well within the limit, report attached in Annexure-2 .
5.	Industrial wastewater (workshop and waste water from the mine) shall be properly collected & treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May 93 and 31 st December 1993 (amended to date) Oil & grease trap shall be installed before discharge.	Not applicable. There is no industrial wastewater generation from the mine.
6.	Personnel working in dusty areas shall wear protective respiratory devices they shall also be provided with adequate training and information on safety and health aspects.	PPE is being provide to person working in such area & time to time also provide training about safety & awareness to all the workers.
7.	Occupational health surveillance program of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Occupational health surveillance program of the workers is being conducted periodically. There is no occupational disease observed so far.
8.	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the RPCB and the Regional office of MOEF located at Lucknow.	The funds earmarked for environmental protection measures is being kept in a separate account and not diverted for other purpose.
9.	The RPCB and MOEF, Regional-office Lucknow shall monitor compliance of the stipulated conditions. The project authorities shall provide a set of a filled in questionnaire and EIA / EMP report to them and extend full cooperation to the above office(s) by furnishing the requisite data/information/monitoring reports.	Being followed.
10.	The project proponent shall submit six monthly reports on the status of the implementation of the stipulated environmental safeguards to the RPCB, CPCB and MOEF, Regional Office, Lucknow.	Complied. Periodical report is being sent to concern offices within time frame.
11.	A copy of the clearance letter will be marked to the concerned Panchayat / local NGO, if any, from whom suggestions / representations were received while processing the proposal.	Complied. Copy of clearance letter has been submitted to the concerned Panchayat/ Local NGO.
12.	The RPCB shall display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector / Tehsildar's office for 30 days.	Complied with.

S.No.	Specific Conditions	Compliance status
13.	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provision of Environment (Protection) Act, 1986.	Noted & agreed.
14.	The above conditions will be enforced, inter-alia, under the provisions of the water (Prevention & Control of pollution) Act, 1974 the Air (Prevention & Control of Pollution) Act 1981, the Environment (Protection) Act 1986 and the Public Liability Insurance Act 1991 (all amended till date) and rules made hereunder and also any other orders passed by the Hon'ble Supreme Court of India / High Court of Rajasthan and any other Court of law relating to the Subject Matter.	Noted & agreed.
15.	The PP shall ensure advertising in at least two local newspapers widely circulated in the region, one of which shall be in vernacular language that, the project has been accorded environmental clearance and copies of the clearance letters are available with DEIAA, District Chittorgarh, Rajasthan and the Rajasthan state Pollution Control Board and may also be seen on the website of the Board at www.rpcb.nic.in . The advertisement shall be made within 7 (seven) days from the date of issue of the environmental clearance and a copy shall also be forwarded to the DEIAA, District Chittorgarh, Rajasthan and Regional office, Rajasthan State Pollution Control Board.	Complied with. Advertisement of Environmental Clearance has been published in Rajasthan Patrika & Dainik Bhaskar on 30 th August 2016.
16.	All the other statutory clearness such as the approvals for storage of diesel from the Chief Controller of Explosive, Fire department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (protection) Act, 1972 etc. shall be obtained as may be applicable by PP from the competent authority.	Noted & agreed.
17.	These stipulations would also be enforced amongst the orders under the provisions of water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981 the Environment (Protection) Act, 1986 the Public Liability (Insurance) Act 1991, EIA Notification 2006.	Noted & agreed.
18.	Under the provision of Environment (Protection) Act 1986, legal action shall be initiated against the proponent if it was found that construction	Agreed.

S.No.	Specific Conditions	Compliance status
	of the project has been started without obtaining environmental clearance.	
19.	In Case project falls in 10 k.m. radiuses of National Park / Sanctuary the PP shall obtain necessary clearance from Chief Wildlife Warden, Rajasthan / Central Wildlife Board under Wildlife Protection Act, 1972 before starting any operation under the project.	Not applicable. The area doesn't fall in 10 km radius of National Park/Sanctuary.
20.	In case the project proposal involves any forest land, the necessary diversion order shall be obtained by MoEF and CC before starting any operation under the project.	The area doesn't involve any forest land.
21.	Environment clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in writ petition (Civil) No. 460 of the year 2004 as may be applicable to this project.	Agreed



Report No.20250311052/A

ULR No. TC594125000001051F

Report Issue Date: 19.03.2025

TEST REPORT



1. Name of Customer : M/s J.K. White Cement Works,
Gotan, (Unit of J.K. Cement Ltd.),
China Clay Mines (ML No.23/92)
Village-Kanthariya, District – Chittorgarh,
State- Rajasthan (INDIA),
2. Purchase Order Number : 4600003316 Dated: - 04.07.2024
3. Date & Time of Monitoring : 10.03.2025/08:20AM
4. Sample Identification : Air Sample
5. Condition of Sample : Sealed/Ok
6. Sample Received On : 11.03.2025
7. Period of Analysis : 11.03.2025 to 18.03.2025
8. Name of Location : Mine Site (ML No. 23/92) Core Zone
9. Method of Sampling : IS: 5182(Part 2,6,23) & Instrument Manual


S. No	Monitoring Details	Unit	Results
1.	Ambient Temperature	°C	24.8
2.	Relative Humidity	%	47

Results Ambient Air Quality

S. No	Parameters	Test Method	Unit	Results	NAAQS (CPCB Norms) New Delhi dt. 18 th Nov. 2009
Chemical - Atmospheric Pollution - Ambient Air					
1.	PM ₁₀	IS:5182 (Part-23)	µg/m ³	74.45	100
2.	PM _{2.5}	WIL/SOP No. 10/25 Issue date 01.05.2019	µg/m ³	39.09	60
3.	SO ₂	IS:5182 (Part-2)	µg/m ³	13.51	80
4.	NO ₂	IS:5182 (Part-6)	µg/m ³	21.51	80

Tested By

Leena
(Leena Sharma)
Chemist



Authorized Signatory

Amreesh Kumar
(Amreesh Kumar)
Dy.GM (Technical)



Note

1. Complaint Register is available in lab / Email ID: amrish.malik@wolkem.com
2. The results listed refer only to the tested sample (s) and parameter (s) Endorsement of product is neither inferred nor implied.
3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
4. The samples will be destroyed 15 days after the date of issue of test certificate unless otherwise specified.
5. Any discrepancy in test results should be reported within 15 days.



Report No. 20250311052/B

Report Issue Date: - 19.03.2025

TEST REPORT

1. Name of Customer : M/s J.K. White Cement Works,
Gotan, (Unit of J.K. Cement Ltd.),
China Clay Mines (ML No.23/92)
Village-Kanthariya, District – Chittorgarh,
State- Rajasthan (INDIA),
2. Purchase Order Number : 4600003316 Dated: - 04.07.2024
3. Date & Time of Monitoring : 10.03.2025/08:20AM
4. Sample Identification : Air Sample
5. Condition of Sample : Sealed/Ok
6. Sample Received On : 11.03.2025
7. Period of Analysis : 11.03.2025 to 18.03.2025
8. Name of Location : Mine Site (ML No. 23/92) Core Zone
9. Method of Sampling : Instrument Manual

S. No	Monitoring Details	Unit	Results
1.	Ambient Temperature	°C	24.8
2.	Relative Humidity	%	47

Results Ambient Air Quality



S. No	Parameters	Test Method	Unit	Results	NAAQS (CPCB Norms) New Delhi dt. 18 th Nov. 2009
Chemical - Atmospheric Pollution - Ambient Air					
1.	CO	BY CO Meter	mg/m ³	0.73	04 (1 hour)

Tested By


(Leena Sharma)
Chemist

Authorized Signatory


(Amreesh Kumar)
Dy.GM (Technical)



Note

1. Complaint Register is available in lab / Email ID amrisha.malik@wolkem.com
2. The results listed refer only to the tested sample (s) and parameter (s) Endorsement of product is neither inferred nor implied.
3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
4. The samples will be destroyed 15 days after the date of issue of test certificate unless otherwise specified.
5. Any discrepancy in test results should be reported within 15 days.

TEST REPORT



1. Name of Customer : M/s J.K. White Cement Works,
Gotan, (Unit of J.K. Cement Ltd.),
China Clay Mines (ML No.23/92)
Village-Kanthariya, District – Chittorgarh,
State- Rajasthan (INDIA),
2. Purchase Order Number : 4600003316 Dated: - 04.07.2024
3. Date & Time of Monitoring : 10.03.2025/08:55AM
4. Sample Identification : Air Sample
5. Condition of Sample : Sealed/Ok
6. Sample Received On : 11.03.2025
7. Period of Analysis : 11.03.2025 to 18.03.2025
8. Name of Location : Near Village Vansti (ML No.23/92) Buffer Zone
9. Method of Sampling : IS: 5182(Part 2,6,23) & Instrument Manual

S. No	Monitoring Details	Unit	Results
1.	Ambient Temperature	°C	25.4
2.	Relative Humidity	%	47


Results Ambient Air Quality

S. No	Parameters	Test Method	Unit	Results	NAAQS (CPCB Norms) New Delhi dt. 18 th Nov. 2009
Chemical - Atmospheric Pollution - Ambient Air					
1.	PM ₁₀	IS:5182 (Part-23)	µg/m ³	71.54	100
2.	PM _{2.5}	WIL/SOP No. 10/25 Issue date 01.05.2019	µg/m ³	36.73	60
3.	SO ₂	IS:5182 (Part-2)	µg/m ³	13.90	80
4.	NO ₂	IS:5182 (Part-6)	µg/m ³	19.40	80


Tested By

Authorized Signatory

(Leena Sharma)
Chemist



(Amreesh Kumar)
Dy.GM (Technical)



Note

1. Complaint Register is available in lab / Email ID amrish.malik@wolkem.com
2. The results listed refer only to the tested sample (s) and parameter (s) Endorsement of product is neither inferred nor implied.
3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
4. The samples will be destroyed 15 days after the date of issue of test certificate unless otherwise specified.
5. Any discrepancy in test results should be reported within 15 days.



Report No. 20250311053/B

Report Issue Date: - 19.03.2025

TEST REPORT

1. Name of Customer : M/s J.K. White Cement Works,
Gotan,(Unit of J.K. Cement Ltd.),
China Clay Mines (ML No.23/92)
Village-Kanthariya,District – Chittorgarh,
State- Rajasthan (INDIA),
2. Purchase Order Number : 4600003316 Dated: - 04.07.2024
3. Date & Time of Monitoring : 10.03.2025/08:55AM
4. Sample Identification : Air Sample
5. Condition of Sample : Sealed/Ok
6. Sample Received On : 11.03.2025
7. Period of Analysis : 11.03.2025 to 18.03.2025
8. Name of Location : Near Village Vansti (ML No.23/92) Buffer Zone
9. Method of Sampling : Instrument Manual

S. No	Monitoring Details	Unit	Results
1.	Ambient Temperature	°C	25.4
2.	Relative Humidity	%	47


Results Ambient Air Quality


S. No	Parameters	Test Method	Unit	Results	NAAQS (CPCB Norms) New Delhi dt. 18 th Nov. 2009
Chemical - Atmospheric Pollution - Ambient Air					
1.	CO	BY CO Meter	mg/m ³	0.41	04 (1 hour)

Tested By

Authorized Signatory


(Leena Sharma)
Chemist




(Amreesh Kumar)
Dy.GM (Technical)



Note

1. Complaint Register is available in lab / Email ID amrish.malik@wolkem.com
2. The results listed refer only to the tested sample (s) and parameter (s) Endorsement of product is neither inferred nor implied.
3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
4. The samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
5. Any discrepancy in test results should be reported within 15 days.

Page 1 of 1
End of Report

ULR No.TC594125000001053F-1054F

Report Issue Date: 19.03.2025



TEST REPORT

1. Name of Customer : M/s J.K. White Cement Works,
Gotan, (Unit of J.K. Cement Ltd.),
China Clay Mines (ML No.23/92)
Village-Kanthariya, District – Chittorgarh,
State- Rajasthan (INDIA),
2. Purchase order Number : 4600003316 Dated: - 04.07.2024
3. Date of Monitoring : 10.03.2025
4. Sample Identification : Noise Monitoring
5. Condition of Sample : NA
6. Sample Received On : NA
7. Period of Analysis : NA
8. Test Methods Reference : IS: 9989– 1981 (Reaffirmed 2014)

Noise Level Monitoring Results

S. No	Station Point	Report No.	Sound pressure Level dB Day Time		Sound pressure Level dB Night Time	
			Maximum	Minimum	Maximum	Minimum
1.	Mine Site (ML No.23/92) Core zone	20250311054	71.2	56.4	58.4	50.1
2.	Near Village Vansti (ML No. 23/92) Buffer Zone	20250311055	57.4	52.6	48.1	41.3

CPCB Norms



S. No	Category of area	Day time dB 6.00 AM to 10.00PM	Night Time dB 10.00PM to 6.00am
1.	Industrial area	75.0	70.0
2.	Commercial area	65.0	55.0
3.	Residential area	55.0	45.0
4.	Silence area	50.0	40.0

Tested By

(Leena Sharma)
Chemist

Authorized Signatory

(Amreesh Kumar)
Dy.GM (Technical)



Note

1. Complaint Register is available in lab / Email ID amrisha.malik@wolkem.com
2. The results listed refer only to the tested sample (s) and parameter (s) Endorsement of product is neither inferred nor implied.
3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
4. The samples will be destroyed 15 days after the date of issue of test certificate unless otherwise specified.
5. Any discrepancy in test results should be reported within 15 days.

Page 1 of 1
End of Report



Accredited as per ISO/IEC 17025, Recognised by MoEF&CC

Registered & Corporate Office:
"Wolkem House", E-101, Mewar Industrial Area, Madri, Udaipur - 313003, Rajasthan- India
Phone : +91 294 2494600 - 02 E-mail : info@wolkem.com

CIN- U29299RJ1971PLC001379