

No.JKCW/ENV/2021-22/ EC Compliance/2nd Half(MINE)/93/10

Date : 25-05-2022

To

The Deputy Director,
Ministry of Environment & Forest
Govt. of India, Indira Paryavaran Bhavan,
New Delhi- 110 003

Sub: **Half Yearly Environmental Clearance Compliance report for the period from Oct-2021 to Mar-2022 (2nd Half) for Muddapur Limestone Mine, Village- Muddapur, Taluka- Mudhol, District- Bagalkot (Karnataka)**

Ref: **MoEF Letter No. J-11015/383/2006-IA. II (M), dtd.21-01-2008.**

Dear Sir,

With reference to aforesaid subject and reference matter, we are here by sending the enclosed pointwise environmental clearance compliance report for the period **Oct-2021 to Mar-2022 (2nd Half) of Muddapur Limestone Mine** (Limestone production of 2 MTPA) Village-Muddapur, Taluka-Mudhol, District-Bagalkot, Karnataka.

This for your kind perusal and acknowledge the receipt

Thanking you

Yours faithfully
For Muddapur Limestone Mine
Umashankar Choudhary
(Unit Head)

Bhadra

Encl. – EC Compliance report, Socio-economic development report & six monthly manual AAQ monitoring, fugitive emission, noise monitoring, Water Analysis report and six monthly environmental expenditures.

CC:

- 1- The Addl. Principal Chief Conservator of Forest (C), Ministry of Environment & Forest, Regional Office (South Zone), Koramangala, Bangalore.
- 2- Chairman, Central Pollution Control Board, Parivesh Bhavan, East Arjun Nagar, New Delhi

Corporate Office

Padam Tower, 19 DDA Community Centre
Okhla, Phase - 1, New Delhi - 110020, India
+011-49220000
admin.padamtower@jkcement.com
www.jkcement.com

**JK SUPER
CEMENT**
BUILD SAFE

Manufacturing Units at :

Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)**JK CEMENT**
WallMaxX
White Cement Wall Putty

- 3- Scientist 'D' & Incharge, Central Pollution Control Board, 1st & 2nd Floors, Nisarga Bhavan, A-Block, Thimmaiah, Main Road, 7thD Cross, Shivanagar, Opp. Pushpanjali Theatre, Bengaluru
- 4- Member Secretary, Karnataka Pollution Control Board, Church Street, Bangalore
- 5- The Environmental officer, Karnataka State Pollution Control Board, Bagalkot – 587102

Corporate Office:

- 
- 📍 Padam Tower, 19 DDA Community Centre Okhla, Phase - 1, New Delhi - 110020, India
 - ☎ +011-49220000
 - ✉ admin.padamtower@jkcement.com
 - 🌐 www.jkcement.com

**JK SUPER
CEMENT**
BUILD SAFE

Manufacturing Units at :

Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)JK CEMENT
WallMaxX
White Cement Wall Putty

Registered Office : 🏠 Kamla Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 ☎ 91-512-2399854 🌐 www.jkcement.com

Muddapur Limestone Mine, Village- Muddapur, Taluk- Mudhol, Distt.-Bagalkot, Karnataka
Ref:- MoEF Letter No. J-11015/383/2006-1A.II (M) /dtd. 21st January 2008

EC to Muddapur Limestone Mine (ML area 161.87 ha., 2.0 MTPA of limestone Production) of M/s J.K. Cement Ltd., at village Muddapur, in Mudhol Taluk, Bagalkot-Dist. In Karnataka

Specific Condition:

S.N.	CONDITION	COMPLIANCE STATUS
A.	Specific Conditions	
i)	Land use pattern of nearby village shall be studied and action plan for abatement and compensation for damage to agriculture land /common property land as applicable due to mining activity shall be submitted to the Regional office of the Ministry within six months. Annual status of implementation of the plan and expenditure thereon shall be reported to the regional office of the ministry.	Complied. It has been studied with EIA which submitted to concerned authority. Mining is being done as per IBM approved modified mining Plan so there is no damage to agriculture land /common property.
ii)	Need based assessment for the nearby villages shall be conducted to study economic measures which can help in up liftment of poor section of society such as development of fodder farm, fruit orchard, vocational training etc. Year wise allocation of funds for implementation of these economic measures shall be reported to the regional office of the ministry within six months.	Complying. The impacts of mining projects are positive. Surrounding people are sustaining their livelihood in this project. The literacy rate and the better living standards are enhanced due to increased earning capacity of the villagers, better medical facility and transportation facilities. For socio economic development we have granted funds to the nearby villagers. A copy attached as Annexure-1.
iv)	Recommendations of NEERI, Nagpur, as mentioned in their report on status of Environment –"Action plan " for the State of Karnataka, as be applicable to this project, shall be reported to the Regional office of the Ministry.	Not applicable.
v)	Conservation plan for wild life shall be prepared in consultation of with the Chief wild life warden and shall be implemented within six months. Necessary allocation of fund for implementation of the same and the status of implementation of the plan shall be reported to the regional office of the Ministry.	Not Applicable as there is no forest area nearby mining lease.
vi)	Measures for control and preventions of soil erosion and management of silt shall be prepared and submitted to the Regional office of the ministry within six months	Complied. Soil erosion control measures have been mentioned in EIA which is already submitted to MOEF.
vii)	Water quality both for surface as well as ground water in the core zone shall be regularly	Complying. Water quality is being monitored regularly and no

	monitored for contamination due to mining activity and records maintained. In case contamination is observed, measures for control and action taken shall be reported to the State Government as well as the Regional Office of the Ministry within six months.	contamination has been observed. Water quality reports of surface (mine pit) as well as ground water in the core zone is attached as Annexure- 2
viii)	Water bodies shall be developed and utilized to develop Pisciculture. Fishermen cooperative society shall be established with the land losers (if any) and specially the poorer section as members of society. Initial financial assistance either in the form of shared money or other wise and managerial assistance shall be provided so that the members themselves can run the affairs of the society in due course. The project proponent shall arrange marketing tie up so that the society gets fair price of their produce and the profits are equitably shared by the members of the society as regular source of income.	To be complied. At the final closure of mine, Mining pit will be developed as water body and to be utilized to develop Pisciculture.
ix)	Action taken report on issues raised during the public hearing shall be submitted to the Ministry and the State Governments within six months.	Complied and it has been submitted.
x)	Occupational health and safety measures for the workers including training on malaria eradication, HIV, health effects on exposure to mineral dust etc. shall be carried out. The company shall engage a full time doctor who is trained in occupational health surveillance. Records of the health of the workers shall be maintained.	Complying. Initial and periodical examination of the mine workers is being carried out on regular basis as required under Mine Rule 1955 and training on various medical aspects are being given. The company has engaged full time trained doctor for occupational health surveillance. Records are being maintained.
xi)	Top soil/solid waste(if any) shall be stacked properly with proper slope and adequate safe guards and shall back filled for reclamation and rehabilitation of the mined area	Complying. Top soil is being utilized for plantation and at present no solid waste is generated.
xii)	Over burden if any shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not be exceed 30m, each stage shall preferably be of 10m and overall slope of the dump shall not exceeded 28°. The OB dump shall be backfilled. The OB scientifically vegetated with suitable native species to prevent erosion and surface run off. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self –sustaining. Compliance status shall be submitted to the Ministry of Environment Forests on six monthly bases.	Noted. Presently, there is no over burden dump within the lease area. Compliance report is being submitted to the Ministry of Environment and Forests on six monthly basis.

xiii)	Garland drains shall be constructed to arrest silt and sediment flows from soil, and mineral dumps. The water so collected shall be utilised for watering the mine areas, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly. Garland drain of appropriate size, gradient and length shall be designed keeping 50% safety margin over and above peak sudden rain fall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity will also provide adequate retention period to allow proper settling of silt materials. Sedimentation pits shall be constructed at the corners of the garland drains and desilted at regular intervals. Check dams and gully checks shall be constructed across nallahs (if any) flowing through the lease area.	Complying. Garland drains have been made around dumps and pit. The collected water in the pit is being used for green belt development and spraying on haul roads for controlling fugitive dust emission. There is no nallah within the lease area.
xiv)	Slope of mining bench and ultimate pit limit shall be as per the mining scheme approved by Indian Bureau of mines.	Complying. Slope of mining bench and ultimate pit limit are followed as per the mining plan approved by Indian Bureau of mines.
xv)	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with DFO. Herbs, shrubs shall also form a part of a forestation programme besides tree plantation. Plantation shall be raised in 22.0 ha around the ML area, haul roads, OB dump sites etc. the density of the trees shall be not less than 2500 plants per ha. The company shall involve local people with the help of self-help group for plantation programme.	Complying. Green Belt Development is being done with native species and in consultation with DFO as committed in Mining plan.
xvi)	Details of the year wise a forestation programmed already under take as well as proposed to be taken of including rehabilitation of mined out areas shall be submitted to the Ministry within six months.	Complied. Details of the year wise a forestation programme is already submitted to MoEF and Plantation is being done as per mining plan.
xvii)	The project authority shall implement suitable conservation measures to augment ground water resource in the areas in consultation with the Regional Director, Central Ground water Board. Status of implementation shall be reported to the regional office of the Ministry from time to time.	Complying. Surface/rain water harvested in mine pit and recharges ground water as water percolates down wards due to inclined strata.
xviii)	Prior permission from the competent authority shall be obtained for extraction of ground water, if any.	Complied. We have obtained permission from Karnataka Ground Water Authority, Bagalkot vide letter no. SG/GWB/NOC/Halki/2020-21/373, dated: 12-01-2021.

		Presently we are utilizing borewell for only domestic requirement and greenery. we are utilizing rain water harvested in the mines pit for dust suppression and plantation.
xix)	Drilling and blasting (if any) shall be conducted by using dust extractors/ wet drilling.	Complying. Wet drilling operation is being practiced.
xx)	Vehicles used for transportation of ores and other mining operation shall have valid permission as prescribed under Central Motor Vehicles rules,1989 and its amendments. Transporting of ores shall be done covered with a tarpaulin or other suitable enclosures so that no dust particles /fine matters escape during the course of transportation. No overloading of ores for transportations shall be under taken.	Complying. Vehicles used for transportation of ores and other mining operation have valid permission as prescribed under Central Motor Vehicles rules,1989 and its amendments. It is ensured that no spillage is occurred during transportation.
xxi)	Village roads through which transportation of ores are being carried out shall be regularly maintained by the company at its own expenses.	Complying. Village roads through which transportation of limestone is being carried out is being regularly maintained by the company at its own expenses.
xxii)	A final mine closure plan, along with details of corpus funds, shall be submitted to the Ministry of Environments & Forests within six months, in advance of final mine closure for approval.	Will be complied at the time of mine closure.
B	General Condition:	
i)	No change in mining technology and scope of working shall be made without prior approval of Ministry of Environment & Forests.	Agreed.
ii)	No change in calendar plan including excavation, quantum of mineral, limestone and waste shall be made.	Agreed.
iii)	Four Ambient Air Quality – monitoring station shall be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the metrological data, Topographical features and Environmentally and ecologically sensitive targets and frequency of monitoring should be under taken in consultation with the State Pollution Control Board.	Complied. Four Ambient Air Quality – monitoring stations have been established and monitoring report is being submitted to regulatory authority.

iv)	Data on Ambient Air Quality (RSPM, SPM, SO ₂ , and NO _x) should be regularly submitted to the Ministry including its Regional Office located at Bangalore and the State Pollution Control Board/Central Pollution Control Boards once in six months.	Complying. Ambient air quality data is being submitted to MoEF, Bangalore and SPCB/CPCB on six monthly basis. AAQM data is attached as Annexure-3
v)	Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points shall be provided and properly maintained.	Being Complied. Water is sprayed on the haul roads, loading and unloading points by tankers.
vi)	Measures shall be taken for control of noise level below 85 dBA in the work environments. Workers engaged in operations of HEMM, etc shall be provided with ear plugs/ muffs.	Being complied. HEMM maintenance is being done regularly. For workers earplugs/ muffs have been provided.
Vii)	Industrial waste water (Works shop and waste water from the mine should be properly collected , treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May , 1993 and 31st December 1993 or as amended from time to time. Oil and Grease trap shall be instilled before discharge of effluents.	Not applicable, there is no workshop in mines area and no waste water discharged from mines.
viii)	Personnel working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information of Safety and Health aspects.	Complying. Personnel working in dusty areas have been provided with protective respiratory devices and imparted adequate training and information of Safety and Health aspects.
ix)	A separate Environmental Management cell with suitable qualified personnel shall be set up the control of Senior Executive, who will be report directly to the head of the organization.	Complied. A separate Environmental Management cell with suitable qualified personnel has been set up the control of Senior Executive, who is report directly to the head of the organization.
X)	The project authorities shall informed to the Regional Office of the Ministry located at Bangalore regarding date of financial closures and final approval of the project by the concern authorities and the date of start of land development work.	Complied.
xi)	The funds earmarked for Environmental Protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Ministry and its Regional office located at Bangalore.	Complied.

xii)	The project authorities shall informed to the Regional Office of the Ministry located at Bangalore regarding date of financial closures and final approval of the project by the concern authorities and the date of start of land development work.	Complied.
xiii)	The Regional Office of the Ministry, Bangalore shall monitor compliance of the stipulated conditions. The project authorities shall extend full cooperation to the officer(s) of the Regional office by furnishing the requisite data/ information /monitoring reports.	Agreed
xiv)	A copy of clearance letter will be marked to concerned panchayat /local NGO, if any from whom suggestion /representation has been received while processing the proposal.	Complied.
xv)	State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industry Centre and collector's office /Tehsildar's office for 30 days.	Agreed
xvi)	The project authorities shall advertise at least in two local Newspapers widely circulated , one of which shall be in the vernacular languages of the localities concern within 7days of issue of the clearance letter informing that the project has been accorded Environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of the Environment & Forests at http: www.envfor.nic.in and a copy of the same shall be forwarded to the Regional Office of the Ministry located at Bangalore.	Complied.

Thanking you,

Yours Faithfully,
For Muddapur Limestone Mine


Umashankar Choudhary
(Unit Head)



Annexure-1

J K CEMENT WORKS, MUDDAPUR

DETAILS OF CSR ACTIVITY UNDERTAKEN DURING October '2021 TO March'2022		
Sl. No	Particulars	Amount
1	Education & Extra-curricular support to students	3444140
2	Health and sanitisation	32260
3	Medical aid / COVID relief / Grocery under Health Care	463500
4	Medical Support	105600
5	Pooja/ Fair/Festival in local village	1060877
6	Promoting Rural sports, Nationally recognized sports	90000
7	Rural Community Development Projects	832466.6
8	Rural development / other support to villagers	487015
9	Rural Infrastructure Development Projects	1063190.1
	Grand Total	7579048.7


Prepared by


checked by

MUDDAPUR LIMESTONE MINES, (KARNATAKA)

(Unit: JK Cement Ltd.)

HALF YEARLY AAQM REPORT (SO₂, NO₂, PM₁₀, PM_{2.5}) FROM OCTOBER-2021 TO MARCH-2022

(ALL VALUES IN MICROGRAMS / CUBIC METER)

Month	Sl. No.	Date	Week	SO ₂				NO ₂				PM ₁₀				PM _{2.5}			
				NAAQ Standard = 80 µg/m ³				NAAQ Standard = 80 µg/m ³				NAAQ Standard = 100 µg/m ³				NAAQ Standard = 60 µg/m ³			
				Locations				Locations				Locations				Locations			
				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
OCTOBER	1	4.10.2021	1st	8.0	8.0	8.0	8.0	18.0	18.8	18.0	17.7	55.4	63.5	57.2	48.0	22.9	16.7	16.7	8.3
	2	7.10.2021		7.2	7.5	7.5	6.7	17.2	17.5	16.7	18.0	65.3	51.7	51.9	58.3	20.8	18.3	20.8	16.7
	3	11.10.2021	2nd	7.5	6.8	6.7	8.0	17.8	16.7	16.7	17.5	58.5	57.4	61.0	54.0	25.0	20.8	12.5	12.5
	4	14.10.2021		6.5	7.3	8.0	7.0	16.7	17.3	18.0	17.3	62.4	62.5	57.9	57.1	20.8	16.7	25.0	8.3
	5	18.10.2021	3rd	8.0	8.3	9.2	8.0	18.0	18.3	19.2	18.0	55.4	67.8	64.9	64.2	25.0	12.5	16.7	20.8
	6	21.10.2021		7.0	8.5	8.0	7.7	17.2	18.5	18.0	17.5	70.7	83.5	68.1	79.0	33.3	29.2	20.8	16.7
	7	25.10.2021	4th	6.8	9.5	7.0	8.0	16.7	19.5	17.0	18.7	67.2	78.7	62.5	65.4	29.2	25.0	25.0	12.5
	8	28.10.2021		8.0	6.8	6.7	6.8	17.8	17.3	16.7	16.8	65.5	69.9	59.6	60.9	25.0	18.7	20.8	20.8
NOVEMBER	1	01.11.2021	1st	6.7	7.3	7.3	6.7	17.3	17.5	17.3	16.7	41.0	60.8	51.1	48.4	16.7	25.0	29.2	20.8
	2	04.11.2021		7.5	6.7	7.0	5.8	18.3	17.3	16.7	15.8	46.8	63.9	59.0	60.4	25.0	20.8	25.0	25.0
	3	08.11.2021	2nd	8.5	7.5	6.7	7.0	17.7	18.3	16.5	17.0	58.6	66.5	47.7	56.8	20.8	20.8	20.8	25.0
	4	11.11.2021		7.0	6.8	5.7	7.8	17.3	17.5	15.5	18.0	67.8	47.5	50.8	50.3	20.8	20.8	16.7	16.7
	5	15.11.2021	3rd	6.8	8.0	7.5	8.0	16.7	18.7	17.5	18.7	69.8	55.8	60.3	58.9	25.0	20.8	12.5	16.7
	6	18.11.2021		5.8	6.8	5.8	6.8	15.8	16.8	15.8	16.8	61.3	60.8	66.9	56.7	20.8	16.7	16.7	12.5
	7	22.11.2021	4th	6.8	7.3	6.8	7.3	16.8	17.3	17.5	17.5	69.0	56.2	72.3	62.5	29.2	20.8	20.8	20.8
	8	25.11.2021		7.3	6.3	6.5	6.8	17.5	16.5	15.0	15.3	62.2	60.4	88.4	59.8	25.0	33.3	16.7	16.7
	9	29.11.2021		5.5	4.5	6.0	7.0	15.5	15.5	11.0	11.0	57.2	65.1	58.6	54.6	23.8	12.5	20.8	21.2
DECEMBER	1	02.12.2021	1st	7.7	6.7	7.0	6.7	17.5	16.7	16.2	16.7	65.8	56.9	53.1	54.1	16.7	25.0	25.0	25.0
	2	06.12.2021		5.3	6.7	5.7	5.7	15.3	16.8	15.7	15.7	53.7	69.6	58.9	67.0	25.0	29.2	20.8	20.8
	3	09.12.2021	2nd	6.3	5.8	6.8	6.8	15.3	15.7	16.8	16.7	64.5	75.0	65.9	71.2	20.8	33.3	20.8	25.0
	4	13.12.2021		6.8	7.0	7.2	7.2	16.8	17.0	17.2	17.5	75.2	57.7	71.7	68.2	20.8	29.2	29.2	29.2
	5	16.12.2021	3rd	5.8	8.2	7.5	6.3	15.8	18.2	17.5	16.3	79.5	68.4	76.3	70.2	25.0	20.8	24.2	25.0
	6	20.12.2021		6.2	6.8	6.2	7.2	15.8	16.8	16.2	16.3	57.6	72.5	71.5	64.4	20.8	31.3	20.8	20.8
	7	23.12.2021	4th	7.5	7.0	6.8	6.2	16.8	17.0	16.8	16.3	63.9	62.2	69.4	65.2	29.2	16.7	29.2	20.8
	8	27.12.2021		6.7	6.1	7.1	5.8	16.7	16.1	17.0	15.8	71.4	72.6	62.6	64.3	25.0	25.0	20.8	16.7
	9	30.12.2021		5.5	5.5	6.8	6.2	15.5	15.5	17.0	16.2	78.6	76.7	58.7	71.2	23.8	20.8	25.0	25.0
JANUARY	1	03.1.2022	1st	6.7	7.5	6.8	6.7	16.7	17.5	16.8	17.5	64.8	76.9	69.3	68.8	25.0	33.3	37.5	29.2
	2	06.1.2022		7.5	8.0	8.0	8.0	17.5	18.0	17.5	18.0	59.8	86.6	74.1	61.3	16.7	29.2	20.8	25.0
	3	10.1.2022	2nd	6.7	6.8	6.2	6.7	16.3	16.5	15.8	16.2	69.9	73.7	78.5	41.0	29.2	25.0	33.3	37.5
	4	13.1.2022		7.0	7.0	7.5	6.2	17.0	17.0	17.5	17.5	74.0	66.3	69.3	72.5	20.8	41.7	29.2	36.7
	5	17.1.2022	3rd	5.8	6.0	8.0	7.8	15.8	16.2	18.0	17.8	63.7	78.2	63.0	69.8	26.7	37.5	25.0	33.3
	6	20.1.2022		6.8	7.8	7.8	8.0	16.8	18.5	17.8	18.0	75.4	72.8	60.8	75.4	20.8	25.0	20.8	20.8
	7	24.1.2022	4th	7.5	8.2	8.7	6.8	17.5	18.7	17.5	16.8	60.8	69.3	71.5	67.6	25.0	20.8	31.0	40.0
	8	27.1.2022		6.8	6.8	6.6	7.3	16.8	16.6	17.3	17.6	72.5	73.0	67.4	69.3	29.2	29.2	30.7	25.0
	9	31.1.2022		5.0	8.8	6.0	6.5	15.5	17.8	16.5	18.0	67.7	66.5	57.3	73.4	20.8	41.7	37.9	37.5
FEBRUARY	1	03.2.2022	1st	7.5	7.7	7.8	8.0	17.5	17.8	17.8	18.0	60.3	72.0	67.8	61.9	23.8	33.3	29.2	25.0
	2	07.2.2022		6.3	8.0	8.0	7.8	16.8	18.7	18.7	17.8	68.4	76.7	71.3	69.3	27.1	20.8	20.8	20.8
	3	10.2.2022	2nd	8.0	9.2	6.8	7.2	18.0	19.2	16.8	17.3	76.0	64.3	62.5	60.1	33.3	29.2	33.3	28.3
	4	14.2.2022		7.5	6.5	7.8	6.8	17.8	16.8	17.8	16.8	69.7	68.4	60.8	60.3	25.0	20.8	29.2	27.5
	5	17.2.2022	3rd	6.2	7.2	8.3	7.0	17.0	17.5	18.0	17.5	55.9	60.4	72.9	55.2	29.2	25.0	25.0	25.0
	6	21.2.2022		7.0	8.0	7.7	8.0	17.7	18.0	17.7	18.0	69.2	70.2	67.7	66.8	20.8	22.9	20.8	29.2
	7	24.2.2022	4th	8.0	7.5	8.0	7.8	18.8	17.8	18.3	17.8	64.4	74.9	61.9	59.8	16.7	29.2	22.5	21.2
	8	28.2.2022		6.8	8.0	8.0	6.2	16.8	18.5	18.0	16.7	60.2	60.8	57.7	65.2	21.7	25.0	27.1	22.9
MARCH	1	03.3.2022	1st	8.0	8.0	8.0	8.0	18.0	18.0	18.0	18.0	66.9	65.9	62.3	70.7	20.8	20.8	20.8	29.2
	2	07.3.2022		6.7	6.7	6.8	7.5	17.3	16.8	17.0	17.7	64.5	60.0	68.7	79.0	25.0	25.0	29.2	33.3
	3	10.3.2022	2nd	7.3	7.3	7.5	8.0	18.3	17.8	17.8	18.2	55.1	71.9	75.2	66.0	29.2	29.2	33.3	37.5
	4	14.3.2022		8.0	7.5	6.5	7.5	18.8	17.5	16.8	17.5	71.3	66.6	71.0	76.0	27.1	37.5	29.2	41.7
	5	17.3.2022	3rd	7.5	8.0	8.2	6.3	17.8	18.0	18.2	16.3	67.3	70.0	66.8	64.8	36.7	29.2	25.0	25.0
	6	21.3.2022		8.0	8.0	8.8	5.7	18.3	18.8	18.0	15.7	62.0	58.6	76.6	71.6	23.3	30.0	37.5	20.8
	7	24.3.2022	4th	7.5	7.5	6.8	7.8	17.5	17.8	17.5	18.0	70.5	66.0	57.8	59.9	25.0	20.8	33.3	25.0
	8	28.3.2022		8.0	6.6	7.0	6.6	18.0	17.8	17.3	16.6	60.5	53.7	71.1	69.0	29.2	25.0	20.8	33.3
	9	31.3.2022		6.5	8.0	7.8	6.7	16.5	18.0	18.0	15.5	69.7	58.3	56.7	62.1	25.0	33.3	25.0	25.0
Half Yearly Avg.				7.0	7.3	7.2	7.1	17.1	17.5	17.1	17.0	64.7	66.6	64.7	63.6	24.4	25.4	24.6	24.2
Half Yearly Min.				5.0	4.5	5.7	5.7	15.3	15.5	11.0	11.0	41.0	47.5	47.7	41.0	16.7	12.5	12.5	8.3
Half Yearly Max.				8.5	9.5	9.2	8.0	18.8	19.5	19.2	18.7	79.5	86.6	88.4	79.0	36.7	41.7	37.9	41.7

Note:- Location A-Near mines office
Location B-Service Road
Location C-Muddapur village
Location D-Petlur village


Shridhar
Checked by


MUDDAPUR LIME STONE MINES, (KARNATAKA)

(Unit : J.K. Cement Ltd.)

Half Yearly Fugitive Emission Monitoring Report of Muddapur mines for the month of October-2021 to March-2022

Sl. No.	MONTH/YEAR	SPM ($\mu\text{g}/\text{m}^3$)				
		Loading Area	Drilling Area	Haulage Area	Waste Dumping Site	Service Road
1	Oct-21	586.28	575.74	528.30	548.09	589.24
2	Nov-21	503.19	591.67	483.97	548.89	555.61
3	Dec-21	571.88	575.74	592.07	583.16	536.11
4	Jan-22	544.79	561.79	508.16	581.31	558.68
5	Feb-22	572.47	577.97	530.63	568.13	546.65
6	Mar-22	535.74	566.74	513.65	554.61	514.89
	Minimum	503.19	561.79	483.97	548.09	514.89
	Maximum	586.28	591.67	592.07	583.16	589.24
	Average	552.39	574.94	526.13	564.03	550.20

Note: Fugitive emission standard is 600 $\mu\text{g}/\text{m}^3$


Shridhar
Checked by

Muddapur Limestone Mine (Karnataka)
(Unit: J.K. Cement Ltd.)

Noise monitoring report of Muddapur mines (Core zone) for the month of October-2021 to March-2022

Monitoring report of Muddapur mines (Core zone) for the month of October-2021 to March-2022									
Sl.No.	Month	Time	Muddapur Mines boundary	Muddapur Mines Office	Muddapur mines Waste dumping site	Muddapur mines Service Road	Permissible ambient noise standard dB(A) Leq.	Muddapur mines Drilling Time	Work Environment noise standard Leq. dB(A)
1	Oct-21	Day	48.5	52.6	67.5	56.6	75	62.3	85
		Night	36.7	40.5	42.8	37.5	70		
2	Nov-21	Day	51.8	50.5	68.6	55.8	75	65.2	85
		Night	37.6	35.4	45.7	39.5	70		
3	Dec-21	Day	52.5	50.8	67.6	56.7	75	64.2	85
		Night	38.6	35.3	48.7	40.8	70		
4	Jan-22	Day	52.6	49.6	68.2	54.5	75	65.6	85
		Night	41.5	37.7	47.2	42.8	70		
5	Feb-22	Day	52.8	48.5	60.3	47.6	75	57.5	85
		Night	41.5	37.6	40.2	32.5	70		
6	Mar-22	Day	53.6	49.5	61.6	48.8	75	82.4	85
		Night	42.8	38.5	41.7	33.5	70		
Average			51.97	50.25	65.63	53.33	75	66.20	85
			39.78	37.50	44.38	37.77	70		
Minimum			48.5	48.5	60.3	47.6	75	57.5	85
			36.7	35.3	40.2	32.5	70	0	
Minimum			53.6	52.6	68.6	56.7	75	82.4	85
			42.8	40.5	48.7	42.8	70	0	

Checked by 
Shreehar



SUMS TECHNO LABS PRIVATE LIMITED

[Analytical & Environment Laboratory]

NABL Accredited Laboratory Cert No. TC-6224

Recognized by MoEF

[Environment (Protection) Act, 1986 vide Gazette notification S.No. 2836(E)
dt:30.08.2017, validity dt: 08.08.2022]



ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

TC-6224

ANALYSIS REPORT OF GROUND WATER QUALITY

1. Name of the Industry : Muddapur Lime Stone of M/s. J.K. Cement Ltd.
2. Sample Collected By : Muddapur Village, Mudhol Taluk, Bagalkot District
3. Date of Collection : SUMS Techno Labs Private Limited, Hosapete
4. Date of Sampling Receipt : 29.12.2021
5. Date of analysis Started : 30.12.2021
6. Sampling Method : APHA 23RD Edition - 1060 B
7. Discipline : Chemical
8. Group : Water
9. Test Report Number : STLPL/JKC/GW/2021/12/1124
10. ULR Number : TC622420000001124F
11. Lab code : 842/13
12. Report Issued Date : 15.01.2022

Sl. No	Parameters	Protocol	Unit	Result	Standards As per IS :10500:2012	
				Bore Well water	DL	PL
1.	Colour	APHA 23 rd Edition-2120 B	Hazen	<1	5	15
2.	pH	APHA 23 rd Edition-4500 B	--	7.38	6.5-8.5	NR
3.	Turbidity	APHA 23 rd Edition-2130 B	NTU	1.5	1	5
4.	Conductivity	APHA 23 rd Edition- 2510 B	µmhos/cm	1622	-	-
5.	Total Dissolved Solids	APHA 23 rd Edition-2540 C	mg/l	1119	500	2000
6.	Total Alkalinity as CaCO ₃	APHA 23 rd Edition-2320 B	mg/l	90	200	600
7.	Total Hardness as CaCO ₃	APHA 23 rd Edition-2340 C	mg/l	136	200	600
8.	Calcium as Ca	APHA 23 rd Edition-3500 B	mg/l	31.20	75	200
9.	Magnesium as Mg	APHA 23 rd Edition-3500 B	mg/l	14.09	30	100
10.	Sodium as Na	APHA 23 rd Edition-3500 B	mg/l	53.55	-	-
11.	Potassium as K	APHA 23 rd Edition-3500 B	mg/l	1.50	-	-
12.	Iron as Fe	APHA 23 rd Edition-3500 B	mg/l	0.1	0.3	NR
13.	Chlorides as Cl	APHA 23 rd Edition-4500 B	mg/l	253.92	250	1000
14.	Sulphates as SO ₄	APHA 23 rd Edition-4500 B	mg/l	133.25	200	400
15.	Nitrates as NO ₃	APHA 23 rd Edition-4500 E	mg/l	3.24	45	NR
16.	Fluoride as F	APHA 23 rd Edition-4500 D	mg/l	0.22	1.0	1.5
17.	Boron as B	APHA 23 rd Edition-4500 B	mg/l	0.01	1.0	5.0

DL: Desirable Limit, PL: Permissible Limit, NR: No Relaxation, BDL: Below Detectable Limit.

INFERENCE	Standards As per IS :10500:2012
	Report Status: - measured values for all the parameters are within the standards.

ER
Analysed by
E Raghunatha Reddy



Shivashankaraiah.H.M.
Authorized Signatory
Shivashankaraiah.H.M.

Page No.5 of 8

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete - 583201, Ballari District, Karnataka,
Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in
Branch Office: Maakrupa Apartment, 2nd Floor, H.No-201, Near Baldwin School, Nagarabhavi Road, Kalyan Nagar,
Bangalore-560072.



SUMS TECHNO LABS PRIVATE LIMITED

[Analytical & Environment Laboratory]

Recognized by MoEF

[Environment (Protection) Act, 1986 vide Gazette notification Sl.No. 2836(E)
DT: 30.08.2017, validity DT: 08.08.2022]

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

ANALYSIS REPORT OF GROUND WATER QUALITY

1. Name of the Industry : Muddapur Lime Stone of M/s. J.K. Cement Ltd.
Muddapur Village, Mudhol Taluk, Bagalkot District
2. Sample Collected By : SUMS Techno Labs Private Limited, Hosapete
3. Date of Collection : 29.12.2021
4. Date of Sampling Receipt : 30.12.2021
5. Date of analysis Started : 30.12.2021
6. Sampling Method : APHA 23RD Edition - 1060 B
7. Discipline : Chemical
8. Group : Water
9. Test Report Number : STLPL/JKC/GW/2021/12/1124
10. Report Issued Date : 15.01.2022

Sl. No	Parameters	Protocol	Unit	Result	Standards As per IS:10500:2012	
				Bore Well water	DL	PL
18.	Phosphorous as P	IS:3025(Part-31)-1988	mg/l	0.020	-	-
19.	Cadmium as Cd	APHA 23 rd Edition -3111 B	mg/l	0.001	0.05	-
20.	Nickel as Ni	APHA 23 rd Edition -3111 B	mg/l	0.016	0.02	NR
21.	Zinc as Zn	APHA 23 rd Edition - 3111 B	mg/l	0.077	5	15
22.	Lead as Pb	APHA 23 rd Edition -3111 B	mg/l	0.005	0.1	-
23.	Chromium As Cr	APHA 23 rd Edition -3111 B	mg/l	0.044	0.05	-
24.	Mercury as Hg	APHA 23 rd Edition -3112 B	mg/l	BDL	0.01	-
25.	Manganese as Mn	APHA 23 rd Edition -3111 B	mg/l	0.001	0.1	0.5
26.	Copper as Cu	APHA 23 rd Edition - 3111	mg/l	0.01	0.05	1.5
27.	E Coli Bacteria/100 ml	IS:1622:1981, RA 2009	MPN/100ml	Absent	Absent	Absent
28.	Total Coli Form (MPN/100ml)	IS:1622:1981, RA 2009	MPN/100ml	Absent	Absent	Absent

DL: Desirable Limit, PL: Permissible Limit, NR: No Relaxation, BDL: Below Detectable Limit.

INFERENCE	Standards As per IS :10500:2012
	Report Status: - measured values for all the parameters are within the standards.

Analysed by
E Raghunatha Reddy



Authorized Signatory
Shivashankaraiah.H.M

Page No.6 of 8

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete - 583201, Ballari District, Karnataka,
Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in
Branch Office: Maakrupa Apartment, 2nd Floor, H.No-201, Near Baldwin School, Nagarabhavi Road, Kalyan Nagar,
Bangalore-560072.



SUMS TECHNO LABS PRIVATE LIMITED

[Analytical & Environment Laboratory]

NABL Accredited Laboratory Cert No. TC-6224

Recognized by MoEF

[Environment (Protection) Act, 1986 vide Gazette notification S.No. 2836(E)
dt:30.08.2017, validity dt: 08.08.2022]



ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

TC-6224

ANALYSIS REPORT OF SURFACE WATER QUALITY

1. Name of the Industry : Muddapur Lime Stone of M/s. J.K. Cement Ltd.
Muddapur Village, Mudhol Taluk, Bagalkot District
2. Sample Collected By : SUMS Techno Labs Private Limited, Hosapete.
3. Date of Collection : 29.12.2021
4. Date of Sampling Receipt : 30.12.2021
5. Date of analysis Started : 30.12.2021
6. Sampling Method : APHA 23rd Edition - 1060 B
7. Discipline : Chemical
8. Group : Water
9. Test Report Number : STLPL/JKC/SW/2021/12/1124
10. ULR Number : TC622421000001124F
11. Lab code : 842/14,842/15
12. Report Issued Date : 15.01.2022

Sl.No	Parameters	Protocol	Unit	Result		Standards As per IS:10500:2012	
				SW-1	SW-2	DL	PL
1.	Colour	APHA 23 rd Edition -2120 B	Hazen	<5	<5	5	15
2.	pH	APHA 23 rd Edition -4500 B	--	7.28	7.48	6.5-8.5	NR
3.	Turbidity	APHA 23 rd Edition -2130 B	NTU	1.1	3.8	1	5
4.	Conductivity	APHA 23 rd Edition- 2510 B	µmhos/cm	1485	1348	-	-
5.	Total Dissolved Solids	APHA 23 rd Edition -2540 C	mg/l	1025	930	500	2000
6.	Total Alkalinity as CaCO ₃	APHA 23 rd Edition- 2320 B	mg/l	136	206	200	600
7.	Total Hardness as CaCO ₃	APHA 23 rd Edition- 2340 C	mg/l	370	368	200	600
8.	Calcium as Ca	APHA 23 rd Edition- 3500 B	mg/l	71.20	70.40	75	200
9.	Magnesium as Mg	APHA 23 rd Edition- 3500 B	mg/l	46.66	46.66	30	100
10.	Sodium as Na	APHA 23 rd Edition -3500 B	mg/l	107.1	82.11	-	-
11.	Potassium as K	APHA 23 rd Edition-3500 B	mg/l	1.07	1.27	-	-
12.	Iron as Fe	APHA 23 rd Edition -3500 B	mg/l	0.1	0.01	0.3	NR
13.	Chlorides as Cl	APHA 23 rd Edition -4500 B	mg/l	283.91	157.95	250	1000
14.	Sulphates as SO ₄	APHA 23 rd Edition-4500 B	mg/l	83.28	77.73	200	400
15.	Nitrates as NO ₃	APHA 23 rd Edition-4500 E	mg/l	9.06	3.88	45	NR
16.	Fluoride as F	APHA 23 rd Edition -4500 D	mg/l	0.42	0.58	1.0	1.5
17.	Boron as B	APHA 23 rd Edition -4500 B	mg/l	0.1	0.12	1.0	5.0

Note: Surface Water

SW-1: River Water-Ghataprabha, SW-2: Muddapur Mines Pit,

DL: Desirable Limit, PL: Permissible Limit, NR: No Relaxation, BDL: Below Detectable Limit.

INFERENCE	Standards As per IS:10500:2012
	Report Status: - measured values for all the parameters are within the standards.

Analysed by
E Raghunatha Reddy



Authorized Signatory
Shivashankaraiah.H.M

Page No.7 of 8

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete - 583201, Ballari District, Karnataka,
Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in
Branch Office: Maakrupa Apartment, 2nd Floor, H.No-201, Near Baldwin School, Nagarabhavi Road, Kalyan Nagar,
Bangalore-560072.



SUMS TECHNO LABS PRIVATE LIMITED

[Analytical & Environment Laboratory]

Recognized by MoEF

[Environment (Protection) Act, 1986 vide Gazette notification SI.No. 2836(E)
DT: 30.08.2017, validity DT: 08.08.2022]

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

ANALYSIS REPORT OF SURFACE WATER QUALITY

1. Name of the Industry : Muddapur Lime Stone of M/s. J.K. Cement Ltd.
Muddapur Village, Mudhol Taluk, Bagalkot District
2. Sample Collected By : SUMS Techno Labs Private Limited, Hosapete.
3. Date of Collection : 29.12.2021
4. Date of Sampling Receipt : 30.12.2021
5. Date of analysis Started : 30.12.2021
6. Discipline : Chemical
7. Group : Water
8. Sampling Method : APHA 23rd Edition - 1060 B
9. Test Report Number : STLPL/JKC / SW/2021/12/1124
10. Report Issued Date : 15.01.2022


Sl. No	Parameters	Protocol	Unit	Result		Standards As per IS:10500:2012	
				SW-1	SW-2	DL	PL
1.	Total Suspended Solids	IS:3025(PART 17)-1984	mg/l	1	2	-	-
2.	Dissolved Oxygen	IS:3025 (PART 38)-1989	mg/l	6.10	6.40	-	-
3.	Biochemical Oxygen Demand For 3 Days At 27° C	IS:3025(PART-17)	mg/l	<1	2.10	-	-
4.	Chemical Oxygen Demand	APHA 23 rd Edition -5220 B	mg/l	<1	16	-	-
5.	Phosphate As P	APHA 23 rd Edition-4500P	mg/l	0.030	0.030	--	--
6.	Acidity As CaCO ₃	IS:3025 (PART 25)-1991	mg/l	NIL	NIL	-	-
7.	Oil & Grease	IS:3025 (PART-39)-1991	mg/l	0.049	0.018	-	-
8.	Nickel As Ni	APHA 23 rd Edition -3111 B	mg/l	0.016	0.014	0.02	NR
9.	Manganese as Mn	APHA 23 rd Edition -3111 B	mg/l	BDL	BDL	0.1	0.5
10.	Copper as Cu	APHA 23 rd Edition -3111 B	mg/l	0.119	0.128	0.05	1.5
11.	Zinc as Zn	APHA 23 rd Edition -3111 B	mg/l	BDL	BDL	5	15
12.	Lead as Pb	APHA 23 rd Edition -3111 B	mg/l	0.008	0.0017	0.1	NR
13.	Silver as Ag	APHA 23 rd Edition -3111 B	mg/l	BDL	BDL	0.10	NR
14.	Chromium as Cr	APHA 23 rd Edition -3111 B	mg/l	BDL	0.020	0.05	NR
15.	E Coli Bacteria/100 ml	IS:1622:1981, RA 2009	MPN/100ml	Absent	Absent	Absent	Absent
16.	Total Coli Form	IS:1622:1981, RA 2009	MPN/100ml	Absent	Absent	Absent	Absent


Note: Surface Water

SW-1: River Water-Ghataprabha, SW-2: Muddapur Mines Pit

DL: Desirable Limit, PL: Permissible Limit, NR: No Relaxation, BDL: Below Detectable Limit.

INFERENCE	Standards As per IS:10500:2012
	Report Status: - measured values for all the parameters are within the standards.


Analysed by
E Raghunatha Reddy


Authorized Signatory
Shivashankaraiah.H.M



Page No.8 of 8

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete - 583201, Ballari District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in
Branch Office: Maakrupa Apartment, 2nd Floor, H.No-201, Near Baldwin School, Nagarabhavi Road, Kalyan Nagar, Bangalore-560072.

Environmental Expenditure for Muddapur Limestone Mines

October 2021 to March- 2022

Sl.No.	Particulars	Cost (in Rs.)
1.	Pollution Control Measures	11,00,000
2	Environmental Monitoring	3,00,000
3	Occupational Health And Safety	80,000
4	Green Belt	1,91,000
5	Reclamation	0
6.	Others	71,445
	Total	17,42,445

