

Ref. No.: SM/EMD/MoEF/F 01/021

Dated: 18.11.2021

To,  
Regional Office (WZ),  
Kendriya Paryavaran Bhawan,  
E-5, Arera Colony, Link Road-3, Ravi Shankar Nagar  
**BHOPAL – 462 016**  
E-Mail: rowz.bpl-mef@nic.in

**Subject:** Environmental Clearance Ist Compliance status Report of Koni – Simariya Limestone Mine of M/s Jaykaycem (Central) Limited for Koni - Simariya Limestone mine with total excavation of 9.05 Million TPA (Lime Stone: 5.08 MTPA; Soil: 2.94 MTPA and OB: 1.03 MTPA) with Crusher capacity - 1800 TPH in the mine lease area of 3095.23 ha. located at Village(s) - Koni, Boda, Gudha, Maharajganj, Ganiyari, Vanbhai, Simariya, Devri, Pagra & Kuluwa, Tehsil -Simariya, District - Panna, Madhya Pradesh - Environmental Clearance (EC) regarding.

**Ref.: EC Identification No. EC21A001MP114641, File No. J-11015/80/2020/IA.II(M), Date: 01/11/2021.**


Dear Sir,

With reference to above stated Environmental Clearance Ist Compliance status Report of Koni – Simariya Limestone Mine of M/s Jaykaycem (Central) Limited for Koni - Simariya Limestone mine with total excavation of 9.05 Million TPA (Lime Stone: 5.08 MTPA; Soil: 2.94 MTPA and OB: 1.03 MTPA) with Crusher capacity - 1800 TPH in the mine lease area of 3095.23 ha. located at Village(s) - Koni, Boda, Gudha, Maharajganj, Ganiyari, Vanbhai, Simariya, Devri, Pagra & Kuluwa, Tehsil -Simariya, District - Panna, Madhya Pradesh - Environmental Clearance (EC). We are sending the same hard & soft copy to below email id for your kind reference and record please. We trust you will find the same in order.

Thanking you,

Yours Sincerely

For: Jaykaycem (Central) Limited



Ram Pal Goyal  
(Authorised Signatory)

Encl.: 1. Copy of Environmental Clearance Compliance Status Report.  
Soft copy by mail to:

1. Member Secretary, MP Pollution Control Board, Paryawaran Parisar, E-5, Arera Colony, Bhopal (MP). E. mail: ms-mppcb@mp.gov.in.
2. Regional Officer, Regional Office, MP Pollution Control Board, Makronia, Sagar (MP)  
E. mail: ropcb-sagar@mp.gov.in.
3. Regional Director- CPCB, Paryawaran Parisar, E-5, Arera Colony, Bhopal (MP) – E. mail: cpcb.bhopal@gmail.com



**Subject: Proposal for Environmental Clearance of M/s Jaykaycem (Central) Limited for Koni - Simariya Limestone mine with total excavation of 9.05 Million TPA (Lime Stone: 5.08 MTPA; Soil: 2.94 MTPA and OB: 1.03 MTPA) with Crusher capacity - 1800 TPH in the mine lease area of 3095.23 ha. located at Village(s) - Koni, Boda, Gudha, Maharajganj, Ganiyari, Vanbhai, Simariya, Devri, Pagra & Kuluwa, Tehsil -Simariya, District - Panna, Madhya Pradesh - Environmental Clearance (EC) regarding.**

<b>EC Identification No. EC21A001MP114641, File No. J-11015/80/2020/IA.II(M), Date: 01/11/2021</b>		
<b>Specific Condition</b>		
I.	The budget of Rs. 12.11 Crores to address the concerns raised by the public including in the public hearing to be completed within 3 years from the date of start of mining operations. PP shall comply with all action plans made for public hearing concerns and make regular maintenance and record the progressive activity outcomes.	Agreed and will be complied. Concerns raised by the public including in the public hearing will be completed within 3 years from the date of start of mining operations and maintenance and record the progressive activity out-come will be done regularly.
II.	The Project Proponent should implement the Rehabilitation of project affected families (PAFs) and payment of compensation to PAFs as per the policy and guidelines of the Central/State Government, as provided under the law.	Agreed and will be complied as per the policy and guidelines of the Central/State Government provided under the law.
III.	The Project Proponent shall undertake the progressive bench plantation up to HFL for eco restoration of water bodies.	Agreed, progressive bench plantation up to HFL for eco restoration of water bodies will be complied.
IV.	Peripheral plantation shall be completed within 6 months from the commencement of mining operation and the plantation in non-mineralized zone, around the water bodies and avenue plantation along the approach roads, Nalla and Habitation shall be completed within 3 years from the commencement of mining operation.	Agreed and will be complied, Peripheral plantation will be completed within 6 months from the commencement of mining operation and plantation in non-mineralized zone, around the water bodies and avenue plantation along the approach roads, Nalla and Habitation will be completed within 3 years from the commencement of mining operation.
V.	Plantation to be carried out with the survival rate of not less than 90% by planting 10 ft seedlings. Causalities should be replaced with new saplings every year and should be counted separately other than the total proposed saplings and the data for such saplings should be furnished during six monthly compliance report along with the progressive plantation.	Agreed and will be complied, Plantation Survival rate will not be less than 90%. Gap plantation will be done every year and record will be submitted along with six monthly compliances.
VI.	The Project Proponent should collect six monthly data on ambient air quality, noise and ground vibration by installing adequate no. of monitoring station during blasting at the edge of the mine, near the village and school. Additionally, the data should also be collected while using the rock breaker in the mine lease area and the data collected should be submitted to IRO during EC Compliance monitoring.	Agreed and will be complied, Ambient air quality, noise and ground vibration monitoring will be done at the edge of the mine, near the village and school during blasting and using rock breaker and collected results will be submitted to IRO during EC compliance monitoring.
VII.	The Project Proponent should further augment the Conservation plan by ensuring effective fire protecting measures during the fire season, by constructing the perennial source of drinking water for the wild animals and by undertaking habitat improvement activities to provide camouflage. The conservation plan in consultation with the Forest Department shall be implemented and compliance of the same shall be submitted to IRO of MoEF &CC before 1 <sup>st</sup> July of every year.	Agreed and will be complied. Conservation plan will be implemented in consultation with the forest department and compliance of the same will be submitted IRO of MoEF &CC before 1 <sup>st</sup> July of every year. Constructing the perennial source of drinking water for the wild animals and provide camouflage both activity will be implemented after consultation with Forest department.



VIII.	The Project Proponent shall ensure that the protection and management of the water bodies should include provision of utilizing available water to the villagers by installing solar pumps as well as PP shall explore the possibility for installing floating solar panels for generation of electricity and distribution of power supply to the villagers.	Agreed and will be complied. Water supply to the villagers will be done with the help of solar pump and possibilities of solar power distribution to villagers generated through floating solar panels will be explored.
IX.	The Project Proponent shall ensure that the water bodies shall be protected by plantation and fencing should be provided outside the plantation for its safety. The natural streams (nalas) passing through the mining lease area shall not be disturbed. Further the streams shall be protected by. creation of bunds on both sides. The Project Proponent should ensure that safety barrier of 250m for River (8.48 ha), The Project Proponent should ensure that safety barrier to be left around Nallah, Canal, Roads, Electric line and dumps should not be less than 100m on both the side	Water bodies will be protected by plantation and also fencing will be provided outside the planation. Natural streams will not be disturbed passing through the mining lease area.  As per submitted ADS reply of query no 10, dated 30.08.2021 Safety barriers of 10 m on both the sides of nallahs and 250 m at the banks of river will be left and due plantation will be maintained.  The same detail is also mentioned in EIA report in Chapter-11- Page no 287 Drainage pattern and safety zone of nalla is already deducted in allotted mine lease as per mining plan page no 127.
X.	The Project Proponent shall ensure that no blasting activity to be carried out in 500 mts from school and habitation. Transportation activities should be restricted during 30 minutes prior to the school in/out timings for the school and shall follow the mitigation measures provided in MoEFCC's Office Memorandum No. Z- 11013/57/2014-IAII (M), dated 29th October, 2014.	As per ads reply of query no II dated 30.08.2021 following measures will be taken:- <ul style="list-style-type: none"> <li>• No blasting in 300 mts from school and habitation.</li> <li>• Controlled blasting technology will be adopted which includes use of NONEL, programmable detonators, air-decking, muffled blasting etc.</li> <li>• Mining in between 100 to 300 m from habitation and school with advance technology such as rock breaker, road header, drum cutter and low intensity blasting after getting the permission from DGMS.</li> <li>• Blasting will be done during day time in between 1 to 3 pm and transportation.</li> <li>• Activities timings will be 6am to 10pm.</li> <li>• There will be no blasting and transportation activities during 30 minutes prior to the school in/out timings for the school</li> </ul> As per submitted EIA report Chapter-1- Page no 12- TOR compliance- Point A-II- No blasting within 300 m of habitation. Mining would be carried out from 100 to 300m with advanced method of mining such as rock splitter/ breaker after getting permission from DGMS.



XI.	The Project Proponent shall ensure that the water bodies shall be protected by plantation and fencing should be provided outside the plantation for its safety. Wherever the fencing is proposed it should be done preferably by chain link instead of barbed wire. PP shall also ensure that digital technologies such as WiFi enabled cameras will be installed to monitor and control any unauthorized entry in mining area.	Agreed and will be complied, Water bodies will be protected by plantation and also chain link wire fencing will be provided outside the planation. WiFi enabled camera will be installed to monitor unauthorized entry in mining area.
XII.	The Project Proponent shall also organize employment-based apprenticeship/ internship training program every year with appropriate stipend for the youth and other programs to enhance the skill of the local people. The data should be maintained for the training imparted to the persons and the outcome of the training, for the assessment of the training program which should be analyzed periodically.	Agreed and assure for the compliance as per the given direction. Under CSR activities apprenticeship/ internship training program will be organized and appropriate stipend also will be paid. Records will be maintained and Feedback and outcome of training will analyzed periodically.
XIII.	The Project Proponent should use the road for transportation of mineral from crusher to cement plant for one year only and later the same shall be transported by Over Land Belt Conveyor. The capacity of the truck/tipper should be 30 T only.	<b>Agreed and will be complied</b> <b>Query reply no XII-</b> The capacity of truck will be reduced from 55 T to 30 T Limestone for transportation of mineral from crusher to cement plant only.
XIV.	The Project Proponent should preferably use electrical equipment's and use of diesel consuming machineries as well as vehicles should be discouraged to reduce the vehicular and gaseous emission.	Agreed and will be complied, Electrical equipment will be used and explore the feasibility to reduce use of diesel machineries and vehicles.
XV.	The Project Proponent should not disturb the existing road network during the operating period of mine.	Agreed and will be complied. Existing road network will not be disturbed during operating period of mine.
XVI.	The Project Proponent should submit the progressive plan for the activities undertaken for the commitments made by Project Proponent under R&R plan, concern addressing public hearing issues, conservation plan and plantation for its compliance review as per the timeline.	Agreed and will be complied. R&R and CER/CSR progressive plan and information regarding plantation and conservation plan will be submitted periodically.
XVII.	The topsoil shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long time. The topsoil shall be used for land reclamation and plantation.	Agreed and will be complied, Topsoil will be stored at earmarked site and will be used for land reclamation and planation.
XVIII.	ITI College should be operational by July, 2023 as submitted by Project Proponent. PP should submit the details on progress of construction and its operation by July, 2023.	Agreed and will be complied, Information regarding progress of ITI building construction and operation will be submitted by July 2023.
XIX.	Regular surveillance on Silicosis shall be carried through regular occupational health check-up of 1/3 of the persons every year.	Agreed and will be complied. Regular Occupational health check-up along with Silicosis will be carried out of 1/3 of the person every year.
XX.	NOC from the Central Ground Water Authority (CGWA)/ Concerned Local authority, as the case may be, shall be obtained before drawing the ground water for the project activities, State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission. The project proponent shall obtain the NOC from CGWA for intersection of ground water table before commencing the mining operations.	<b>Complied.</b> NOC from CGWA has already been obtained vide no. <b>CGWA/NOC/MIN/ORIG/2021/11999</b> dated 03.06.2021 for use of ground water as well as for intersection of ground water table and copy CGWA Water as enclosed <b>Annexure-1</b> .
<b>B. Standard EC Conditions:</b>		
<b>I. Statutory compliance</b>		
1)	This Environmental Clearance (EC) is subject to orders/ judgment of Hon'ble Supreme Court of India, Hon'ble High	Noted.



	Court, Hon'ble NGT and any other Court of Law, Common Cause Conditions as may be applicable.	
2)	The Project proponent complies with all the statutory requirements and judgment of Hon'ble Supreme Court dated 2nd August, 2017 in Writ Petition (Civil) No. 114 of 2014 in matter of Common Cause versus Union of India & Ors before commencing the mining operations.	Noted & will be complied.
3)	The State Government concerned shall ensure that mining operation shall not be commenced till the entire compensation levied, if any, for illegal mining paid by the Project Proponent through their respective Department of Mining & Geology in strict compliance of Judgment of Hon'ble Supreme Court dated 2nd August, 2017 in Writ Petition (Civil) No. 114 of 2014 in matter of Common Cause versus Union of India & Ors.	Not Applicable
4)	The Project Proponent shall follow the mitigation measures provided in MoEFCC's Office Memorandum No. Z-11013/S7/2014-IA.11 (M), dated 29th October, 2014, titled "Impact of mining activities on Habitations-Issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".	Noted and will be complied. Mitigation measures provided in MoEFCC's Office Memorandum No. Z-11013/S7/2014-IA.11 (M), dated 29th October, 2014 will be followed.
5)	A copy of EC letter will be marked to concerned Panchayat / local NGO etc. if any, from whom suggestion / representation has been received while processing the proposal.	Complied. The copy of EC letter has been provided to concerned Panchayat vide letter No. SM/EMD/CWLA/F12/012, dated 01.11.2021 copy enclosed as <b>Annexure-2</b> .
6)	State Pollution Control Board/Committee shall be responsible for display of this EC letter at its Regional office, District Industries Centre and Collector's office/ Tehsildar's Office for 30 days.	Not Applicable The condition is related to SPCB, RO, MPPCB, DIC & DC.
7)	The Project Authorities should widely advertise about the grant of this EC letter by printing the same in at least two local newspapers, one of which shall be in vernacular language of the concerned area. The advertisement shall be done within 7 days of the issue of the clearance letter mentioning that the instant project has been accorded EC and copy of the EC letter is available with the State Pollution Control Board/ Committee and web site Ministry of Environment Forest & Climate Change ( <a href="http://WWW.parivesh.nic.in">WWW.parivesh.nic.in</a> ). A copy of the advertisement may be forwarded to the concern MoEFCC, Regional Office for compliance and Record.	Complied The advertisement about the grant of EC letter for the project has been published in two local newspapers namely Navbharat and Nai Dunia dated 02.11.2021 and copy of the same enclosed as <b>Annexure-3</b> .
8)	The Project Proponent shall inform the MoEF&CC for any change in ownership of the mining lease. In case there is any change in ownership or mining lease is transferred. PP needs to apply for transfer of EC as per provisions of the para 11 of EIA Notification, 2006 as amended from time to time.	Agreed and Noted.
<b>II. Air quality monitoring and preservation</b>		
9)	The Project Proponent shall install a minimum of 3 (three) online Ambient Air Quality Monitoring Stations with 1 (one) in upwind and 2 (two) in downwind direction based on long term climatological data about wind direction such that an angle of 120° is made between the monitoring locations to monitor critical parameters, relevant for mining operations, of air pollution viz. PM10, PM2.5, NO2, CO and SO2 etc. as per the methodology mentioned in NAAQS Notification No. B-29016/20/90/PCI/I dated 18.11.2009 covering the aspects of transportation and use of heavy machinery in the impact zone. The ambient air quality shall also be monitored at prominent places like office building, canteen etc. as per the site condition to ascertain the exposure characteristics at specific places. The above data shall be digitally displayed within 03 months in front of the main Gate of the mine site.	Agreed and will be complied. Three nos of CAAQMS will be installed to monitor critical parameters i.e. PM10, PM2.5, NO2, CO and SO2. The ambient air quality will be monitored manually at prominent places like office building, canteen etc and the results will be digitally displayed in front of the main Gate of the mine site.





10)	Effective safeguard measures for prevention of dust generation and subsequent suppression (like regular water sprinkling, metalled road construction etc.) shall be carried out in areas prone to air pollution wherein high levels of PM10 and PM2.5 are evident such as haul road, loading and unloading point and transfer points. The Fugitive dust emissions from all sources shall be regularly controlled by installation of required equipments/ machineries and preventive maintenance. Use of suitable water-soluble chemical dust suppressing agents may be explored for better effectiveness of dust control system. It shall be ensured that air pollution level conform to the standards prescribed by the MoEFCC/ Central Pollution Control Board	<p>Agreed and will be complied.</p> <ul style="list-style-type: none"> <li>Regular water sprinkling will be done on haul roads, loading and unloading areas and metalled road will be constructed. Water spray system and bag filters will be installed to controlled fugitive emission.</li> <li>Feasibility for using of water-soluble chemical dust suppressing agents will be explored.</li> <li>Air pollution level will be within the prescribed norms by the MoEFCC/ Central Pollution Control Board.</li> </ul>
<b>III. Water quality monitoring and preservation</b>		
11	In case, immediate mining scheme envisages intersection of ground water table, then Environmental Clearance shall become operational only after receiving formal clearance from CGWA. In case, mining operation involves intersection of ground water table at a later stage, then PP shall ensure that prior approval from CGWA and MoEFCC is in place before such mining operations. The permission for intersection of ground water table shall essentially be based on detailed hydro-geological study of the area	<p><b>Complied.</b></p> <p>The Clearance from CGWA has already been obtained vide no. <b>CGWA/NOC/ MIN/ORIG/2021/11999</b> dated 03.06.2021 for use of ground water as well as for intersection of ground water table and copy CGWA Water as enclosed <b>Annexure-1</b>.</p>
12)	Project Proponent shall regularly monitor and maintain records w.r.t. ground water level and quality in and around the mine lease by establishing a network of existing wells as well as new piezo-meter installations during the mining operation in consultation with Central Ground Water Authority/ State Ground Water Department. The Report on changes in Ground water level and quality shall be submitted on six-monthly basis to the Regional Office of the Ministry, CGWA and State Groundwater Department / State Pollution Control Board.	<p>Agreed and will be complied.</p> <ul style="list-style-type: none"> <li>Monitoring of Ground Water level and quality in and around the mine lease will be carried out.</li> <li>New piezometer will be installed during the mining operation in consultation with Central Ground Water Authority/ State Ground Water Department.</li> <li>Report of same will be submitted regularly on six monthly basis to the Regional Office of the Ministry, CGWA and State Groundwater Department / State Pollution Control Board.</li> </ul>
13)	The Project Proponent shall undertake regular monitoring of natural water course/ water resources/ springs and perennial nallahs existing/ flowing in and around the mine lease including upstream and downstream. Sufficient number of gullies shall be provided at appropriate places within the lease for management of water. The parameters to be monitored shall include their water quality vis-à-vis suitability for usage as per CPCB criteria and flow rate. It shall be ensured that no obstruction and/ or alteration be made to water bodies during mining operations without justification and prior approval of MoEFCC. The monitoring of water courses/ bodies existing in lease area shall be carried out four times in a year viz. pre- monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the record of monitored data may be sent regularly to Ministry of Environment, Forest and Climate Change and its Regional Office, Central Ground Water Authority and Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board. Clearly showing the trend analysis on six-monthly basis.	<p>Agreed and will be complied,</p> <ul style="list-style-type: none"> <li>Regular monitoring of natural water course/ water resources/ springs and perennial nallahs existing/ flowing in and around the mine lease including upstream and downstream will be carried out.</li> <li>Sufficient number of gullies will be provided at appropriate places within the lease for management of water.</li> <li>Water quality analysis will be carried out of four time in a year and report will be submitted to regularly to Ministry of Environment, Forest and Climate Change and its Regional Office, Central Ground Water Authority and Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board on six monthly basis along with trend analysis.</li> </ul>
14)	Quality of polluted water generated from mining operations which include Chemical Oxygen Demand (COD) in mines run-off; acid mine	EC issued for limestone mine and there is no any acid mine drainage.



	<p>drainage and metal contamination in runoff shall be monitored along with Total Suspended Solids (TDS), Dissolved Oxygen (DO), pH and Total Suspended Solids (TSS).</p> <p>The monitored data shall be uploaded on the website of the company as well as displayed at the project site in public domain, on a display board, at a suitable location near the main gate of the Company. The circular No. "20012/1/2006-IA.11 (M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change may also be referred in this regard.</p>	<p>Waste water analysis will be carried out for the parameters of COD, TDS, DO and TSS and results will be uploaded on company website and will be displayed on main gate of the company.</p>
15)	<p>Project Proponent shall plan, develop and implement rainwater harvesting measures on long term basis to augment ground water resources in the area in consultation with Central Ground Water Board/ State Groundwater Department. A report on amount of water recharged needs to be submitted to Regional Office MoEFCC annually.</p>	<p>Agreed and will be complied.</p> <ul style="list-style-type: none"> <li>Rainwater Harvesting structures will be constructed to augment ground water resources in the area in consultation with Central Ground Water Board/ State Groundwater Department.</li> <li>Report on amount of water recharge will be submitted annually to Regional Office MoEFCC annually.</li> </ul>
16)	<p>Industrial waste water (workshop and waste water from the mine) should be properly collected and treated so as to conform to the notified standards prescribed from time to time. The standards shall be prescribed through Consent to Operate (CTO) issued by concerned State Pollution Control Board (SPCB). The workshop effluent shall be treated after its initial passage through Oil and grease trap.</p>	<p>Agreed and will be complied.</p> <p>Workshop waste water will be treated after passage through oil and grease trap and quality will be maintained as per prescribed norms.</p>
17)	<p>The water balance/water auditing shall be carried out and measure for reducing the consumption of water shall be taken up and reported to the Regional Office of the MoEF&amp;CC and State Pollution Control Board / Committee.</p>	<p>Agreed and will be complied.</p> <p>Water auditing will be carried out and report will be submitted to the Regional Office of the MoEF&amp;CC and State Pollution Control Board / Committee.</p>
<b>IV. Noise and vibration monitoring and prevention</b>		
18)	<p>The peak particle velocity at 500m distance or within the nearest habitation, whichever is closer shall be monitored periodically as per applicable DGMS guidelines.</p>	<p>Agreed and will be complied, PPV will be done as per applicable DGMS guideline.</p>
19)	<p>The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining' operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day /night hours.</p>	<p>Agreed and will be complied, Noise level will be maintained within prescribed limit in day/ night hours as and floodlights/ masks will be away from villagers.</p>
20)	<p>The Project Proponent shall take measures for control of noise levels below 85 dBA in the work environment. The workers engaged in operations of HEMM, etc. should be provide with ear plugs /muffs. All personnel including laborers working in dusty areas shall be provided with protective respiratory devices along with adequate training, awareness and information on safety and health aspects. The PP shall be held responsible in case it has been found that workers/ personals/ laborers are working without personal protective</p>	<p>Agreed and will be complied.</p> <ul style="list-style-type: none"> <li>Regular maintenance will be done of HEMM. PUC will be done of all HEMM.</li> <li>PPEs will be provided to all.</li> <li>Training and awareness program on health and safety aspects will be organized periodically.</li> </ul>
<b>V) Mining Plan</b>		
21)	<p>The Project Proponent shall adhere to approved mining plan, inter alia, including, total excavation (quantum of mineral, waste, over burden, inter burden and top soil etc.); mining technology; lease area; scope of working ( method of mining, overburden &amp; dump management, O.B &amp; dump mining, mineral transportation mode, ultimate depth of mining, concurrent reclamation and reclamation at</p>	<p>Agreed and will be complied.</p> <p>Mining operation will be executed as per approved mining plan in terms of total excavation (quantum of mineral, waste, over burden, inter burden and top soil etc.); mining technology; lease area; scope of</p>



	mine closure; land-use of the mine lease area at various stages of mining scheme as well as at the end-of-life; etc.).	working (method of mining, overburden & dump management, O.B & dump mining, mineral transportation mode, ultimate depth of mining, concurrent reclamation and reclamation at mine closure; land-use of the mine lease area at various stages of mining scheme.
22)	The land-use of the mine lease area at various stages of mining scheme as well as at the end-of-life shall be governed as per the approved Mining Plan. The excavation vis-a-vis backfilling in the mine lease area and corresponding afforestation to be raised in the reclaimed area shall be governed as per approved mining plan. PP shall ensure the monitoring and management of rehabilitated areas until the vegetation becomes self-sustaining. The compliance status shall be submitted half-yearly to the MoEFCC and its concerned Regional Office.	Agreed and will be complied. <ul style="list-style-type: none"> <li>• Mining will be done as per mining plan.</li> <li>• Land use will be maintained as per mining plan.</li> <li>• Backfilling in the mine lease area and afforestation in the reclaimed area will be done as per mining plan.</li> <li>• Monitoring and management will be done regularly and report will be submitted to the MoEF&amp;CC and its concerned Regional Office on half yearly basis.</li> </ul>
<b><u>VI. Land reclamation</u></b>		
23)	The Overburden (O.B.), waste and topsoil generated during the mining operations shall be stacked at earmarked OB dump site(s) only and it should not be kept active for a long period of time. The physical parameters of the OB / waste dumps / topsoil dump like height, width and angle of slope shall be governed as per the approved Mining Plan and the guidelines/circulars issued by D.G.M.S. The topsoil shall be used for land reclamation and plantation.	Agreed and will be complied. <ul style="list-style-type: none"> <li>• Overburden (O.B.), waste and topsoil generated during the mining operations will be stacked at earmarked OB dump site.</li> <li>• Physical parameters of the OB / waste dumps / topsoil dump like height, width and angle of slope will be maintained as per the approved Mining Plan and as per the guidelines/circulars issued by D.G.M.S.</li> <li>• The topsoil will be used for land reclamation and plantation.</li> </ul>
24)	The slope of dumps shall be vegetated in scientific manner with suitable native species to maintain the slope stability, prevent erosion and surface run off. The selection of local species regulates local climatic parameters and help in adaptation of plant species to the microclimate. The gullies formed on slopes should be adequately taken care of as it impacts the overall stability of dumps. The dump mass should be consolidated with the help of dozer/ compactors thereby ensuring proper filling/ leveling of dump mass. In critical areas, use of geo textiles/ geo-membranes / clay liners / Bentonite etc. shall be undertaken for stabilization of the dump.	Agreed and will be complied. <ul style="list-style-type: none"> <li>• Slope of dumps will be vegetated in scientific manner with suitable native species to maintain the slope stability, prevent erosion and surface run off.</li> <li>• Dump mass will be consolidated with the help of dozer/ compactors. Suitable technique will be used for stabilization of the dump.</li> </ul>
25)	Catch drains, settling tanks and siltation ponds of appropriate size shall be constructed around the mine working, mineral yards and Top Soil/OB/Waste dumps to prevent run off of water and flow of sediments directly into the water bodies (Nallah/ River/ Pond etc.). The collected water should be utilized for watering the mine area, roads, green belt development, plantation etc. The drains/ sedimentation sumps etc. shall be de-silted regularly, particularly after monsoon season, and maintained properly.	Agreed and will be complied. Catch drains, settling tanks and siltation ponds will be constructed around the mine working, mineral yards and Top Soil/OB/Waste dumps to prevent run off. Collected water will be utilized for watering the mine area, roads, green belt development, plantation etc. Drains/ sedimentation sumps etc. will be de-silted regularly, particularly after monsoon season, and maintained properly
26)	Check dams of appropriate size, gradient and length shall be constructed around mine pit and OB dumps to prevent storm run-off	Agreed and will be complied.





	and sediment flow into adjoining water bodies. A safety margin of 50% shall be kept for designing of sump structures over and above peak rainfall (based on 50 years data) and maximum discharge in the mine and its adjoining area which shall also help in providing adequate retention time period thereby allowing proper settling of sediments/ silt material. The sedimentation pits/ sumps shall be constructed at the corners of the garland drains.	<ul style="list-style-type: none"> <li>• Check dams of appropriate size, gradient and length will be constructed around mine pit and OB dumps to prevent storm run-off and sediment flow into adjoining water bodies.</li> <li>• Safety margin of 50% will be kept for designing of sump structures over and above peak rainfall (based on 50 years data) and maximum discharge in the mine and its adjoining area which will also help in providing adequate retention time period thereby allowing proper settling of sediments/ silt material.</li> <li>• Sedimentation pits/ sumps will be constructed at the corners of the garland drains.</li> </ul>
<b>VII. Transportation</b>		
27)	No Transportation of the minerals shall be allowed in case of roads passing through villages/ habitations. In such cases, PP shall construct a 'bypass' road for the purpose of transportation of the minerals leaving an adequate gap (say at least 200 meters) so that the adverse impact of sound and dust along with chances of accidents could be mitigated. All costs resulting from widening and strengthening of existing public road network shall be borne by the PP in consultation with nodal State Govt. Department. Transportation of minerals through road movement in case of existing village/ rural roads shall be allowed in consultation with nodal State Govt. Department only after required strengthening such that the carrying capacity of roads is increased to handle the traffic load. The pollution due to transportation load on the environment will be effectively controlled and water sprinkling will also be done regularly. Vehicular emissions shall be kept under control and regularly monitored. Project should obtain Pollution Under Control (PUC) certificate for all the vehicles from authorized pollution testing centers. [If applicable in case of road transport]	<p>Agreed and will be complied.</p> <ul style="list-style-type: none"> <li>• No transportation will be passed through villages/ habitations.</li> <li>• Costs resulting from widening and strengthening of existing public road network will be borne in consultation with nodal State Govt. Department.</li> <li>• Water sprinkling arrangement will be provided on haul road to control fugitive emission.</li> <li>• Vehicular emissions will be kept under control and regularly monitored. Project should obtain Pollution under Control (PUC) certificate for all the vehicles from authorized pollution testing centers.</li> </ul>
28)	The Main haulage road within the mine lease should be provided with a permanent water sprinkling arrangement for dust suppression. Other roads within the mine lease should be wetted regularly with tanker-mounted water sprinkling system. The other areas of dust generation like crushing zone, material transfer points, material yards etc. should invariably be provided with dust suppression arrangements. The air pollution control equipments like bag filters, vacuum suction hoods, dry fogging system etc. shall be installed at Crushers, belt-conveyors and other areas prone to air pollution. The belt conveyor should be fully covered to avoid generation of dust while transportation. PP shall take necessary measures to avoid generation of fugitive dust emission.	<p>Agreed &amp; Will be complied.</p> <ul style="list-style-type: none"> <li>• Permanent water sprinkling arrangement over main haulage road within the mine lease will be provided for dust suppression.</li> <li>• Other roads within the mine lease will be wetted regularly with tanker-mounted water sprinkling system.</li> <li>• Dust suppression arrangements will be provided at other areas of dust generation like crushing zone, material transfer points, material yards etc.</li> <li>• Air pollution control equipments like bag filters, vacuum suction hoods, dry fogging system and covered belt-conveyors will be provided with Crusher.</li> </ul>
<b>VIII. Green Belt</b>		
29)	The Project Proponent shall develop greenbelt in 7.5m wide safety zone all along the mine lease boundary as per the guidelines of CPCB in order to arrest pollution emanating from mining operations within the lease. The whole Green belt shall be	<p>Agreed and will be complied.</p> <p>Peripheral plantation will be completed within 6 months from the commencement of mining operation and</p>




	developed within first 5 years starting from windward side of the active mining area. The development of greenbelt shall be governed as per the EC granted by the Ministry irrespective of the stipulation made in approved mine plan.	plantation in non-mineralized zone, around the water bodies and avenue plantation along the approach roads, Nalla and Habitation will be completed within 3 years from the commencement of mining operation.
30)	The Project Proponent shall carryout plantation/ afforestation in backfilled and reclaimed area of mining lease, around water body, along the roadsides, in community areas etc. by planting the native species in consultation with the State Forest Department/ Agriculture Department/ Rural development department/ Tribal Welfare Department/ Gram Panchayat such that only those species be selected which are of use to the local people. The CPCB guidelines in this respect shall also be adhered. The density of the trees should be around 2500 saplings per Hectare. Adequate budgetary provision shall be made for protection and care of trees	Agreed and will be complied. <ul style="list-style-type: none"> <li>Plantation/ afforestation in backfilled and reclaimed area of mining lease, around water body, along the roadsides, in community areas will be carried out with native species.</li> <li>Budgetary provision will be made for protection and care of trees.</li> </ul>
31	The Project Proponent shall make necessary alternative arrangements for livestock feed by developing grazing land with a view to compensate those areas which are coming within the mine lease. The development of such grazing land shall be done in consultation with the State Government. In this regard, Project Proponent should essentially implement the directions of the Hon'ble Supreme Court with regard to acquisition of grazing land. The sparse trees on such grazing ground, which provide mid-day shelter from the scorching sun, should be scrupulously guarded/ protected against felling and plantation of such trees should be promoted.	There is no any grazing land in mine lease area.
<b>IX. Public hearing and human health issues</b>		
32)	Project Proponent shall make provision for the housing for workers/labors or shall construct labor camps within/outside (company owned land) with necessary basic infrastructure/ facilities like fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche for kids etc. The housing may be provided in the form of temporary structures which can be removed after the completion of the project related infrastructure. The domestic waste water should be treated with STP in order to avoid contamination of underground water.	Agreed and will be complied. Temporary housing facilities will be provided during construction phase and domestic waste water will be disposed of in soak pit followed by septic tank.
<b>X. Corporate Environment Responsibility (CER)</b>		
33)	The Project Proponent shall submit the time- bound action plan to the concerned regional office of the Ministry within 6 months from the date of issuance of environmental clearance for undertaking the activities committed during public consultation by the project proponent and as discussed by the EAC, in terms of the provisions of the MoEF&CC Office Memorandum No.22-65/2017-1A.111 dated 30 September, 2020. The action plan shall be implemented within three years of commencement of the project.	Agreed and will be complied. CER/CSR including activities raised during public hearing three year Time- bound action plan will be submitted to the concerned regional office of the Ministry within 6 months.
<b>XI. Miscellaneous</b>		
34)	The Project Proponent shall prepare digital map (land use & land cover) of the entire lease area once in five years purpose of monitoring land use pattern and submit a report to concerned Regional Office of the MoEF&CC.	Agreed and will be complied. Digital map (land use & land cover) of the entire lease area will be prepared once in five years and submit a report to concerned Regional Office of the MoEF&CC.
35)	The Project Authorities should inform to the Regional Office regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Noted



36)	The Project Proponent shall submit six monthly compliance reports on the status of the implementation of the stipulated environmental safeguards to the MOEFCC & its concerned Regional Office, Central Pollution Control Board and State Pollution Control Board.	Agreed and will be complied. Six monthly compliance report will be submitted to the MOEFCC & its concerned Regional Office, Central Pollution Control Board and State Pollution Control Board.
37)	A separate 'Environmental Management Cell' with suitable qualified manpower should be set-up under the control of a Senior Executive. The Senior Executive shall directly report to Head of the Organization. Adequate number of qualified Environmental Scientists and Mining Engineers shall be appointed and submit a report to RO, MoEFCC.	Agreed and will be complied. Separate 'Environmental Management Cell' headed by HOD (Env.) will be established will be submitted to RO, MoEFCC.
38)	The concerned Regional Office of the MoEFCC shall randomly monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the MoEFCC officer(s) by furnishing the requisite data / information / monitoring reports.	Noted
39)	In pursuant to Ministry's O.M No 22-34/2018-IA.III dated 16.01.2020 to comply with the direction made by Hon'ble Supreme Court on 8.01.2020 in W.P. (Civil) No 114/2014 in the matter Common Cause vs Union of India, the mining lease holder shall after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to other mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc.	Noted
40.	The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection	Noted
41.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 19	Noted
24.	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/ High Court and any other Court of Law relating to the subject matter.	Noted
25.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted

Yours Sincerely  
For Jaykaycem (Central) Limited



(Authorized Signatory)





भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन, नदी विकास  
और गंगा संरक्षण विभाग  
केन्द्रीय भूमि जल प्राधिकरण  
Government of India  
Ministry of Jal Shakti  
Department of Water Resources,  
River Development & Ganga Rejuvenation  
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

**NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION**

Project Name:	Koni-simariya Limestone Block		
Project Address:	Villages-koni - Simariya Etc.tehsil-simariya, District-panna		
Village:	Simariya	Block:	Panna
District:	Panna	State:	Madhya Pradesh
Pin Code:			
Communication Address:	My Home Residency, Opp. Essar Petrol Pump, Katni Road, Tehsil-amanganj, District-panna, Panna, Panna, Madhya Pradesh - 488441		
Address of CGWB Regional Office :	Central Ground Water Board North Central Region, Block-1, 4th Floor, Paryawas Bhawan, Area Hills, Jail Road, Bhopal, Madhya Pradesh - 462011		

1.	NOC No.:		CGWA/NOC/MIN/ORIG/2021/11999												
2.	Application No.:		21-4/1091/MP/MIN/2021				3.	Category: (GWRE 2017)			Safe				
4.	Project Status:		New Project				5.	NOC Type:			New				
6.	Valid from:		03/06/2021				7.	Valid up to:			02/06/2023				
8.	Ground Water Abstraction Permitted:														
Fresh Water			Saline Water				Dewatering				Total				
m³/day		m³/year		m³/day		m³/year		m³/day		m³/year		m³/day		m³/year	
160.00		48000.00						606.00		181800.00					
9.	Details of ground water abstraction /Dewatering structures														
Total Existing No.:0							Total Proposed No.:10								
			DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu	
Abstraction Structure*			0	0	0	0	0	0	0	0	2	0	8	0	
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit;MPu-Mine Pumps															
10.	Ground Water Abstraction/Restoration Charges paid (Rs.):							919200.00							
11.	Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.					No. of Piezometers			Monitoring Mechanism						
								Manual		DWLR**		DWLR With Telemetry			
**DWLR - Digital Water Level Recorder					2			0		1		1			

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये  
SAVE WATER - SAVE LIFE



**Validity of this NOC shall be subject to compliance of the following conditions:**

**Mandatory conditions:**

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website ([www.cgwa-noc.gov.in](http://www.cgwa-noc.gov.in)) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m<sup>3</sup>/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

**General conditions:**

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m<sup>3</sup>/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.

**(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)**



# Jaykaycem (Central) Ltd.

(CIN: U72305UP1987PLC009162)

(Wholly Owned Subsidiary of JK Cement LTD.)

Phone : +91-512-2371478 to 81  
Fax (Office) : +91-512-2399854  
Telefax : +91-512-2332665  
E-mail : prabhat.srivastava@jkcement.com

Registered Office :  
Kamla Tower, Kanpur-208 001 (U.P.) INDIA

Ref. No. SM/EMD/CWLA/F 12/012

दिनांक – 01.11.2021

प्रति,

कलेक्टर महोदय,

जिला पन्ना (म0प्र0) . 488 001

**विषय** – पर्यावरण स्वीकृति सूचना – पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय भारत सरकार नई दिल्ली ने मेसर्स जेकेसेम (सेन्ट्रल) लिमिटेड की प्रस्तावित चूना पत्थर खनन परियोजना ग्राम – मेसर्स जेकेसेम (सेन्ट्रल) लिमिटेड की ग्राम कोनी, बोडा, गुढ़ा, महाराजगंज, गनयारी, बनभई, सिमरिया, देवरी, पगरा, कुलावा, तहसील – सिमरिया, जिला – पन्ना (म0प्र0)।

**संदर्भ**– पर्यावरण स्वीकृति EC Identification No. EC21A001MP114641, File No. -11015/80/2020/IA.II(M), दिनांक 01.11.2021।

महोदय,

आपको सूचित किया जाता है कि पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय (एम.ओ.ई. एफ.सी.सी.) भारत सरकार नई दिल्ली ने ई.आई.ए. अधिसूचना 2006 के अधीन मेसर्स जेकेसेम (सेन्ट्रल) लिमिटेड की प्रस्तावित चूना पत्थर खनन परियोजना ग्राम– मेसर्स जेकेसेम (सेन्ट्रल) लिमिटेड की ग्राम कोनी, बोडा, गुढ़ा, महाराजगंज, गनयारी, बनभई, सिमरिया, देवरी, पगरा, कुलावा तहसील सिमरिया जिला–पन्ना (म0प्र0) की प्रस्तावित चूना पत्थर खनन परियोजना के लिए पर्यावरण स्वीकृति प्रदान की गई है।

वास्ते जेकेसेम (सेन्ट्रल) लिमिटेड

*R. Mal*

(रामपाल गोयल)

महाप्रबन्धक (परियोजना, पर्यावरण)

**सलग्नक**– पर्यावरण स्वीकृति File No. -11015/80/2020/IA.II(M), दिनांक 01.11.2021।









**प्रतिलिपि**–

क्रमांक	कार्यालय का नाम	समग्री प्राप्त करने वाले के नाम/हस्ताक्षर
1	कलेक्टर महोदय, जिला पन्ना (म0प्र0) . 488 001	<i>[Signature]</i> 3-11-2021



Sites:

Villages : Kakra, Kamtana, Judi, Saptai, Devri-Purohit, Devra, Tehsil – Amanganj, District – Panna, M.P. INDIA.  
Village : Ingotha, Tehsil: Hamirpur, District: Hamirpur, U.P. INDIA

2	मुख्य कार्यपालन अधिकारी, जिला पंचायत, पन्ना . 488 001	
3	महाप्रबंधक, जिला व्यापार एवं उद्योग केन्द्र, पन्ना. 488 001	
4	सरपंच, ग्राम पंचायत कोनी तहसील-सिमरिया जिला-पन्ना . 488 441	
5	सरपंच, ग्राम पंचायत बोड़ा तहसील-सिमरिया जिला-पन्ना . 488 441	
6	सरपंच, ग्राम पंचायत गुढ़ा तहसील-सिमरिया जिला-पन्ना . 488 442	
7	सरपंच, ग्राम पंचायत गनयारी तहसील-सिमरिया जिला-पन्ना . 488 442	
8	सरपंच, ग्राम पंचायत देवरी तहसील-सिमरिया जिला-पन्ना. 488 442	
9	सरपंच, ग्राम पंचायत सिमरिया तहसील-सिमरिया जिला-पन्ना . 488 442	



**Sites:**

Villages : Kakra, Kamtana, Judi, Saptai, Devri-Purohit, Devra, Tehsil - Amanganj, District - Panna, M.P. INDIA.  
Village : Ingotha, Tehsil: Hamirpur, District: Hamirpur, U.P. INDIA







