

JK Cement LTD.

CIN : L17229UP1994PLC017199

ISO 9001:2008, ISO 14001:2004 & OHSAS 18001 : 2007 CERTIFIED COMPANY

Phone : +91-1477-220098, 220087
Fax : +91-1477-220027, 220049
E-mail : jkc.nbh@jkcement.com
Web : www.jkcement.com

J.K. Cement Works, Mangrol
C/o. Kailash Nagar-312617, Nimbahera
Distt. Chittorgarh (Raj.) INDIA

Ref. No.: MGR-PC -13/ 2687

Date: 23.09.2015

To,
The Member Secretary
Rajasthan State Pollution Control Board
4, Industrial Area, Jhalana Doongri
JAIPUR – 302004 (Raj)


SUBJECT: Environmental Statement for the year 2014-2015 (02 Copies)

Dear Sir,

Kindly find herewith enclosed **Environment Statement Report of J.K. Cement Works Mangrol Line-2** for the year **2014-2015** for your kind reference and record. We trust you will find the same in order.

Thanking You.

Yours Faithfully
For J.K. Cement Works, Mangrol


S.K. Acharya
Asth. V.P. (E&I)



Encl. : a / a

Copy to -
The Regional Officer
Rajasthan State Pollution Control Board
Near FCI Godown, Chanderia
Distt.- CHITTORGARH (RAJ)

Corporate & Registered Office : Kamla Tower, Kanpur-208001, (U. P.) INDIA
Phone : +91-512-2371478 to 81 Fax : 2399854 E-mail : ho.grey@jkcement.com



J. K. Cement Works, Nimbahera
J. K. Cement Works Mangrol
J. K. Cement Works, Gotan

J. K. Power, Bamania
J. K. Cement Works, Muddapur
J. K. White Cement Works, Gotan



Government of India
Ministry of Environment and Forest

"FORM - V"

(See rule 14)

**ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31ST MARCH
2015**

PART - A

- (I) NAME & ADDRESS OF THE
OWNER / OCCUPIER OF THE INDUSTRY
OPERATION OR PROCESS
(AS PER FACTORY ACT)
- S. K. Rathore
Unit Head
J.K. Cement Works,
Mangrol, Chittorgarh (Raj.)
- (II) INDUSTRY CATEGORY
PRIMARY :- (STC CODE)
SECONDARY :- (SIC CODE)
- Primary
- (III) CEMENT PRODUCTION CAPACITY :-
(DESIGNED / INSTALLED CAPACITY)
- 2.50 MMTPA
- (IV) YEAR OF ESTABLISHMENT :-
- 2014
- (V) DATE OF LAST ENVIRONMENTAL
STATEMENT SUBMITTED
- First Time

PART - B

WATER & RAW MATERIAL CONSUMPTION

(1) WATER CONSUMPTION M³/day

Process : NIL
Cooling : 960 M³/day
Domestic : 165 M³/day

NAME OF THE PRODUCTS

PROCESS WATER CONSUPTION PER
PRODUCT OUTPUT

PREVIOUS FINANCIAL
YEAR

CURRENT FINANCIAL
YEAR

(1)

(2)

CEMENT

Being a dry process cement plant, process water
consumption is nil.

(II) RAW MATERIAL CONSUMPTION

NAME OF
RAW MATERIAL
USED

NAME OF
PRODUCTS

CONSUMPTION OF RAW MATERIAL
PER UNIT OF OUTPUT

DURING THE
PREVIOUS
FINANCIAL
YEAR

DURING THE
CURRENT
FINANCIAL
YEAR

Limestone

CEMENT

-

1.71

Laterite

-

0.082

Gypsum

-

0.054

Flyash

-

0.120

* Industry may use codes if disclosing details of raw material would violate contractual obligations
Otherwise all industries have to name the raw materials used.

PART - C

POLLUTION DISCHARGE TO ENVIRONMENT / UNIT OF OUTPUT (Parameters as specified in the consent issued)

(1)	Pollutants	Quantity of Pollutants discharged (Mass / day)	Concentrations of Pollutants in discharged (Mass / volume)	Percentage of variation from prescribed standards with reasons
(a)	Water	:		
(i)	colonial	:	130 KL / day (Within premises in Sewage Treatment Plant)	
(ii)	Industrial	:	NIL	
(b)	Air	:	(See Table No. IV, V & VI in report)	

PART - D

(As specified under Hazardous Waste Management, Handling and Trans Boundary Movement rules-2008)

HAZARDOUS WASTE		TOTAL QUANTITY (KGS.)	
		DURING THE PREVIOUS FINANCIAL YEAR	DURING THE CURRENT FINANCIAL YEAR
(a)	From Process (DG & Plant Machinery)	-	27.04 K.L. (Including unit-1)
(b)	From Pollution Control facilities	N. A.	N. A.

PART - E

SOLID WASTES

		TOTAL QUANTITY	
		DURING THE PREVIOUS FINANCIAL YEAR	DURING THE CURRENT FINANCIAL YEAR
(a)	From Process	N. A.	N. A.
(b)	From Pollution Control facilities	-	83432.13 MT
(c)	(i) Qty. recycled or reused with in the unit	-	83432.13 MT
	(ii) Sold	NIL	NIL
	(iii) Disposed	NIL	NIL

PART - F

PLEASE SPECIFY THE CHARACTERISATIONS (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS AS WELL AS WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES.

- * Solid waste generated from PCE (i. e. from ESP's, Bag filters & dust cyclones) in form of bottom dust is completely recycled.
- * Hazardous waste is generated in the form of used / spent oil, wastes/ residues containing oil which is stored in 210 ltr. Capacity drums at safe side and sale of to approved party from Moef / Rajasthan Pollution Control Board.

PART - G

IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION .

- * By recycling total solid waste generated from pollution control facilities, the industry has conserve natural raw materials.

PART - H

ADDITIONAL MEASURES / INVESTMENT PROPOSALS FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT POLLUTION, PREVENTION OF POLLUTION.

N. A.

PART - I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF ENVIRONMENT.

- * Industry has planted 11062 plants (Including unit-1) in and around factory area during the period under review.

S.K. ACHARYA
A.V.P. (E&I)

For J.K.CEMENT WORKS
MANGROL

