

Ref. No.: UJ/EMD/MoEF/F 01/008

Date: 24.05.2023

To,
The Member Secretary,
M.P. SEIAA, Paryavaran Parisar, E-5, Arera Colony,
BHOPAL-462 016, E-mail: mpseiaa@gmail.com

Sub.: Submission of the Six Monthly Compliance Report of stipulated conditions in the Environmental Clearance granted for Proposed Clinker Grinding Unit with Cement Proposed Capacity of 1.5 MTPA and DG Sets (1250 KVA & 125 KVA) by M/s. J.K. Cement Works, Ujjain, (A Unit of JK Cement Limited) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP) for the period: **October, 2022 to March, 2023.**

Ref.: EC granted by SEIAA, Madhya Pradesh vide letter No.: 7333/ SEIAA, dated: 16.03.2021.

Dear Sir,

With reference to the aforesaid subject and reference matter; we are herewith submitting the Six Monthly Compliance Report of Stipulated conditions given in Environmental Clearance granted by SEIAA, MP for "Proposed Clinker Grinding Unit with Cement Proposed Capacity 1.5 MTPA and DG Sets (1250 KVA & 125 KVA) by M/s. J.K. Cement Works, Ujjain, (A Unit of JK Cement Limited) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)" for the period: **October, 2022 to March, 2023.**

As per MoEF & CC notification vide No.: S.O. 5845(E) dated 26.11.2018 regarding to submit the Environment Clearance Compliance Report in Soft Copy Only and in compliance to the same, we are hereby submitting the EC Compliance through e-mail for your kind reference and record please.

We trust your good self will find the same in order.

Thanking you and with regards,

For, J.K. Cement Works, Ujjain



(Anil Kumar Jain)

(Corporate Head – Environment & Sustainability)

Encl.: As above

Cc to:-

1. The Member Secretary, MP Pollution Control Board, Paryawaran Parisar, E-5, Arera Colony, Bhopal (MP), E-mail: ms-mppcb@mp.gov.in
2. The Regional Officer, MP Pollution Control Board, Bharatpuri, Ujjain (MP), E-mail: ropcb-ujjain@mp.gov.in
3. The Regional Director, Central Pollution Control Board, Paryawaran Parisar, E-5, Arera Colony, Bhopal (MP), E-mail: cpcb.bhopal@gov.in
4. The Deputy Director General of Forests (C), MoEF&CC, IRO, E-5, Kendriya Paryavaran, Bhawan, E-5 Arera Colony, Link Road-3, Ravishankar, Nagar, Bhopal-462016, E-mail: rowz.bpl-mef@nic.in



Corporate Office

Padam Tower, 19 DDA Community Centre
Okhla, Phase - 1, New Delhi - 110020, India
+011-49220000
admin.padamtower@jkcement.com
www.jkcement.com

**JK SUPER
CEMENT**
BUILD SAFE

Manufacturing Units at :
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

**JK CEMENT
WallMaxX**
White Cement Wall Putty



Six Monthly Compliance Report of Environment Clearances of J.K. Cement Works, Ujjain, Clinker Grinding Unit with Cement and DG Sets (1250 KVA & 125 KVA) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)	From: October, 2022 To: March, 2023
--	--

Name & Location of Project	:	M/s. J.K. Cement Works, Ujjain, (A Unit of JK Cement Limited) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP).
Clearance Letter No. & Date	:	7333/SEIAA, Dated: 16th March, 2021
Detail Of Project As Per EC Letter	:	Proposed Clinker Grinding Unit with Cement Capacity 1.50 MTPA and D.G Sets (1250 KVA & 125 KVA).
Period of Compliance Report	:	October, 2022 to March 2023

S. No.	Conditions	Compliance Status (Project work yet not started)
A	SPECIFIC CONDITION BY SEIAA:	
1.	PP should ensure to use water from river as per approval of WRD and there should be no extraction of ground water for industrial use.	Unit will ensure that, water will be withdrawn from Shipra River for Industrial use as per the agreement of WRD, Bhopal dated 25 th December 2020. No ground water will be extracted for industrial use.
2.	All the treated waste water shall be recycled and reused in the processor for dust suppression and green belt development. No process waste water shall be discharged outside the factory premises and 'zero' discharge should be adopted.	Proposed plant is based on dry-process technology. No Industrial wastewater will be generated from cement manufacturing process. Domestic wastewater generated from Plant and Canteen/Pantry will be treated in STP of 10 KLD capacity and treated domestic waste water will be used in tree plantation/gardening.
3.	PP should ensure to disposal of solid waste as per CPCB/ MPPCB Norms.	All solid wastes will be disposed off as per the CPCB/MPPCB norms, after commissioning of the project.
4.	PP should construct settling tank after proper filter media for rainwater harvesting.	Settling tank will be constructed with proper filter media for rainwater harvesting along with the commissioning of the project.
5.	PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipment.	Photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipment are being fixed to conserve the electricity.
6.	All parking areas of trucks for transportation of raw material and finished products should be properly paved and concreted to reduce dust pollution. The service road & staff road should be developed separately.	Concrete/paved road and paved separate truck parking are being constructed to control the fugitive dust emissions. Separate service road & staff road are being developed.
7.	Proper parking bays for control of traffic movement within the plant area and plantation should be done on the parking bays.	Dedicated parking area, surrounded with plantation will be provided.
8.	Proper Parking facility should be provided for employees & transport used for collection & disposal of waste materials.	Dedicated parking facility will be provided for employees & transport used for collection & disposal of waste materials.
9.	PP must ensure to develop area of 3.55 ha by planting of 7000 trees. PP will make sure to have a green belt all around the periphery of plant area. The plants should be 3 years old.	3.55 ha. plantation will be done with 7000 nos. of 3 years old saplings and greenbelt will be ensured all around the periphery of plant area.
10.	Necessary provision shall be made for fire-fighting facilities within the complex.	Necessary provision will be made for fire-fighting facilities within the complex as project work activities will start.
11.	PP should carryout periodical air quality monitoring in and around the site including VOC, HC	Ambient air quality monitoring will be carried out in and around the site including VOC & HC.

Six Monthly Compliance Report of Environment Clearances of J.K. Cement Works, Ujjain, Clinker Grinding Unit with Cement and DG Sets (1250 KVA & 125 KVA) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)	From: October, 2022 To: March, 2023
--	--

12.	All environmental parameters regarding air & water should be analyzed every year and in case of any deviation from the permissible limit, corrective measures be taken for improvement of environmental conditions.	All environmental parameters regarding air & water will be analysed every year and corrective measures will be taken for improvement of environmental conditions in case of any deviation from the permissible limit.
13.	PP should plan the CER activities as per local villagers needs such as construction of toilets, upgradation of infrastructures in schools & aanganwadi respective villages area and also consult District administration/Panchayat for implementation of the CER activities and submit the same to MPSEIAA.	CER implementation progress report will be submitted to MPSEIAA in periodical manner.
B	SPECIFIC CONDITIONS AS RECOMMENDED BY SEAC:	
I	Statutory Compliance	
i	The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/Committee.	Unit has obtained the Consent to Establish vide CTE Order No.: 54599, PCB ID-142967, dated 10.11.2021 and Consent to Operate will be obtained from the M. P. Pollution Control Board before commissioning the production.
ii	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water from the competent authority concerned in case of drawl of surface water required for the project.	Unit has obtained the NOC for withdrawal of ground water of 20 KLD for domestic use vide letter No.: CGWA/NOC/IND/ORIG/2020/8961 on 19 th November 2020 and for industrial use; agreement have been done with WRD, Bhopal for lifting of 164 KLD water on 25 th Dec 2020 from Shipra River.
iii	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	Authorization under the Hazardous and Other Waste Management Rules, 2016 will be obtained before starting of operation.
II	Air Quality monitoring and preservation	
i	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules, 1986 vide G.S.R. No. 612 (E) dated 25 th August, 2014 (Cement) and subsequent amendment dated 19 th May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Continuous online emission monitoring system will be installed during project work and will be connected to SPCB and CPCB online servers and these system will be calibrated from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
ii	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986	Fugitive emissions will be carried out through labs recognized under Environment (Protection) Act, 1986 on quarterly basis as project work will start.
iii	The project proponent shall install Manual Ambient Air Quality monitoring for common/ criterion parameters relevant to the main pollutants released e.g. PM ₁₀ and PM _{2.5} in reference to PM emission, and SO ₂ and NO _x in	Manual Ambient Air Quality monitoring station will be installed and monitoring of applicable parameters will be done as per prescribed norms after starting of project activities.

Six Monthly Compliance Report of Environment Clearances of J.K. Cement Works, Ujjain, Clinker Grinding Unit with Cement and DG Sets (1250 KVA & 125 KVA) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)	From: October, 2022 To: March, 2023
--	--

	reference to SO ₂ and NO _x emissions) at plant Boundary (at least at three locations area at an angle of 120° each).	
iv	The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality/ fugitive emissions to Regional Office of MoEF&CC, Zonal Office of CPCB and Regional Office of SPCS along with six monthly monitoring report.	Monthly summary report of continuous stack emission & air quality monitoring and results of manual stack monitoring and manual monitoring of air quality/ fugitive emissions will be submitted to Regional Office of MoEF & CC, Zonal Office of CPCB and Regional Office of SPCB along with Six Monthly Monitoring Report.
v	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources so as to comply prescribed stack emission and fugitive emission standards.	Unit will provide the Air Pollution Control Systems for all the dust generating points including fugitive dust to comply with the prescribed stack emission as well as fugitive emission standards.
vi	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	Leakage detection and mechanized bag cleaning facilities for better maintenance of bags will be provided.
vii	Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.	Pollution control system in the cement plant will be provided as per the CREP Guidelines of CPCB.
viii	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.	Sufficient number of mobile or stationery vacuum cleaners will be provided to clean plant roads, shop floors, roofs, regularly.
ix	Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.	Covered transportation and covered belt conveyors will be ensured to prevent spillage and dust generation and closed bulkers will be used for carrying fly ash.
x	Provide wind shelter fence and chemical spraying on the raw material stockpiles.	Wind shelter fence and chemical spraying on the raw material stockpiles will be provided whenever, project will be commissioned.
xi	Have separate truck parking area and monitor vehicular emissions at regular interval.	Separate truck parking will be provided and vehicles will be allowed with having valid PUC Certificate only.
xii	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport.	To reduce the impact of transport of the raw materials and finished products on the surrounding environment, following efforts/ measures will be made to reduce the impact which are as follows: - 1. Ensure material transportation in covered trucks. 2. Provide covered belt conveyors for material transportation. 3. Deployed closed bulkers for carrying fly ash.
xiii	Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, and cement bagging plants.	Unit will ensure the proper ventilation system at all tunnels, motor houses, and cement bagging plants as per ACGIH, whenever project will be commissioned.
III	Water Quality Monitoring and Preservation	
i	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent area through labs recognized under Environment (protection) Act, 1986 and NABL accredited laboratories.	The company will monitor the ground water quality twice a year (pre and post monsoon) in the grinding unit and adjacent area through MoEF&CC approved and NABL accredited laboratories.

Six Monthly Compliance Report of Environment Clearances of J.K. Cement Works, Ujjain, Clinker Grinding Unit with Cement and DG Sets (1250 KVA & 125 KVA) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)	From: October, 2022 To: March, 2023
--	--

ii	Adhere to 'Zero Liquid Discharge'.	"Zero Liquid Discharge" during plant operation will be maintained.
iii	Sewage Treatment Plant shall be properly maintained and operated for treatment of domestic waste water to meet the prescribed standard.	STP for treating the domestic wastewater will be properly maintained and operated to meet the prescribed standard, after commissioning the project.
iv	Garland drain and collection pits shall be provided for each stock pile to arrest the run off in the event of heavy rains and to check the water pollution due to surface run off.	All raw materials will be stored under covered shed and silo. Separate storm water drains will be provided.
v	The project proponent shall continue the practice of rainwater harvesting to maximum possible extent.	Rainwater harvesting structures will be constructed.
vi	Water meter shall be provided at the inlet to all unit processes in the cement.	Unit will be provided with water meter at the inlet to all unit processes in the cement
vii	The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practising cascade use and by recycling treated water.	This condition is not applicable, as the said project is a Clinker Grinding Unit.
IV Noise Monitoring and Prevention:		
i	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noise level monitoring will be carried as per the prescribed guidelines and report will be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report, after commissioning the plant operation.
ii	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70dB(A) during night time.	Ambient air noise level will confirm to the standard as prescribed under EPA rule after commissioning the plant operation.
V Energy Conservation Measures:		
i	Provide solar power generation on rooftops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.	Will be complied.
ii	Provide the project proponent for LED lights in their offices and residential areas.	LED lights will be provided in offices and residential area
iii	Maximize utilization of fly ash, slag and sweetener in cement blend as per SIS standards.	Maximize utilization of fly ash, slag and sweetener in cement blend will be ensured as per SIS standards.
VI Waste Management:		
i	The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Trans boundary Movement) Rules, 2016.	All the hazardous wastes will be sold out to CPCB Authorized recycler as per the Hazardous & Other waste (Management & Trans boundary Movement) Rules, 2016 after starting of plant operations.
ii	Kitchen waste shall be composted or converted to biogas for further use. (to be decided on case to case basis depending on type and size of plants).	Possibility of installation of bio gas plant will be explored on the basis of quantity of kitchen waste generated otherwise bio-digester will be installed and digested material will be used as manure for plantation.
iii	Soil analysis with heavy metals shall be done once in a year.	Annual soil analysis for heavy metals will be carried out after commissioning of plant.

Six Monthly Compliance Report of Environment Clearances of J.K. Cement Works, Ujjain, Clinker Grinding Unit with Cement and DG Sets (1250 KVA & 125 KVA) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)	From: October, 2022 To: March, 2023
--	--

iv	Fly ash shall be used 100% in-house.	Not applicable, as no fly ash will be generated from proposed project operation.	
v	Coal shall be used minimum (<35%) ash content.	Unit ensures that the coal will be used with minimum (<35%) ash content after starting of plant operations.	
VII Green Belt:			
i	Green belt shall be developed in an area equal to 33% (7000 nos. in 3.55ha.) of the plant area with a native tree species in accordance with CPCS guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.	Greenbelt will be developed in an area equal to 33% with cover entire periphery of the plant area.	
ii	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.	Unit will prepare GHG emissions inventory and will submit the programme for reduction of the same including carbon sequestration and plantation after commissioning the project.	
VIII Public Hearing and Human Health issues:			
i	Emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Emergency preparedness plan based on the Hazard Identification, Risk Assessment (HIRA) and Disaster Management Plan are being prepared and will be implemented.	
ii	The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	PPE's are being/ will be provided to all the workers and employees as per the norms of Factory Act.	
iii	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	All necessary infrastructures such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. is being/ will be provided to the labour.	
iv	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Annual health check-up will be carried out as per factory act.	
IX EMP:			
i	In the proposed EMP, capital cost is Rs. 22.74 Crore Lakh is proposed and Rs.1.23 Crore Lakh /year as recurring expenses.	Unit will implement the EMP as per submitted action plan during EC	
ii	PP shall propose physical targets based on public hearing under Corporate Environment Responsibility (CER).	Detail action plan to be implemented after commissioning the project.	
	S. No.	Activities	Action
	A	Employment	
	1.	Total manpower requirement for the proposed project will be around 250 persons during operation phase. During construction phase, around 475 contractual workers and 25 permanent employees will be employed. Preference will be given to local people on the basis of their eligibility.	Preference will be given to local people on the basis of their eligibility after commissioning the project.

Six Monthly Compliance Report of Environment Clearances of J.K. Cement Works, Ujjain, Clinker Grinding Unit with Cement and DG Sets (1250 KVA & 125 KVA) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)	From: October, 2022 To: March, 2023
--	--

	B. CSR Related	
	1. Construction of Community centre at villages Madhavgarh, Khalana and Sodang, Size - 18 x 20 feet = 360 square feet. Renovation like White wash and minor repairing of school in villages Madhavgarh, Khalana, Chakrada, Sodang, Gunaya.	CSR activities to be taken care after commissioning of the project.
	2. Renovation like White wash and minor repairing of health centre in villages Khalana, Chakrada, Sodang, Gunaya.	CSR activities to be taken care after commissioning of the project.
	3. Strengthening and widening road network of approx. 1.4 km from Project site at villages Madhavgarh, connecting with SH-17. RCC Road width from 3 to 7 meter.	CSR activities to be taken care after commissioning of the project.
	4. Widening of the road Connecting road from SH - 17 to Madhavgarh, width - 3.5 meter, Length - 300 meter.	CSR activities to be taken care after commissioning of the project.
	C. Drinking Water	CSR activities to be taken care after commissioning of the project.
	1. Tanker cost for transportation of 15 KLD will be borne by company in village Madhavgarh. Required amount will be paid to the Panchayat by the company against transportation only.	CSR activities to be taken care after commissioning of the project.
	2. One water tank of 5 KL will be provided to Madhavgarh village.	CSR activities to be taken care after commissioning of the project.
	3. If, required by the Panchayat, one bore well will be constructed for Madhavgarh and cost will be paid by the company.	CSR activities to be taken care after commissioning of the project.
	D. Plantation	
	1. Plantation development in nearby areas in 3 years. Total saplings will be 4000.	CSR activities to be taken care after commissioning of the project.
	2. Along the Road from SH - 17 to Village Khalana via plant, 2.5 KM, Plantation - 1660 nos.	CSR activities to be taken care after commissioning of the project.
	3. Govt. School Gunaya-50 nos. saplings along school boundary.	CSR activities to be taken care after commissioning of the project.
	4. Govt. School Sodang-50 nos. saplings along school boundary	CSR activities to be taken care after commissioning of the project.
	5. Link road to Madhavgarh-50 nos. saplings Hill area of Madhavgarh, 2190 nos. in 1.5 ha.	CSR activities to be taken care after commissioning of the project.
	iii The project proponent shall comply with the provisions as applicable, regarding Corporate Environment Responsibility.	CSR activities to be taken care after commissioning of the project.
	iv The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental forest wildlife	Environmental policy duly approve by the Board of Directors vide letter No.: UJ/EMD/MoEF/F01/004 dated 28.05.2021 have been submitted.



Six Monthly Compliance Report of Environment Clearances of J.K. Cement Works, Ujjain, Clinker Grinding Unit with Cement and DG Sets (1250 KVA & 125 KVA) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)	From: October, 2022 To: March, 2023
--	--

	norms conditions. The company shall have defined system of reporting infringements/ deviation/violation of the environmental/ forest/wildlife norms/conditions and or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	
v	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Environmental Cell both at the project and company head quarter level are being established.
vi	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	Year wise progress of implementation of action plan will be submitted to the Ministry/Regional Office along with the Six Monthly Compliance Report after commissioning the project.
vii	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Will be complied after starting of Project activities.
viii	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.	All the applicable Recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants will be implemented.
X	Miscellaneous:	
i	The project proponent shall monitor the criteria pollutants level namely; stack emissions) and display the same at a convenient location for disclosure to the public and put on the website of the company.	Criteria pollutants level of stack emissions and display of the same at a convenient location for disclosure to the public will be done and will be uploaded on company website after starting of plant operation.
ii	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Six-monthly reports on the status of the compliance of the stipulated environmental conditions are being uploaded on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
iii	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Will be complied.
iv	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted and will be complied.
v	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted and will be complied.

Six Monthly Compliance Report of Environment Clearances of J.K. Cement Works, Ujjain, Clinker Grinding Unit with Cement and DG Sets (1250 KVA & 125 KVA) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)	From: October, 2022 To: March, 2023
--	--

vi	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted and will be complied.
vii	Concealing factual data or submission of false/ fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed
viii	The Company in a time bound manner shall implement these conditions.	Agreed
ix	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.	Agreed
Standard Conditions:		
1	Regular monitoring of influent and effluent, surface, sub-surface and ground water should be ensured and treated waste water should meet the norms prescribed by the MPPCB or described under the Environment (Protection) Act, 1986 whichever are more stringent.	Regular quality monitoring of influent and effluent, surface, sub-surface and ground water will be carried out after commissioning of the project.
2.	Project Proponent has to strictly follow the direction/ guidelines issued by MoEF, CPCB and other Govt. Agencies from time to time.	Agreed
3.	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF & CC, Gol, and its Regional Office, Bhopal.	Unit will report the year wise expenditure to the MoEF & CC, Gol, and its Regional Office, Bhopal after commissioning the project.
4.	A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies (Panchayat and Municipal Bodies), District Collector and DFO as applicable and responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.	A copy of the environmental clearance has been submitted to the Heads of the Local Bodies (Panchayat and Municipal Bodies), District Collector and DFO vide letter No. UJ/EMD/CWLA/F 12/020 dated 17.03.21. Copy of the same has been submitted vide letter No.: UJ/EMD/MoEF/F01/004 dated 28.05.2021.
5.	The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the MoEF & CC, Gol and State Level Environment Impact Assessment Authority	Closed. Unit has made EC granted advertisement in 02 Newspapers namely - Dainik Jagran & Dainik Agnipath on 19.03.2021 and copy of the same has already been submitted to the RO-MoEF & CC, Bhopal vide letter No.: UJ/EMD/MoEF/F01/ 004 dated 28.05.2021. Copy of the same are enclosed below for your ready reference please.

Six Monthly Compliance Report of Environment Clearances of J.K. Cement Works, Ujjain, Clinker Grinding Unit with Cement and DG Sets (1250 KVA & 125 KVA) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)	From: October, 2022 To: March, 2023
---	--

(SEIAA) at www.environmentclearance.nic.in & www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF & CC, Gol, Bhopal.	
 <p>पर्यावरण स्वीकृति के संबंध में आम सूचना पर्यावरण वन और जलवायु परिवर्तन मंत्रालय (एम.ओ.ई.एफ, सी.सी.) भारत सरकार नई दिल्ली की ई.आई.ए. अधिसूचना-2006 के अधीन मैसर्स जे.के. सीमेंट वर्क्स, ग्राम-माधवगढ़, तहसील घटिया, जिला-उज्जैन, (मध्यप्रदेश) की प्रस्तावित परियोजना, क्लींकर ग्राइंडिंग यूनिट, उत्पादन क्षमता-1.5 मिलियन मेट्रिक टन प्रति वर्ष के लिए एस.ई.ए.सी./एस.ई.आई.ए.ए. मध्यप्रदेश के द्वारा पर्यावरण की अनुमति प्रदान की गई है। यह विज्ञापन आम जनता के सूचनार्थ है। पर्यावरण स्वीकृति पत्र क्रमांक 7333/SEIAA/दिनांक 16.3.2021 की प्रति मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड, भोपाल मध्यप्रदेश एवं www.environmentclearance.nic.in and www.mpseiaa.nic.in की वेबसाइट पर भी उपलब्ध है। महाप्रबंधक, अधिकृत हस्ताक्षरकर्ता जे.के. सीमेंट वर्क्स, उज्जैन</p>	 <p>पर्यावरण स्वीकृति के संबंध में आम सूचना पर्यावरण वन और जलवायु परिवर्तन मंत्रालय (एम.ओ.ई.एफ, सी.सी.) भारत सरकार नई दिल्ली की ई.आई.ए. अधिसूचना-2006 के अधीन मैसर्स जे.के. सीमेंट वर्क्स, ग्राम-माधवगढ़, तहसील-घटिया, जिला-उज्जैन, (मध्यप्रदेश) की प्रस्तावित परियोजना, क्लींकर ग्राइंडिंग यूनिट, उत्पादन क्षमता-1.5 मिलियन मेट्रिक टन प्रति वर्ष के लिए एस.ई.ए.सी./एस.ई.आई.ए.ए. मध्यप्रदेश के द्वारा पर्यावरण की अनुमति प्रदान की गई है। यह विज्ञापन आम जनता के सूचनार्थ है। पर्यावरण स्वीकृति पत्र क्रमांक 7333/SEIAA / दिनांक 16/3/2021 की प्रति मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड, भोपाल मध्यप्रदेश एवं www.environmentclearance.nic.in and www.mpseiaa.nic.in की वेबसाइट पर भी उपलब्ध है। महाप्रबंधक, अधिकृत हस्ताक्षरकर्ता जे.के. सीमेंट वर्क्स, उज्जैन</p>
6. Full Cooperation should be extended to the Officers and staff from the Ministry and its Regional Office at Bhopal/ the CPCB/ the SPCB during monitoring of the project.	Agreed
7. The prior Environmental Clearance granted for the project is valid for a period of seven years as per EIA notification dtd. 14.09.2006 & its amendments.	Agreed
8. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted
9. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1 st June and 1 st December of each calendar year on MoEF & CC web portal http://www.environmentclearance.nic.in/ or http://www.efclearance.nic.in/ and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also.	Six-monthly EC Compliance Reports of the stipulated environmental conditions are being submitted on the website of the MoEF&CC at environment clearance portal regularly.
10. The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF & CC, Gol.	Environment Statement reports will be submitted on regular basis after starting of plant operations.

Six Monthly Compliance Report of Environment Clearances of J.K. Cement Works, Ujjain, Clinker Grinding Unit with Cement and DG Sets (1250 KVA & 125 KVA) at Village: Madhavgarh, Tehsil: Ghatiya, District: Ujjain (MP)	From: October, 2022 To: March, 2023
---	--

11.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted and will be complied.
-----	--	-----------------------------