

CIN: L17229UP1994PLC017199 ISO 9001:2008 & ISO 14001:2004 CERTIFIED COMPANY Phone : +91-1477-220098, 220087
Fax : +91-1477-220027, 220049
E-mail : jk.nbh@jkcement.com

Web : www.jkcement.com

J.K. Cement Works Mangrol C/o. Kailash Nagar-312617, Nimbahera Distt. Chittorgarh (Raj.) INDIA

Our Ref. No. MGR/PC- 29 / 9 / 3

Date:- 01/06/2015

To,

The Additional Director

Indira Paryavaran Bhavan, JOR Bagh Road, Near JOR bagh Metro station New Delhi

Sub: Compliance report of the environment clearance for Clinker Grinding Unit of J.K. Cement Works, situated near Village- Agawadi, Tehsil – Neem Ka Thana, Distt.- Sikar, (Raj)

Ref: Environmental Clearance letter F. No. J-11011/1106/2007-IA (II) dated 24th April, 2008.

Dear Sir,

We are submitting herewith point wise compliance report of environmental clearance conditions for Clinker Grinding Unit of J.K Cement Works for the period from October' 2014 to March' 2015 in hard copy as well as CD as soft copy for your kind reference & record please.

We trust you will find the same in order.

Thanking you,

Yours faithfully, For J.K. Cement Works, Mangrol

S.K. Acharya

Astt. Vice President (E & I)

Encl.: a/a
Copy to:-

 The Chairman, Central Pollution Control Board ,Parivesh Bhawan, CBD-CUM office complex, East Arjun Nagar, Maharaja Surajmal Marg, Vishwas Nagar Extension, Viswas nagar Shahdara- Behind Karkarduma high court New Delhi 11032

2. The Director, Ministry of Environment and Forests, Regional office (Central Region), Kendriya Bhawan, 5th Floor, Sector 'H', ALIGANJ, LUCKNOW- 226020 (U.P.)

3. The Member Secretary, Rajasthan State Pollution Control Board, 4, Institutional Area, Jhalana Doongri, <u>JAIPUR</u> - 302004 (RAJASTHAN)

Corporate & Registered Office: Kamla Tower, Kanpur-208001, (U. P.) INDIA Phone: +91-512-2371478 to 81 Fax: 2399854 E-mail: ho.grey@jkcement.com



J. K. Cement Works Mangrol

J. K. Cement Works, Gotan

J. K. Cement Works, Jharli

J. K. Power, Bamania

J. K. Cement Works, Muddapur

J. K. White Cement Works, Gotan

J. K. White, Katni



