

(Unit: J. K. Cement Ltd.)

MUDDAPUR

E-mail: factory.muddapur@jkcement.com

CIN:L17229UP1994PLC017199

website:www.jkcement.com Phone : +91-8350-289000 : +91-8350-289001

Works: P.O. Muddapur - 587 122 Dist. Bagalkot (Karnataka) India

Date: 30-08-2014

No. - JKCW/ENV./CFO (MINE)/6/10

The Member Secretary Karnataka State Pollution Control Board, "Parisar Bhavan" 4th & 5th Floor, #49, Church Street, BANGALORE-560 001

Subject- Environmental Statement Report of Muddapur Limestone Mine, Village-Muddapur, Dist.- Bagalkot (Karnataka) for the financial year April-2013 to March-2014

Dear Sir

As per 14 of Environment (Protection) Rule 1986, please find herewith enclosed Environmental Statement Report for Muddapur Limestone Mine, Village- Muddapur, Dist.- Bagalkot (Karnataka) in form V for the financial year 2013-2014 for your kind information and record, please.

Thanking you,

Yours faithfully,

Muddapur Limestone Mine, Muddapur

S.K. Jain Head (0 & M)

Encl:

- 1- Duly filled Form-V as Environmental Statement Report of Muddapur Limestone Mine
- 2- Mine's pit water testing report as Annexure-1
- 3- Ambient Air Quality Monitoring report of Muddapur Limestone Mine as per Annexure-2
- 4- Fugitive emission report of Muddapur Limestone Mine as per Annexure-3
- 5- Noise Monitoring report of Muddapur Limestone Mine, Muddapur as per Annexure-4

CC:

- 1- The Addl. Principle Chief Conservator of Forest (C), Ministry of Environment & Forests, Regional Office (South Zone), Bangalore- 560034
- 2- Environment Officer, Karnataka State Pollution Control Board, BAGALKOT- 587 102

Registered Office:

Kamla Tower, Kanpur - 208 001 (U.P.) Ph.: 0512-2371478-81 Fax: 0512-2399854

E-mail: admin@jkcements.com Website: www.jkcement.com

Central Marketing Office:

4th Floor, Krsna Chambers, Plot No. 11, Galaxy Garden North Main Road, Koregaon Park, Pune - 411001 Ph.: 020 - 41350000 Fax: 020 - 41350099

E-mail: cmo.south@jkcement.com



FORM - V

ENVIRONMENTAL STATEMENT REPORT FOR THE FINANCIAL YEAR 2013-14

M/s Muddapur Lime Stone Mine (Unit: J. K. Cement Limited)

PART – A

(I)	Name & Address of the Owner / Occupier of the Industry Operation or Process	A.K. Jain (Unit Head) Muddapur Lime Stone Mine (Unit: J. K. Cement Limited) Muddapur, Bagalkot (Karnataka)
(II)	Industry Category Primary (STC CODE) Secondary (SIC CODE)	Red Category
(III)	Production Capacity	2.0 MTPA
(IV)	Year of Establishment Date of last Environmental Statement	Year 2008
(V)	Submitted	19-08-2013

$\frac{PART-B}{Water \& Raw Material Consumption and Lime stone production}$

A. Water

(i) Over All Consumption -

Process (Dust Suppression) - 27247 KL
Cooling - N.A.
Domestic - 176.5 KL

(ii) Consumption per unit of production

Name of the	Process Water Consumption per u (KL/MT)	unit of Product Output of Limestone)
Product	During the Previous Financial Year (2012-13)	During the Current Financial Year (2013-14)
Lime Stone	0.01205 m3/mt. of Limestome	0.02514 m ³ /mt. of Limestome

B. Raw Material Consumption

Name of the	Name of	Consumption of Raw Material	per Unit Product Output				
Raw Material	Product	(MT/MT of C	Cement)				
		During the Previous	During the Current				
		Financial Year (2012-13)	Financial Year (2013-14)				
		NA	NA				

C. Total Lime Stone Production (in Ton)

During the Previous	During the Current
Financial Year (2012-13)	Financial Year (2013-14)
1304035.00	1083663.51

D. Total Power consumption (KWH/ton)

During the Previous	During the Current
Financial Year (2012-13)	Financial Year (2013-14)
0.01828	0.05919

PART - C

Pollutant Discharged To Environment / Unit of Output

(Parameters as specified in the consent issued)

S. No.	Pollutants	Quantity of	Concentrations	Percentage of				
		Pollutants	of Pollutants	variation from				
		Discharged	in discharged	prescribed				
		(Mass / day)	(Mass /	standard				
		(tonne/day)	Volume)	with reasons				
			(kg/m^3)					
(a)	Water	Waste water ge	nerated from the	office toilets is				
		discharged into s	oak pit via septic	tank. There is no				
		waste water in th	e mine. Mine's pit	water is used for				
		dust suppression in mine. Pit water testing report is as						
		per Annexure-1						
(b)	Air	There is no point source emission in mine. Ambient						
		air quality and fu	gitive emission mor	nitoring report as				
		Annexure- 2 & 3	3					

$\underline{PART} - \underline{D}$

(As specified under Hazardous waste / Management and Handling rules, 1989 as Amended -2008)

Hazardous waste	During the Previous	During the Current
	Financial Year (2012-13)	Financial Year (2013-14)
We are having common authorize	ation for Hazardous Waste N	Management & Handling for
Cement Plant, Power Plant, Halki	and Muddapur Lime stone m	nine.

(a) From	(b) Category	Total generated 16.203	Total generated 11.772 KL,
Process (In	5.1- Used Oil	KL, Out of 13.281 KL,	Out of 11.772 KL, 2.296 KL
Cement	CVI CSCU ON	13.053 KL was self-	was self-used for lubrication
Plant)		used for lubrication in	in cement plant and 9.4 KL
T lant)		cement plant and 3.15	was sold out to authorized
		KL were sold out to	recycler and 0.076 was in
		authorized recycler and	balance.
		nothing was in balance.	barance.
	(b) Category	nothing was in balance.	Total generated oil soaked
	5.2- Oil soaked	NIL	cotton waste was 36 kg and it
	cotton waste	NIL	_
	cotton waste		was disposed of in own
	(1) (1)		cement plant's kiln.
	(c) Category	NIII	NIII
	5.2- Oil Filters	NIL	NIL
	(1) 011	m . 1 1	
	(d) Old	Total generated 43 Nos.	
	Batteries	and it had been returned	NIL
		to authorize dealer.	
	(e) E-Waste-	NIL	NIL
(b) From			
Pollution	Nil	Nil	Nil
Control			
Facilities			

$\underline{PART-E}$

Solid Wastes

		Total Q	uantity
	Solid Waste	During the Previous	During the Current
		Financial Year (2012-13)	Financial Year (2013-14)
(a)	From Process	N.A.	
(b)	From Pollution	N.A.	
	Control facilities		
(c)	(i) Qty. recycled or reused	N.A.	
	Within the unit.		
	(ii) Sold	N.A.	
	(iii) Disposed: During the		
	mining of limestone	108514.00 MT	57850.00 MT
	disposed of overburden		
	(In MT)		

PART - F

PLEASE SPECIFY THE CHARACTERISATIONS (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THE CATEGORIES OF WASTES.

Hazardous waste: In mines, used oil is as a Hazardous waste. It is drained from Mining machineries / equipments. It will be used for lubrication in chains, stacker and reclaimer etc. and also sold to CPCB/KSPCB authorized recycler.

Solid waste: Solid waste from the mine is overburden and it is dumped in predetermined dumping area. The total overburden generated from the April-2013 to March-2014 was 57850.00 MT.

PART - G

IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION.

AIR

There is no impact observed on vegetation & water bodies in the surrounding areas, as it will be suppressed at its generating sources.

The following measures are taken to suppress the dust at the source as well as to prevent the same, spreading in the atmosphere:

- Wet drilling system is provided on all drill machines.
- Regular water sprinkling on haul road during operation.
- Optimize blasting parameters for proper fragmentation to reduce dust generation.
- Plantation and development of Green Belt along the Haul Roads and Working Pits.

WATER

Being Mechanized Limestone mine, it requires water mainly for Wet Drilling, Road Spraying, Green Belt Development, and Machineries Washing. The source of water is the accumulated rainwater in the lower most benches. At Muddapur Mine there is no discharged of liquid effluent / waste water from the Mine.

No discharge of rain water or waste water from the mine to outside lease area. Rain water in the catchment area of mine lease is diverted through drainage in to lower level area of mine and that water is used for dust suppression and plantation purpose.

NOISE

Noise is generated in the mine due to following mining activities:

- Excavation, drilling, blasting and operations of HEMM.
- Transportation and handling of material.

The results of base line noise level survey are well below the permissible limit except near machinery while operating. The noise generating sources are scattered within the whole mining area. All the sources will not generate the noise simultaneously hence; the noise level would not alter the noise environment significantly. The noise level reduces with increase in distance from the source.

The following measures are taken to reduce the noise level at the source as well as to prevent the same, spreading in the atmosphere:

- Providing enclosures for noise sources to reduce dispersion of noise like cabin in HEMM.
- Proper maintenance and lubrication of machinery rotating parts.
- Use electric delay detonator on surface in place of detonating fuse.
- By covering the detonating fuse as well as detonators under drill cutting or the fine material.
- By providing earmuffs and earplugs to eligible miners.
- Use of Air Decking & sufficient column stemming in the blast holes.

PART - H

ADDITONAL MEASURES / INVESTMENT PROPOSALS FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT POLLUTION, PREVENTION OF POLLUTION.

Green belt development and tree plantation is our ongoing process. Plantation has been done on OB sites, road sides and on other parts of non mineralized ML area. The top layer of the dump material and slopes is covered with top soil which is excellent property of water retention that supports good tree growth. Plantation details are following:

Year	No. of trees planted
Upto march, 2010	9831
2010-2011	3703
2011-2012	3225
2012-2013	Within lease- 2860, Outside lease- 5679
2013-2014	Within lease- 2264, Outside lease- 3855

PART-I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF ENVIRONMENT.

- > Regular water spraying is being done on haulage road and near loading places for effective dust suppression.
- > Thick plantation in and around the mine is being done.
- > Regular and proper maintenance of noise generating machinery including the transport vehicles is being done to maintain noise levels.
- > Air quality is being regularly monitored.
- > Delay detonators and shock tube initiation system is being used for blasting so as to reduce vibration and dust.
- > Sharp drill holes and drills with water flushing systems are being used to reduce dust generation.
- ➤ We are providing all personal protective equipment (PPEs) to all mine employees i.e. dust mask (respirator), ear plug & ear muff, eye goggle ete. Concern to them as additional measures of Air & Noise Pollution Control.
- > We are having full flash environmental laboratory for the monitoring of ambient air quality, water testing, noise monitoring etc.
- ➤ Industry has been certified for standards ISO 9001: 2008, ISO 14001: 2004 and OHSAS 18001.
- > Company publishes its magazine i.e JK Spotlight. Environmental messages also printed in it.
- > Some committees have been formed by company i.e Stoppage Analysis Committee, Spillage Study & Control Committee, Safety Committee, Task force committee for Scrap material and Committee of shining the plant area. These committees. These committees work to improve the environment in different ways.

> Industry is taking Energy conservation measures.

For Muddapur Lime Stone Mine, Muddapur (Karnataka) (Unit: J.K. Cement Limited)

HALKI AND MUDDAPUR MINES, (KARNATAKA)

(Unit: J.K. Cement Ltd.)

Average Water analysis report of Core and Buffer Zone for the month of April-2013 to March-2014

S.I. No. Constituents Linit Halki mines pil Accordatorus Muddapur mines pil Muddapur mines pil Muddapur mines pil Pettur Muddapur Mudgapur Pettur Mudgapur Mudgapur Pettur Mudgapur Petur Mudgapur Mudgapur Mudgapur Pettur Mudgapur Pettur Mudgapur Pettur Mudgapur Mudgapur Pettur Mudgapur Mudgapur Mudgapur <t< th=""><th>Ű</th><th>ore Zon</th><th>Core Zone & Buffer Zone</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>	Ű	ore Zon	Core Zone & Buffer Zone												
Constituent's Limit Limit Limit Halki mines pit Addapur Muddapur mines pit									TE	ST REPORT					
Limit Halki mines pit Halki Mines Muddapur Muddapur Muddapur Muddapur Muddapur Muddapur Petlur Metgen Ningapur Halki Mines Muddapur	9	L. No.	Constituents	Desirable		Core 2	Zone					Buffer Zone			
Odour Aggreable Aggreable Unobjectionable Aggreable Aggreable <th< th=""><th></th><th></th><th></th><th>Limit</th><th>Halki mines pit</th><th>Halki Mines</th><th>Mtddapur mines pit</th><th>Muddapur mines</th><th>Muddapur</th><th>Petlur</th><th>Metgud</th><th>Ningapur</th><th>Halki</th><th>Bamanbudini</th><th>Thimmapur</th></th<>				Limit	Halki mines pit	Halki Mines	Mtddapur mines pit	Muddapur mines	Muddapur	Petlur	Metgud	Ningapur	Halki	Bamanbudini	Thimmapur
Taste Aggreable Ag		1 (Odour	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable	Unobjectionable
Turbidity 5NTU 1.2 1.1 1.0 0.9 1.0		L	Taste	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable
PH 6.5-8.5 8.0 56.1 8.1 1.0			Total Dissolved Solids	500	624.2	515.8	438.8	427.4	470.0	464.8	480.0	387.1	443.2	431.4	371.1
pH 6.5-8.5 8.0 56.1 8.1 84.2 57.8 54.4 50.2 46.2 46.2 45.0 55.1 Total Hardness 300 364.5 274.2 227.2 207.4 229.9 264.8 218.2 256.9 267.1 236.5 56.5 56.6 65.7 56.5 67.6 58.4 52.0 58.4 58.8 49.5 52.6 58.4 52.0 58.4 52.6 52.6 52.7 58.8 49.5 52.6 52.6 52.6 52.7 58.8 49.5 52.6 52.6 52.6 52.6 52.6 52.6 52.6 52.6 52.6 52.6 52.6 52.6 52.7 52.7 52.7 52.8 52.6 52.0 52.0 52.0 52.7 </td <th></th> <td></td> <td>Turbidity</td> <td>S NTU</td> <td>1.2</td> <td>1.1</td> <td>1.0</td> <td>6.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>I:I</td> <td>1.1</td> <td>1.0</td> <td>1.0</td>			Turbidity	S NTU	1.2	1.1	1.0	6.0	1.0	1.0	1.0	I:I	1.1	1.0	1.0
Total Hardness 300 364.5 274.2 227.2 207.4 229.9 264.8 218.2 256.9 267.1 236.5 Calcium 75 94.0 71.2 48.8 52.2 56.8 60.9 56.6 63.2 67.6 58.4 58.4 Magnecium 30 31.5 62.7 25.6 63.2 49.7 51.8 39.4 56.8 49.5 42.3 7 Alkanity 200 237.3 209.6 163.2 167.2 258.7 257.7 228.5 226.4 220.6 237.0 Chloride 250 298.8 247.4 198.3 190.7 238.7 258.7 248.3 282.6 237.0			Hd	6.5-8.5	8.0	56.1	8.1	84.2	57.8	54.4	50.2	46.2	42.6	55.1	7.9
Calcium 75 94.0 71.2 48.8 52.2 56.8 60.9 56.6 63.2 67.6 58.4 Magnecium 30 31.5 62.7 25.6 63.2 49.7 51.8 39.4 56.8 49.5 42.3 Alkanity 200 237.3 209.6 163.2 167.2 258.7 257.7 228.5 226.4 220.6 Chloride 250 298.8 247.4 198.3 190.7 238.7 255.4 248.3 282.6 237.0			Total Hardness	300	364.5	274.2	227.2	207.4	229.9	264.8	218.2	256.9	267.1	236.5	277.8
Magnecium 30 31.5 62.7 25.6 63.2 49.7 51.8 39.4 56.8 49.5 42.3 Alkanity 200 237.3 209.6 163.2 167.2 268.7 196.2 257.7 228.5 226.4 220.6 Chloride 250 298.8 247.4 198.3 190.7 238.7 255.4 248.3 282.6 237.0			Calcium	75	94.0	71.2	48.8	52.2	56.8	6.09	56.6	63.2	9.79	58.4	63.4
Alkanity 200 237.3 209.6 163.2 167.2 268.7 196.2 257.7 228.5 226.4 220.6 Chloride 250 298.8 247.4 198.3 190.7 238.7 258.7 255.4 248.3 282.6 237.0		Line	Magnecium	30	31.5	62.7	25.6	63.2	49.7	51.8	39.4	56.8	49.5	42.3	29.0
Chloride 250 298.8 247.4 198.3 190.7 238.7 258.7 255.4 248.3 282.6 237.0			Alkanity	200	237.3	209.6	163.2	167.2	268.7	196.2	257.7	228.5	226.4	220.6	217.4
	_		Chloride	250	298.8	247.4	198.3	190.7	238.7	258.7	255.4	248.3	282.6	237.0	238.5

Note: 1- The Above analysis have been carried out as per IS-10500.

2-Obeserved Concentration in mg/liter except pH and Turbidity.

MUDDAPUR LIMESTONE MINES, (KARNATAKA)

(Unit: JK Cement Ltd.)

YEARLY AAQM REPORT (SO₂, NOx, PM 10, SPM) FROM APRIL-2013 TO MARCH-2014

(ALL VALUES IN MICROGRAMS / CUBIC METER)

	SI.	ES AV				O ₂				Ox				M ₁₀				PM tions	
Month	No.	Date	Week	-	1	tions	_			tions				tions	-			tions	D
				A	В	С	D	A	В	C	D	A 70.5	B	C	D	A 146.6	B	C 122.2	D
	1	3/4/2013	1 st	11.0	9.8	11.5	11.8	12.2	12.2	13.2	13.7	70.5 68.4	67.7	64.0	66.4	145.5	139.2	132.2	137.3
A	2	6/4/2013	100	10.2	11.2	12.3	10.5	11.2	13.2	13.8	11.7	60.6	60.4	58.5	62.7	125.0	124.6	120.9	130.1
P	3	10/4/2013 15/4/2013	2 nd	11.8	11.2	11.8	12.5	12.8	13.0	14.0	14.5	62.2	65.6	63.5	66.6	128.2	135.9	132.0	137.3
R	5	18/4/2013		12.7	10.7	10.3	11.2	14.5	12.2	11.7	13.2	65.2	70.2	66.6	69.6	134.1	144.7	138.1	142.
I	6	22/4/2013	3 rd	10.8	12.8	11.0	13.0	13.2	14.3	13.5	14.0	69.2	73.1	70.1	72.2	142.6	150.2	144.0	148.
L	7	25/4/2013	4 th	11.7	11.3	12.7	11.8	12.3	13.3	14.3	14.5	64.1	69.5	63.2	67.6	133.2	143.9	131.5	139.5
	8	29/4/2013	4"	12.3	10.2	11.0	12.2	13.8	11.5	12.5	13.8	67.6	72.4	68.3	70.4	139.8	149.0	140.1	145.6
	1.11111	Average		11.5	11.2	11.5	11.8	12.9	12.8	13.2	13.5	66.0	67.9	64.4	68.1	136.3	140.1	133.2	140.4
	1	4/5/2013	1"	11.0	9.8	11.5	11.8	12.2	12.2	13.2	13.7	70.7	67.7	64.0	66.4	145.5	139.2	132.2	137.3
	2	8/5/2013	_	11.0	11.0	9.7	11.8	12.7	12.8	10.7	13.0	67.4	72.0	61.1	63.6	139.0	148.4	126.4	131.7
M	3	11/5/2013	2 nd	12.7	13.0	10.8	10.0	15.2	13.8	12.5	11.0	63.2	74.4	64.8	59.3	131.8	153.2 145.9	126.5	132.4
A	4	15/5/2013	_	11.0	14.2	10.7	12.5	13.2	13.3	12.8	12.3	73.1	64.4	66.2	60.5	150.5	133.2	136.7	125.5
Y	5	18/5/2013 22/5/2013	3 rd	13.8	12.5	12.8	10.7	15.0	15.2	16.0	12.8	68.8	61.6	70.9	65.0	142.4	127.0	148.2	137.
	7	25/5/2013		11.0	13.0	10.7	12.3	12.8	15.5	12.8	14.0	65.4	66.9	74.5	68.8	137.2	140.8	154.3	143.4
	8	28/5/2013	4 th	11.8	11.3	10.7	13.3	13.5	12.8	11.8	15.3	64.3	69.0	69.7	65.8	133.6	144.6	145.7	136.0
		Average		11.9	12.1	10.9	11.7	13.6	14.0	12.7	13.3	67.6	68.3	66.5	64.2	140.1	141.5	138.0	133.5
	1	4/6/2013	T	11.3	10.7	9.7	11.0	14.0	11.7	10.8	13.3	68.3	63.3	58.6	64.1	142.7	132.0	123.5	132.
	2	7/6/2013	1st	12.0	11.2	12.5	11.0	15.0	12.3	13.8	12.5	64.3	61.0	63.0	66.2	132.2	128.3	131.6	137.8
J	3	11/6/2013	2 nd	12.5	11.0	14.0	10.2	14.2	13.3	16.0	12.3	60.9	65.4	68.3	71.6	127.5	136.3	143.4	148.8
U	4	14/6/2013	2"	12.7	12.8	12.7	11.2	14.7	14.8	14.5	12.8	58.7	70.2	72.6	69.2	122.9	146.5	151.0	143,0
N	5	18/6/2013	3 rd	11.8	13.8	11.2	12.5	13.3	15.8	13.3	14.0	63.1	72.8	75.5	72.0	131.6	150.2	155.8	148.8
E	6	21/6/2013		10.0	11.8	13.7	13.0	12.3	13.7	15.5	15.5	67.7	69.0	70.9	65.3	141.2	144.3	146.9	135.7
	7	25/6/2013	4 th	11.2	13.2	12.2	10.8	13.3	15.7	14.7	12.0	61.7	65.4	74.4	59.3	130.1	136.1	153.5	123.8
	8	28/6/2013		12.2	11.0	12.7	12.5	15.5	13,3	14.5	15.3	58.8	62.0	70.5	63.5	122.2	129.2	146.4	132.6
_		Average		11.7	11.9	12.3	11.5	14.0	13.8	14.1	13.5	62.9	66.1	69.2	66.4	131.3	137.9	144.0	137.9
	1	4/7/2013	1**	12.8	10.5	9.2	12.5	15.5	14.0	11.3	15.8	72.0 65.9	62.6 59.5	69.5	73.8	150.1	132.3	145.3	152.5
100	3	8/7/2013	-	11.2	11.3	13.0	10.7	14.3	12.7	14.7	12.5	62.5	57.0	63.3	67.5	135.6 129.6	124.0	131.2	139.0
J U	4	11/7/2013 15/7/2013	2 nd	11.2	12.2	12.7	10.7	13.8	14.7	16.5	13.2	56.2	53.0	63.7	69.0	118.1	111.0	133.2	144.6
L	5	18/7/2013	-	12.0	11.0	14.2	12.7	14.7	13,2	16.5	14.8	60.3	56.5	68.2	74.0	125.8	119.3	141.5	154.3
Y	6	22/7/2013	3 rd	12.8	11.3	12.3	10.8	15.3	14.2	14.0	12.8	63.0	60.3	72.1	66.0	131.6	126.6	149.2	137.9
-	7	25/7/2013		11.7	10.5	9.8	12.7	13.3	12.0	11.0	15.3	57.7	53.0	66.0	60.2	120.9	110.6	137.4	125.7
	8	29/7/2013	4 th	10.8	11.3	12.5	14.0	12.8	13.5	14.8	17.0	60.9	56.0	70.0	64.2	127.6	118.2	145.5	133.4
		Average		11.7	11.0	11.9	11.9	14.1	13.5	14.1	14.3	62.3	57.2	66.7	67.2	129.9	120.1	138.7	139,9
	1	3/8/2013	1 st	11.7	11.2	10.5	10.0	13.7	13.2	12.2	11.8	60.6	64.3	55.1	51.2	127.1	133.5	117.8	110.2
A	2	7/8/2013	1	13.2	12.2	11.2	12.0	12.8	14.2	13.0	15.0	64.1	68.6	58.9	47.2	133.0	142.2	122.9	99.6
U	3	10/8/2013	2 nd	9.8	11.2	12.3	9.5	11.2	14.5	14.5	11.2	57.0	63.5	54.4	42.4	120.6	132.4	114.7	94.7
G	4	14/8/2013	-	11.3	10.7	10.0	12.0	13.8	12.2	13.0	15.3	54.2	57.3	50.7	48.6	114.0	120.8	106.9	103.1
U	5	19/8/2013	3 rd	11.8	11.5	13.7	9.8	14.8	13.2	16.7	12.0	46.9	50.8	44.2	55.4	101.1	108.2	94.3	117.2
S	6	22/8/2013		10.0	12.3	12.5	11.8	12.0	14.2	16.2	13.2	42.9	57.0	47.5	59.6	93.0	115.2	100.5	124.7
	7 8	26/8/2013	4 th	11.0	13.2	10.7	9.8	13.0	16.7	12.7	11.5	46.7	58.9	51.5	64.5	99.9	124.9	108.8	135.3
	8	29/8/2013		9.8	11.2	13.0	11.8	11.0	13.7	15.0	14.2	41.9	52.0	48.7	57.4	90.9	110.5	103.6	121.1
0	1	Average		11.1	11.7	11.7	10.9 8.8	12.8	14.0	14.1	13.0	60.9	59.0 57.2	51.4 45.1	53.3	110.0	123.5	108.7	113.2
S	2	4/9/2013 7/9/2013	I st	9.2	9.5	12.8	10.8	11.0	11.3	15.0	13.0	50.4	40.9	66.5	51.3	169.6	162.8	107.6	137.8
E P	3	12/9/2013		11.5	9.0	10.7	9.8	14.0	11.3	13.0	12.0	43.6	33.2	58.8	45.5	138.5	95.8		1.00
T	4	16/9/2013	2 nd	9.3	11.2	12.0	9.7	13.0	14.0	14.5	12.5	55.3	49.2	71.0	58.2	185.1	147.7	134.9	133.7
E	5	19/9/2013		10.5	11.0	13.8	11.8	14.0	15.5	17.2	14.2	44.2	42.5	49.9	51.6	138.1	123.0	135.8	138.8
В	6	23/9/2013	3 rd	11.7	9.5	13.5	11.0	14.5	11.8	16.8	14.8	58.4	63.3	70.7	77.1	160.4	176.1	197.0	215.3
E	7	26/9/2013	4 th	9.7	11.2	10.5	9.3	12.0	14.2	15.0	11.7	37.0	47.6	55.0	50.8	111.1	141.1	157,6	163.6
R	8	30/9/2013	4	11.0	9.8	13.3	12.2	13.5	12.5	16.7	14.2	47.2	-57.2	65.9	61.3	140.5	169.5	203.8	191.1
	-	Average		10.5	10.2	12.2	10.4	13.1	12.9	15.2	12.9	49.6	48.9	60.4	56.5	148.2	141.6	159.7	157.7
0	I	4/10/2013	1 st	11.2	10.5	11.0	8.8	13.2	13.0	13.0	10.8	60.8	57.2	45.1	55.9	169.4	162.9	107.6	123.8
C	2	8/10/2013	-5	9.2	9.5	12.8	10.8	11.0	11.3	15.2	13.0	50.4	40.9	66.4	51.2	142.6	116.8	161.8	133,4
T	3	11/10/2013	2 nd	11.5	9.0	10.7	9.8	14.0	11.2	13.0	12.0	43.5	33.2	58.8	45.4	138.1	95.7	135.0	157.3
0	4	15/10/2013		9.3	11.2	12.0	9.7	13.0	14.0	14.5	12.5	55.3	49.3	70.9	58.1	185.0	147.9	179.0	145.7
В	5	18/10/2013 22/10/2013	3rd	8.2	9.7	9.8	10.8 9.5	10.0	11.7	12.7	12.2	39.1	47.2	52.6	53.2	110.3	127.7	147.8	188.1
E	7	25/10/2013		7.8	7.0	9.8	7.5	9.7	9.3	12.5	9.7	55.6 41.6	58.1	40.1	70.5	159.6	171.4	110.4	172.6
R	8	29/10/2013	4 th	6.7	8.7	8.3	9.0	9.7	10.5	10.7	11.2	65.4	39.0	53.1	75.5	134.9	151.0	146.9	153.4
		Average		9.1	9%5	10.6	9.5	11.3	11.7	12.9	11.5	51.5	153.8	55.9	66.4	190.2	106.2	175.1	191.1
N	1	6.11.2013	77.50	8.7	7.7	9.5	7.2	10.7	9.5	11.2	9.0	56.9	43.6	33.1	59.5 64.6	153.8 159.3	135.0	145.5	158.2
0	2	9.11.2013	1 st	7.5	10.5	7.3	9.2	9.7	12.8	10.3	11.0	49.9	58.4	45.6	76.7	123.1	152.3	87.4 118.3	198.3
v	3	13.11.2013		8.5	8.7	8,2	6.5	10.7	9.7	11.5	8.3	35.7	50.9	59.1	62.0	102.2	135.2	153.1	152.2
E	4	16.11.2013	2 nd	6.8	9.8	10.0	8.7	9.0	11.5	12.7	11.0	44.9	63.2	50.3	54.0	130.9	174.2	137.6	136.7
M	5	20.11.2013	3 rd	8.0	5.7	11.7	7.7	10.5	8.7	14.0	9.8	51.6	71.2	43.5	42.2	151.8	192.5	113.8	111.5
В	6	23.11.2013	3"	9.7	8.5	9.0	9.2	12.5	10.7	11.3	12.0	62.7	61.6	36.7	51.4	193.1	156.9	101.1	145.9
E	7	27.11.2013	4 th	10.7	7.5	11.5	6.7	13.3	10.0	14.2	8.8	71.7	77.8	46.4	64.5	219.8	194.0	139.2	184.9
R	8	30.11.2013	4	8.3	7.0	10.3	8.3	10.7	9.8	13.0	10.5	54.2	70.7	69.2	74.6	143.7	168.2	177.0	201.6
	5	Average		8.5	8.2	9.7	7.9	10.9	10.3	12.3	10.1	53.5	62.2	48.0	61.3	153.0	161.8	128.4	159.5
n	1	4.12.2013	I st	9.7	8.5	7.2	8.2	12.7	10.7	9.5	11.2	56.7	64.9	40.2	51.4	140.3	170.5	109.3	133.9
D	2			8.5	10.0	8.5	6.5	11.0	12.3	_		The second secon		-		A CONTRACTOR OF THE PARTY OF TH			

C	3	11.12.2013	2 nd	10.3	8.3	7,8	9.7	13.0	11.2	11.3	11.0	45.4	70.1	43.9	57.6	120.6	175.1	97.9	144.1
E	4	14.12.2013	1	8.7	10.5	6.8	10.7	11.3	12.3	8.7	13.0	54.3	65.9	32.4	68.3	143.9	162.4	88.9	171.4
M	5	18.12.2013	3 rd	6.7	9.7	11.2	9.7	9.0	13.0	14.0	12.8	34.2	52.5	41.5	56.2	100.9	175.5	108.8	141.9
В	6	21.12.2013	3	7.5	8.8	9.8	11.0	9.7	10.7	12.0	14.0	40.3	43.9	55.8	68.1	121.0	130.4	174.3	187.9
E	7	25.12.2013	4 th	6.5	9.7	11.7	9.5	8.2	12.3	15.0	12.0	52.6	59.1	72.5	74.2	150.5	152.8	194.7	204.4
R	8	28.12.2013	4	9.0	7.0	8.5	8.0	12.0	9.5	10.7	10.0	66.0	71.4	61.5	85.3	174.3	184.0	150.9	229.0
		Average		8.4	9.1	8.9	9.1	10.9	11.5	11.5	11.5	47.9	63.2	49.8	62.7	131.4	168.0	132.1	165.5
	1	04.01.2014	1 st	8.5	9.5	6.7	10.7	10.7	11.7	8.8	13.0	67.3	47.1	55.3	38.3	177.4	129.5	149.7	105.3
J	2	08.01.2014	1"	7.0	8.7	9.7	6.3	9.0	10.7	12.0	8.7	40.9	56.0	70.0	46.8	139.1	144.8	170.0	109.4
A	3	11.01.2014	2nd	9.8	7.5	6.7	8.8	12.7	9.8	9.0	10.8	45.4	68.1	41.1	55,8	125.0	180.0	109.2	148.1
N	4	15.01.2014	2"	6.7	8.7	8.3	7.2	8.8	11.3	10.0	10.5	62.9	82.5	48.9	62.7	184.3	216.7	141.1	166.4
U	5	18.01.2014	3 rd	8.8	10.5	9.7	8.0	11.0	14.0	12.0	10.0	51.8	73.0	52.4	75.1	151.4	170.9	163.9	209.5
A	6	22.01.2014	3"	10.7	8.7	10.3	8.5	13.0	11.7	12.5	10.5	58.8	60.8	76.4	64.8	178.4	183.0	198.3	163.6
R	7	25,01,2014	4 th	7.5	6.8	9.5	7.5	9.7	8.7	11.3	9.3	49.5	53.3	63.3	75.6	123.2	142.2	163.5	189.5
¥	8	29,01,2014	4"	10.7	9.0	7.5	6.3	13.0	11.0	9.0	8.7	66.1	66.4	43.0	67.4	174.5	165.4	118.5	170.1
		Average		8.7	8.7	8.5	7.9	11.0	11.1	10.6	10.2	55.3	63.4	56.3	60.8	156.6	166.6	151.8	157.7
F	I	01.02.2014	1 25	6.7	9.0	6.0	9.8	9.0	11.2	8.3	12.5	53.5	75.3	45.4	40.0	143.7	179.1	120.2	108.3
E	2	05.02.2014	1st	5.8	7.5	7.3	8.7	8.0	9.2	9.5	11.0	44.1	58.6	51.2	62.9	121.7	139.0	151.7	162.2
В	3	08.02.2014		7.5	8.5	8.7	9.7	9.7	10.7	10.8	13.0	62.5	67.3	77.6	48.9	166.7	160.2	199.2	139.3
R	4	12.02.2014	2nd	8.7	6.8	10.0	7.0	11.3	9.0	13.0	9.2	45.7	60.4	85.1	39.7	121.2	148.2	212.0	106.5
U	5	15.02.2014		9.7	8.7	6.7	6.5	12.0	11.0	9.3	8.7	36.7	69.2	55.8	45.6	97.3	170.2	153.2	125.8
A	6	19,02,2014	3rd	11.3	9.5	8.5	7.5	13.7	12.0	10.0	9.7	50.2	46.6	49.3	50.8	153.5	136.6	128.3	143.8
R	7	22,02,2014		8.7	9.8	11.0	6.8	10.8	12.7	14.0	8.7	61.2	54.3	63.8	70.3	177.0	159.7	163.1	173.9
Y	8	26,02,2014	4th	6.8	6.5	9.0	6.3	9.0	8.8	11.3	10.0	36.7	34.2	41.6	34.1	92.9	110.5	113.6	97.1
		Average		8.1	8.3	8.4	7.8	10.4	10.6	10.8	10.3	48.8	58.2	58.7	49.0	134.2	150.4	155.2	132.1
	1	05.03.2014		6.0	8.0	6.5	5.5	8.0	11.2	9.0	7,5	46.2	40.2	62.1	42.2	114.9	104.5	155.4	119.19
	2	08.03.2014	1st	6.8	6.0	8.5	8.5	9.0	8.0	10.7	10.5	30.2	44.5	32.2	28.1	86.5	116.2	89.6	101.12
M	3	12.03.2014	one col	8.5	9.8	7.3	6.0	10.7	12.0	10.7	9.0	39.3	56.6	47.7	43.6	107.5	127.8	131.3	127.76
A	4	15.03.2014	2nd	7.0	7.8	8.3	6.5	9.0	10.0	11.0	9.5	55.8	36.9	71.3	52.1	144.8	107.4	182.3	140.15
R	5	20,03,2014		8.0	9.5	6.0	9.3	10.0	12.0	8.2	12.3	68.5	50.4	44.9	44.3	175.7	131.2	117.3	112.38
C	6	24.03.2014	3rd	8.5	5.8	6.7	11.0	11.0	8.2	9.8	14.0	51.9	39.I	53.6	64.1	132.5	102.3	150.6	155.19
H	7	27.03.2014	7000	6.8	5.5	9.5	5.0	10.0	8.0	12.0	8.0	62.3	53.1	78.9	39.9	170.2	134.7	211.3	113.39
	8	30.03.2014	4th	5.5	6.8	10.5	8.5	7.7	10.0	13.0	11.7	71.7	43.0	50,5	46.5	178.9	116.3	155.6	147.47
	3	Average		7.1	7.4	7.9	7.5	9.4	9.9	10.5	10,3	53.2	45.4	55.1	45.1	138.9	117.5	149.2	127.1
_	Von	rly Average		9.9	9.9	10.4	9.8	12.0	12.2	12.7	12.0	55.9	58.9	58.5	59.5	138.6	142.0	140.4	143.6
	1 65	my Average		9.9	7.7	10.4	7.0	12.0	14.4	Laci	12.0	00.7	50.5	50.0	07,0	100.0	1.42.0	1.40.4	1.40.0

MUDDAPUR LIME STONE MINES, (KARNATAKA)

(Unit : JK Cement Ltd.)

Yearly Fugitive Emission Monitoring Report of Muddapur Lime Stone mines for the month of April-2013 to March-2014

	- 3			SPM (µg/m³)		
SI. No.	Month/Y ear	Loading Area	Drilling Area	Haulage Area	Waste Dumping Site	Service Road
1	Apr-13	694.3	878.6	935.2	786.9	920.2
2	May-13	575.9	750.0	730.1	596.4	864.8
3	Jun-13	874.0	847.3	653.8	745.5	630.4
4	Jul-13	521.9	416.7	438.1	556.2	562.5
w	Aug-13	367.5	525.7	566.9	706.2	648.1
9	Sep-13	780.4	616.1	732.7	855.2	. 587.7
7	Oct-13	643.98	546.3	834.5	711.8	913.0
000	Nov-13	582.54	790.6	498.9	496.6	515.0
6	Dec-13	508.47	651.9	365.7	522.5	447.4
10	Jan-14	588.81	599.8	848.3	619.5	565.8
11	Feb-14	803.30	549.0	622.5	740.1	429.3
12	Mar-14	487.34	488.9	572.3	812.4	527.1
Yearl	Yearly average	619.04	638.41	649.91	679.10	634.28
)					

Muddapur & Halki Limestone Mines (Karnataka) (Unit: J.K. Cement Ltd.)

Noise monitoring report of Muddapur & Halki mines for the month of April-2013 to March-2014

Sl. No.	Time	Month	Muddapur mines boundary	Halki mines boundary	Muddapur mines office	Halki mines office	Muddapur mines Drilling Time	Halki mines Drilling Time	Halki mines Waste dumping site	Muddapur mines Waste dumping site	Halki mines Service Road	Muddapur mines Service Road
1	Day	A	52.6	54.1	51.8	53.9	66.4	68.4	51.6	49.8	53.2	51.7
_	Night	April-15	41.6	39.7	40.3	39.4	,	,	42.6	41.7	38.6	39.7
,	Day	Mey 13	50.6	53.1	49.8	52.8	6.69	71.5	52.8	50.2	52.5	49.5
4	Night	Iviay-15	42.6	40.8	38.5	38.9	1	•	41.6	43.6	45.2	38.8
,,	Day	Tuno 13	52.3	54.6	50.8	53.9	70.5	72.8	54.6	53.9	50.8	53.4
	Night	CI-aline	43.6	44.2	39.5	41.7 €		É	40.9	44.8	42.9	45.3
_	Day	Lule, 13	52.8	51.6	53.4	49.8	68.7	70.5	52.1	9.05	52.8	50.7
	Night	oury-10	41.7	39.5	42.1	38.7		1	41.6	39.5	41.6	44.3
¥	Day	A manuet 13	54.3	52.7	50.9	53.5	71.5	73.4	54.1	53.8	51.9	53.4
,	Night	CI-lenguy	40.2	42.8	43.7	39.5	1	ì	38.5	37.9	40.5	39.4
7	Day	Contombor 13	54.6	55	52.8	50.9	69.7	71.5	53.8	49.7	53.9	52.5
	Night	CT-130III31dac	43.2	38.4	40.6	37.9	1	1.	38.9	40.2	39.3	41.7
1	Day	October 13	52.6	54.8	53.6	48.5	68.2	67.2	52.7	54.6	55	52.2
	Night	CY INCOME	44.2	.39.5	41.7	40.2	***	1	38.5	41.7	43.2	38.9
o	Day	Novombor 13	54	53.8	54.2	49.5	67.4	70.3	49.6	52.7	54.3	49.3
	Night	CI- ISCHILLANDI	42.6	43.8	38.5	39.7		1	44.1	41.6	39.5	41.8
0	Day	Docombor 13	50.8	51.3	49.6	50.8	65.7	62.9	53.2	51.3	49.5	52.9
	Night	Cr- laguinana	42.3	45.3	38.9	40.5			38.4	44.3	39.6	40.8
10	Day	Tonnor 14	53.2	50.5	54.2	49.6	68.5	66.3	52.3	52.8	51.9	49.5
	Night	Sandal y-14	40.5	42.8	39.6	38.5	ı		40.2	42.1	38.8	37.9
	Day	Fahrnary 14	54.2	52.3	53.6	50.4	69.4	65.8	51.7	50.8	49.5	51.7
	Night	Topinal j-1-	39.5	40.5	41.3	39.4	,		42.3	43.7	40.8	39.5
13	Day	March 14	53.5	50.6	51.8	52.3	70.5	8.99	49.7	52.3	53.2	50.7
	Night	Train Int	40.5	38.5	39.6	40.6	**	t	41.3	41.5	39.5	40.8
Ye	Yearly Day Average	Average	52.96	52.87	52.21	51.33	68.87	69.37	52.35	51.88	52.38	51.46
Vea	Vearly Night Average	Ανουσαο	41 00	41 23	70 07	30 50			7007	44.00	01.07	100