



JK Cement Works, Aligarh

A unit of JK Cement LTD.

(CIN: L17229UP1994PLC017199)
ISO 9001 & ISO 14001 CERTIFIED COMPANY

Web : www.jkcement.com

Aligarh – Kasimpur Road,
Village – Satha, Pargana – Morthai,
Tehsil Koil, District Aligarh - 202127

Ref. No.: AL/EMD/MoEF/2019-20/F 01/001

Dated: 29.06.2019

To,
Regional Office
Ministry of Environment & Forest (Central Region)
Kendriya Bhawan, 5th Floor, Sector-H, Aliganj,
Lucknow (UP)

E-Mail: rocz.lko-mef@nic.in

Subject: Half yearly (June' 2019) Environmental Clearance compliance Report of our Proposed Clinker Grinding Unit capacity 2 MMTPA at Village: Satha, Tehsil: Koil, District: Aligarh.

Ref. No. EC Letter No. 532/Parya/SEAC/4214/2018, Dated: 27th November, 2018.

Dear Sir,

Refer to the above subject & reference, we are enclosing herewith compliance report of Environment Clearance for Proposed Clinker Grinding Unit capacity 2.0 MMTPA of M/s JK Cement Works, Village: Satha, Tehsil: Koil, District: Aligarh. Please find enclosed herewith the copy of Half Yearly (June' 2019) Environmental Clearance Compliance Report with supporting annexures to fulfill the EC conditions. The Proposed Clinker Grinding Unit is under construction.

Environment Clearance Condition No. X. Miscellaneous vi: -

The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the web site of the ministry of Environment, Forest and Climate Change at environment clearance portal.

Please find the above for your ready reference.

Thanking you,

Yours faithfully,
For JK Cement Works

GM (Environment)

Encl.: 1. Copy of Environmental Clearance compliance Report.

Copy to:

1. The Member Secretary, UP Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, **Lucknow** (UP).
E. mail: ms@uppcb.com
2. The Regional Officer, UP Pollution Control Board, J-1, Gyan Sarovar Colony, Ramghat Road **Aligarh** (UP)
E. mail: roaligarh@uppcb.com



Corporate & Registered Office : Kamla Tower, Kanpur-208001, (U. P.) INDIA
Phone : +91-512-2371478 to 81 **Fax :** +91-512-2399854 **E-mail:** ho.grey@jkcement.com

J.K. Cement Works, Nimbahera
J.K. Cement Works, Mangrol
J.K. Cement Works, Gotan
J.K. Cement Works, Jharli

J.K. Power, Bamania
J.K. Cement Works, Muddapur
J.K. White Cement Works, Gotan
J.K. White, Katni



Environmental Clearance Conditions Compliance Report

Environmental Clearance for Establishment of Clinker Grinding Unit of Capacity: 2 Million Ton per Annum (5836.0 TPD) at Village- Satha, Tehsil- Koil, District- Aligarh of **M/s JK Cement Works.**

Ref. No 532/Parya/SEAC/4214/2018

Dated: 27 November, 2018

C. No.	S. No.	Name of Compliance	Action
I	Statutory compliance		
	i	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Not Applicable. Please find the Forest NOC Letter No. 2896/ 14-10, Aligarh dated 27.02.2019 as Annexure-1.
	ii	The project proponent shall obtain clearance from the National Board for Wild life, if applicable	Not Applicable
	iii	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/ Wild life Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six- monthly compliance report. (in case of the presence of schedule-I species in the study area).	Not Applicable
	iv	The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.	Consent To Establish obtained from UPPCB vide letter No. 26748/UPPCB/Aligarh(UPPCBRO) /CTE/Aligarh/ 2018, dated 20.08.2018 as Annexure-2.
	v	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water from the competent authority concerned in case of drawl of surface water required for the project.	Water NOC obtained from CGWA, New Delhi vide NOC No.CGWA/NOC/IND/ORIG/2018/4 589, dated 11.01.2019 & 26.04.2019 as Annexure-3.
	vi	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	Noted. We will applied after obtained the CTO from UPPCB.
II	Air quality monitoring and preservation		
	i	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules, 1986 vide G.S.R. No. 612 (E) dated 25 th August, 2014 (Cement) and subsequent amendment dated 9 th May,2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	JKCW will be installed Continuous Emission Monitoring System (CEMS) at Major Process Stack Cement Mill to monitor stack emission with respect to standards prescribed by SPCB and CPCB.
	ii	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.	Agreed & Noted. JKCW will be start the monitoring of fugitive emission after Plant operation.
	iii	The project proponent shall install system carryout to Ambient Air Quality monitoring for common /criterion parameters relevant to the main pollutants released (e.g. PM ₁₀ and PM _{2.5} in reference to PM emission, SO ₂ and	Agreed & Noted. JKCW (Small Plant) will be start the manual monitoring of Ambient Air Quality parameters PM ₁₀ ,

		NO _x in reference to SO ₂ and NO _x emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering up wind and downwind directions. (case to case basis small plants :Manual; Large plants: Continuous).	PM _{2.5} , SO ₂ and NO _x after Plant operation.
	iv	The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality/fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.	Noted, JKCW will be submit monthly summary report of continuous stack emission and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions after plant operation.
	v	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	JKCW will be provide efficient Air Pollution Control (APC) system (Bag Filters) for all the dust generating points as enclosed Annexure-4 .
	vi	The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.	JKCW will be provide leakage detection and mechanised bag cleaning facilities of Bag filters.
	vii	Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.	Agreed & Noted.
	viii	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.	JKCW will be provide mobile vacuum cleaner to clean plant roads, shop floors and roofs regularly.
	ix	Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.	JKCW will be provide covered transportation and conveying system for raw material & closed bulkers for carrying fly ash.
	x	Provide wind shelter fence and chemicals spraying on the raw material stockpiles.	Agreed & Noted.
	xi	Have separate truck parking area and monitor vehicular emissions at regular interval.	Agreed & Noted.
	xii	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport.	Agreed & Noted.
	xiii	Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, Cement bagging plants.	Agreed & Noted.
III	Water quality monitoring and preservation:		
	i	The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25 th August, 2014 (Cement) and subsequent amendment dated 9 th May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (Case to case basis small plants: Manual; Large plants: Continuous).	Not Applicable
	ii	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers / sampling wells in the plant and adjacent areas through labs recognized	JKCW will be monitor ground water quality regularly (pre and post monsoon) at piezometer (01 No.) for ground water level of well

		under Environment (Protection) Act, 1986 and NABL accredited laboratories.	in the plant.
	iii	The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.	Not Applicable. JKCW is installing Clinker Grinding & Packing Unit only, no effluent water will be generate (Fully dry process Unit).
	iv	Adhere to Zero Liquid Discharge	JKCW will be maintain Zero Liquid Discharge.
	v	Sewage Treatment Plant shall be provided for treatment of domestic waste water to meet the prescribed standards.	Not Applicable (Domestic Waste Water will be generate only < 4 KLD & treated in Soak Pit Via Septic Tank).
	vi	Garland drains and collection pits shall be provided for each stock pile to arrest the run- off in the event of heavy rain sand to check the water pollution due to surface runoff.	JKCW will be provide garland drains and collection pits to check the water pollution due to surface runoff.
	vii	The project proponent shall practice rain water harvesting to maximum possible extent.	JKCW will be provide roof top rain water harvesting system to recharge the ground Water Level and avoid surface runoff.
	viii	Water meters shall be provided at the inlet to all unit processes in the cement plant.	JKCW will be provide water meters at the inlet of all process unit in the Cement Plant.
	ix	The project proponent shall make efforts to minimize water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.	Agreed & Noted.
IV	Noise monitoring and prevention		
	i.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	JKCW will be monitor noise level and report submitted to RO, MoEFCC six monthly after plant operation.
	ii	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75dB(A) during day time and 70dB (A) during night time.	Agreed & Noted.
V	Energy Conservation measures		
	i.	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.	Agreed & Noted.
	ii	Provide the project proponent for LED lights in their offices and residential areas.	JKCW will be provide LED lights in the offices.
	iii	Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.	JKCW will be try to use of max. fly ash & sweetener as per BIS norms.
VI	Waste management		
	i.	The waste oil, grease and other hazardous shall be disposed of as per the Hazardous & Other waste (Management & Trans boundary Movement) Rules, 2016.	JKCW will be obtained Hazardous Waste Authorization from the UPPCB handling for collection / treatment / storage / disposal.
	ii	Kitchen waste shall be composted or converted to biogas for further use. (To be decided on case to case basis depending on type and size of plant).	JKCW will be explore for best practice for the same.
VII	Green Belt		
	i.	Green belts shall be developed in an area equal to 33%	JKCW will be develop green belt

		of the plant area with a native tree species in accordance with CPCB guide lines. The green belt shall inter alia cover the entire periphery of the plant	33% with cover entire periphery of the plant area as per CPCB guidelines.
	ii	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.	JKCW will be prepare GHG emissions inventory for the plant and submit report for reduction of the carbon sequestration including plantation.
VIII	Public hearing and Human health issues		
	i	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	JKCW will be prepare and implement Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan.
	ii	The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	JKCW will be provided Personal Protective Equipments (PPE's) to workers as per the norms of Factory Act.
	iii	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Agreed & Noted
	iv	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Pre-employment and periodical medical examination with records for all the workers will be undertaken on regular basis as per Factories Act & Rules.
IX	Corporate Environment Responsibility		
	i	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No.22-65/2017-IA.III dated 1 st May 2018, as applicable, regarding Corporate Environment Responsibility.	Please find the copy of Corporate Environment Responsibility (CER) with time bound budgetary action plan as Annexure-5 .
	ii	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/ forest / wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation/ violation of the environmental/ forest/ wildlife norms / conditions and shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	We are following Corporate environmental policy duly approve by the Board of Directors. Copy of the same enclosed as Annexure-6 .
	iii	A separate Environmental Cell both at the project and company head quarter level with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	JKCW will be develop a separate Environmental Cell both at the project and company head quarter level with qualified personnel under the control of senior Executive of the organization.
	iv	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked	JKCW will be prepare action plan for implementing EMP and environmental conditions along with responsibility matrix of the

		for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry /Regional Office along with the Six Monthly Compliance Report.	company and funds earmarked for environmental protection measures and kept in separate account approved by competent authority after plant operation.
	v	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Agreed & Noted
	vi	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the cement plans shall be implemented.	Agreed & Noted
X	Miscellaneous		
	i	Directions/ suggestions given during public hearing and Commitment made by the project proponent should be strictly complied.	Agreed & Noted
	ii	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's web site permanently.	We have advertising in two local newspapers of the District in the vernacular language within seven days. Copy enclosed as Annexure-7 .
	iii	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	The copies of the environmental clearance have submitted to the Village Panchayat Satha, Aligarh Development Authority & DIC & RO, UPPCB. Received copy of the same enclosed via letter No.JK/Aligarh/MoEFCC/EC/F 003, dated 03.12.2018. Copy enclosed as Annexure-8 .
	iv	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted & Agreed.
	v	The project proponent shall monitor the criteria pollutants level namely; PM ₁₀ , SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectorial parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Noted & Agreed. JKCW will be Monitor & displayed the same after plant operation.
	vi	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the web site of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted & Agreed.
	vii	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the web site of the company.	Noted & Agreed.
	viii	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Company start the land development work on 14.12.2018 and inform the RO & HO, MoEFCC vide letter No. JK/Aligarh/EC/2018-19/F 03/004 dated 19.12.2018.

			Copy enclosed as Annexure-9
	ix	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted & Agreed.
	x	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted & Agreed.
	xi	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted & Agreed.
	xii	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted & Agreed.
	xiii.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted & Agreed.
	xiv	The Ministry reserves the right to stipulate additional conditions if found necessary.	Noted & Agreed.
	xv	The Company in a time bound manner shall implement these conditions.	Noted & Agreed.
	xvi	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data / information /monitoring reports.	Noted & Agreed.
	xvii	The above conditions shall be forced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Noted & Agreed.
	xviii	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	JKCW haven't received any appeal against this Environment Clearance within stipulated time.

कार्यालय प्रभागीय निदेशक, सामाजिक वानिकी प्रभाग, अलीगढ़।

पत्रांक 2896/14-10, अलीगढ़: दिनांक: फरवरी, 27, 2019

सेवा में,

यूनिट हेड,
जे०के० सीमेंट वर्क्स,
कासिमपुर रोड़, ग्राम-साथा,
परगना-मोरथल, तहसील- कोल,
जनपद-अलीगढ़-202127।

विषय:-

जे०के० सीमेंट वर्क्स, अलीगढ़ के खसरा सं० 126, 149, 150, 151, 151/1, 151/2, 151/3, 151/4, 152, 157, 158, 159 ए, 159/3 एवं 160/4, क्षेत्रफल 6.87 ग्राम- साथा, तहसील-कोल, जनपद-अलीगढ़ में वनभूमि होने/न होने के सम्बन्ध में।

संदर्भ-

आपका पत्रांक JK/Aligarh/EC/DFO/2018-19/F06/001 dated 21.01.2019

उपरोक्त संदर्भित पत्र द्वारा वांछित ग्राम-साथा, तहसील-कोल, जनपद-अलीगढ़ के अन्तर्गत खसरा सं० 126, 149, 150, 151, 151/1, 151/2, 151/3, 151/4, 152, 157, 158, 159 ए, 159/3 एवं 160/4, क्षेत्रफल 6.87 हे० के वनभूमि/गैर वनभूमि होने के सम्बन्ध में सूचना चाही गयी है। इस सम्बन्ध में जांचोपरान्त क्षेत्रीय वन अधिकारी, अलीगढ़ रेंज ने अपने पत्र सं० 198/35-1 दि० 22.02.2019 द्वारा अवगत कराया गया है कि ग्राम साथा के अन्तर्गत उक्त खसरा संख्या जिसका कुल क्षेत्रफल 6.87 हे० है, वनभूमि नहीं है।

प्र

(एस०डी० त्रिपाठी)

प्रभागीय निदेशक,

सामाजिक वानिकी प्रभाग, अलीगढ़।

प्र

पत्रांक /14-1 समदिनांकित

प्रतिलिपि- क्षेत्रीय वन अधिकारी, अलीगढ़ रेंज को उनके पत्र सं० 198/35-1 दि० 22.02.2019 के क्रम में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

(एस०डी० त्रिपाठी)

प्रभागीय निदेशक,

सामाजिक वानिकी प्रभाग, अलीगढ़।



UTTAR PRADESH POLLUTION CONTROL BOARD

Validity Period :11/07/2018 To 31/07/2023

Ref No. - 26748/UPPCB/Aligarh(UPPCBRO)/CTE/ALIGARH/2018 Dated:- 20/08/2018

To ,

Shri Praveen Kumar
M/s JK Cement Works , Aligarh (A unit of JK Cement Limited)
JK Cement Works Limited
ALIGARH

Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your application form no 2195497 dated - 06/06/2018 .After examining the application with respect to pollution angle, Consent to Establish is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates :

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
Fly ash : 1700.0 T/Day	Metric Tonnes/Day	
Clinker : 3853.0.0 T/Day	Metric Tonnes/Day	
Gypsum : 283.0 T/Day	Metric Tonnes/Day	

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
Cement : 5836.0 TDP (2000000 TPA)	182156

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
0	Metric Tonnes/Day	0	0

E: Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	bore well	184.0

F. Quantity of effluent (In KLD) :

Effluent Details	
Source Consumption	Quantity (KL/D)
Domestic	10.0
Industrial	174.0

G- Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use
LSHS	1000	DG Sets

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

- You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
- Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 31/07/2023 to the Board.
- Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution)Act, 1981 from the Board.
- It is mandatory to submit Air and Water consent Application,complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
- Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act,1981 may be initiated against the industry With out any prior information,in case of non compliance of above conditions.
- Bank details.

Bank Fee Details				
Bank Name	Branch Name	Draft No./Money Receipt No	Date	Rupees
State Bank of India	Lucknow	120098	05/06/2018	50000.0

Specific Conditions:

1. The APCs for controlling emissions shall be installed as per proposal submitted to the Board and should be properly maintained and continuously operated. The stack should be as per norms and regular monitoring of stack and ambient air should be done by the laboratory recognized under E (P) Act 1986 and report be sent to the Board.
2. Provision shall be made to control dust emissions during unloading of the clinkers from Railway racks. Proposal along with time bound program in this regard shall be submitted to the Board within 3 months.
3. Provision shall be made to control dust emissions during unloading of the clinkers and loading of cement inside the factory premises.
4. Provision shall be made to control dust emissions on roads during transportation of clinkers and cement.
5. Online automatic air quality/stack monitoring system shall be installed within 3 months and the proposal in this regard shall be sent within 15 days to the Board.
6. The DG set should have stack of proper height as per norms and provided with acoustic enclosure and monitoring of noise and stack and ambient air should be done by the laboratory recognised under E (P) Act 1986 and report be sent to the Board.
7. The ETP shall be installed as per proposal submitted to the Board and should be properly maintained and continuously operated. The treated water shall be reused / recycled after achieving the prescribed norms. No industrial effluent shall be discharged outside the factory premises.
8. Domestic effluent shall be treated properly/discharged through septic tank/soak pit. No domestic effluent shall be discharged in river/drain.
9. The industry shall obtain NOC from CGWA for extraction of ground water and submit it to the Board within three months.
10. The industry shall be operated in such a way that there is no harm to the nearby environment.
11. If any closure direction is issued against the industry, by CPCB/UPPCB the consent shall automatically remain suspended for that period and after ensuring compliance and after the closure order is revoked the consent shall automatically become effective
12. The directions issued by the Hon'ble NGT / Court / CPCB / UPPCB shall be completely complied with.
13. A thick green belt of trees of suitable species able to attain 8-10 metre height on maturity shall be developed in multi lineate staggered manner on a minimum 33% of the land on which the industry is established. as per the "Protocol for Development of Green Belt" notified vide Board Office Order No.H16405/220/2018/02 dated.16.02.2018 in this regard and available at URL http://www.uppcb.com/pdf/Green-belt-Guide-_160218.pdf. If there is no sufficient space inside the factory premises then the equivalent green belt area shall be developed arranging land outside the factory premises. Proposal in this regard shall be submitted to the board with map within 30 days.
14. Regular water shower shall be done in order to maintain ambient air quality. The control measures for controlling process emissions should be properly maintained and continuously operated.
15. The industry shall comply with the order passed by Hon'ble Supreme Court in writ petition (civilNo.13029/1985, MC Mehta v/s Union of India and others regarding use of Pet Coke and Furnace oil as a fuel.
16. The industry shall ensure provisions of Roof Top Rain Water Harvesting system. Proposal/ compliance report should be sent to the Board within One month.
17. Industry shall submit Environmental Statement in prescribed format in Form V of rule14 of E.P Rules 1986.
18. This consent/NOC is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel / plant machinery failing which consent would be deemed void.
19. Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
20. The construction/renovation work shall be done in such a way that there is no violation of the order of Hon'ble NGT in OA No. 594/2016.
21. The industry shall use a minimum 20% Bio-fuel/bio-briquette as fuel in the Furnace depending upon its availability/necessity.
22. A Bank Guarantee of Rs.1000000/=(ten lakh) for compliance of the above conditions shall be submitted within 15 days.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 20/09/2018 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

(Dr. Mohd. Sikandar)
Chief Environment Officer
Circle-4

Dated:- 20/08/2018

Copy To -

Regional Officer, U.P. Pollution Control Board, Aligarh.

(Dr. Mohd. Sikandar)
Chief Environment Officer
Circle-4

Member (CGWA)



भारत सरकार
केन्द्रीय भूमि जल प्राधिकरण
जल संसाधन, नदी विकास
और गंगा संरक्षण मंत्रालय

Government of India
Central Ground Water Authority
Ministry of Water Resources,
River Development & Ganga Rejuvenation

File No: - 21-4/5416/UP/IND/2018 - 66

NOC No: - CGWA/NOC/IND/ORIG/2018/4589

Date: 11 JAN 2019

To

M/s J K Cement Works (A Unit Of J K Cement Ltd.)
29/1, Dwarkadhish Road, Kamla Tower,
District Kanpur Nagar, Uttar Pradesh - 208002

Sub:- NOC for ground water withdrawal to M/s J K Cement Works (A Unit Of J K Cement Ltd.) in respect of their proposed Clinker grinding unit located at Village Satha, Block Jawan Sikanderpur, District Aligarh, Uttar Pradesh - reg.

Refer to your application dated 05/06/2018 for grant of NOC for ground water withdrawal. Based on recommendation of Regional Director, Central Ground Water Board, Northern Region, Lucknow vide his letter dated 24/09/2018 and further deliberations on the subject, the NOC of Central Ground Water Authority is hereby accorded to **M/s J K Cement Works (A Unit Of J K Cement Ltd.) in respect of their proposed Clinker grinding unit located at Village Satha, Block Jawan Sikanderpur, District Aligarh, Uttar Pradesh.** The NOC is valid from 26/12/2018 to 25/12/2020 and is subject to the following conditions:-

1. The firm may abstract **64,400 cu.m/year** of ground water through one (1) proposed tube well only. No additional ground water abstraction structures shall be constructed for this purpose without prior approval of the CGWA.
2. The well shall be fitted with digital water flow meter by the firm at its own cost and monthly ground water abstraction data shall be recorded in a log book. Compliance to this condition shall be reported within one month from the date of issue of this letter.
3. **M/s J K Cement Works (A Unit Of J K Cement Ltd.)**, in consultation with the Regional Director, Central Ground Water Board, Northern Region, Lucknow shall implement ground water recharge measures atleast to the tune of **2,230 cu.m/year** as proposed, for augmenting the ground water resources of the area where post monsoon water level is more than 5 meter below ground level. Firm shall report the compliance within six months from the date of issue of this letter. Firm shall also undertake periodic maintenance of recharge structures at its own cost.
4. The photographs of the recharge structures after completion of construction of the same shall be furnished immediately to the Regional Director, Central Ground Water Board, Northern Region, Lucknow for verification under intimation to this office.
5. The firm, at its own cost, shall construct one (1) observation well (piezometer) at suitable location and install digital water level recorder for monthly ground water level monitoring in consultation with the Regional Director, Central Ground Water Board, Northern Region, Lucknow.

18/11, Jamnagar House, Mansingh Road, New Delhi-110011


Phone : (011) 23383561 Fax : 23382051, 23386743

Website: www.cgwa.noc.gov.in

स्वच्छ सुरक्षित जल - सुन्दर खुशहाल कल

CONSERVE WATER - SAVE LIFE

6. The ground water quality shall be monitored once in a year during pre- monsoon period.
7. The ground water monitoring data in respect of S. No. 2, 5 & 6 shall be submitted to the Regional Director, Central Ground Water Board, Northern Region, Lucknow on regular basis at least once in a year.
8. The firm shall ensure proper recycling and reuse of waste water after adequate treatment.
9. Action taken report in respect of S. No. 1 to 8 shall be submitted to CGWA within one year period.
10. This NOC is liable to be cancelled in case of non-compliance of any of the conditions as mentioned in S. No. 1 to 9.
11. This NOC is subject to prevailing Central/State Government rules/laws or Court orders related to construction of tubewell/ground water withdrawal/construction of recharge or conservation structure/discharge of effluents or any such matter as applicable.
12. The firm shall report self compliance online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
13. This NOC does not absolve the applicant / proponent of this obligation / requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
14. The NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and be taking decisions independently of the NOC.


Member (CGWA)

Copy to:

1. The Member Secretary, Uttar Pradesh Pollution Control Board, PICUP Bhawan, Third Floor, B-Block, Vibhuti Khand, Gomti Nagar, Lucknow, Uttar Pradesh.
2. The District Magistrate, District Aligarh, Uttar Pradesh for necessary action.
3. The Regional Director, Central Ground Water Board Northern Region, Lucknow. This has reference to your recommendation dated 24/09/2018.
4. Guard File 2018-19.

/

Member (CGWA)



भारत सरकार
केन्द्रीय भूमि जल प्राधिकरण
जल संसाधन, नदी विकास
और गंगा संरक्षण मंत्रालय

Government of India
Central Ground Water Authority
Ministry of Water Resources,
River Development & Ganga Rejuvenation

Member (CGWA)

File No: - 21-4/5416/UP/IND/2018 - 552

NOC No: - CGWA/NOC/IND/ORIG/2018/4589

Date:- 26 APR 2019

To

M/s J K Cement Works (A Unit of J K Cement Ltd.)
29/1, Dwarkadhish Road, Kamla Tower,
District Kanpur Nagar, Uttar Pradesh - 208002

Sub:- Corrigendum of NOC for ground water withdrawal to M/s J K Cement Works (A Unit of J K Cement Ltd.) in respect of their proposed Clinker grinding unit located at Village Satha, Block Jawan Sikanderpur, District Aligarh, Uttar Pradesh – reg.

Kindly refer to your letter no. GU/ALI/EC/CGWA/F 002 dated 23.01.2019 on the above cited subject. In partial modification of the NOC for ground water withdrawal issued vide letter No. 21-4/5416/UP/IND/2018 – 66 dated 11.01.2019, condition at Sl. No. 1 of the NOC may be read as under :-

1. The firm may abstract 64,400 cu.m/year of ground water through two (2) proposed tube wells only. No additional ground water abstraction structures shall be constructed for this purpose without prior approval of the CGWA.

All other terms and conditions mentioned in the NOC issued vide letter No. 21-4/5416/UP/IND/2018 – 66 dated 11.01.2019 shall remain unchanged.

Member (CGWA)

Copy to:

1. The Member Secretary, Uttar Pradesh Pollution Control Board, PICUP Bhawan, Third Floor, B-Block, Vibhuti Khand, Gomti Nagar, Lucknow, Uttar Pradesh.
2. The District Magistrate, District Aligarh, Uttar Pradesh for necessary action.
3. The Regional Director, Central Ground Water Board, Northern Region, Lucknow.
4. The Director, Ground Water Department, Govt. of Uttar Pradesh, 9th floor, Indira Bhawan, Lucknow-226001.
5. Guard File 2018-19.

Member (CGWA)

18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561, Fax: 23382051, 23386743

Website : www.cgwa-noc.gov.in

स्वच्छ सुरक्षित जल - सुन्दर खुशहाल कल

CONSERVE WATER - SAVE LIFE

Detail of Bag Filters

Updated on: 28.06.2019

S. No	Location	Equipment Tag No.	Equipment Name	Gas Volume (M ³ /Hr.)
1	Raw Material Handling (Clinker+Additive)	471.BF100	Bag Filter	35000
2		471.BF200	Bag Filter	35000
3		471.BF300	Bag Filter	8000
4		471.BF400	Bag Filter	20000
5		481.BF100	Bag Filter	8000
6		481.BF200	Bag Filter	8000
7		481.BF300	Bag Filter	8000
8	Cement Mill Hopper Building	511.BF050	Bag Filter	18100
9		511.BF630	Bag Filter	22800
10	Cement Mill & Bag House	531.BF030	Bag Filter	11000
11		531.BF230	Bag Filter	15000
12		531.BF500	Process Bag House	576000
13		531.BF650	Bag Filter	5000
14	Fly ash Silo & Transport	241.BF100	Bag Filter	15000
15		241.BF200	Bag Filter	5000
16		246.BF350	Bag Filter	8000
17	Cement Silo (RCC+Steel)	611.BF100	Bag Filter	7500
18		611.BF200	Bag Filter	5000
19		612.BF100	Bag Filter	6000
20	Packing Plant	641BF100	Bag Filter	31000
21		641.BF200	Bag Filter	15000
22		642.BF100	Bag Filter	31000
23		642.BF200	Bag Filter	15000

JK Cement Works
Village: Satha, Tehsil: Koil, District: Aligarh (UP)
Proposed Budget for Corporate Environment Responsibility (CER)

Annexure-5

(All Figures in Rs. Lakhs)

S.No.	Activities	5 Year Plan for CER (in Rs. Lakhs)						%age
		I st	II nd	III rd	IV th	V th	Total	
1	Health (Health Checkup Camp etc.)	5.00	6.00	8.00	9.00	12.00	40.00	10.00
2	Education	4.00	6.00	8.00	10.00	12.00	40.00	10.00
3	Sanitation (Domestic Water, Toilet etc.)	15.00	10.00	10.00	10.00	15.00	60.00	15.00
4	Skill Development (Training Centre etc.)	4.00	5.00	5.00	6.00	10.00	30.00	7.50
5	Infrastructure (Road, Community Centre etc.)	40.00	25.00	25.00	20.00	30.00	140.00	35.00
6	Others Locals Needs	15.00	15.00	10.00	15.00	20.00	75.00	18.75
7	Greenery Development Nearby Area	2.00	2.00	3.00	3.00	5.00	15.00	3.75
	Total	85.00	69.00	69.00	73.00	104.00	400.00	100.00
	% AGE	21.25	17.25	17.25	18.25	26.00	100.00	

Note: Total Project Cost (Rs. Crore) = **266.46**
CER Budget @ 1.5 % of Total Project Cost (Rs. Lakhs) = **400**
(As per MoEFCC OM dated 01.05.2018)

Noted : 1st year from Plant operation.

Environment Management Policy:

We at J.K. Cement Ltd. (Grey Cement) are committed to Manufacturing and Supply of cements and cement derivative products to the satisfaction of our customers with due consideration to legal and other requirements by;

- Minimise and / or control environmental impacts, significant energy use and emphasis on elimination of hazards associated with its operations.
- Continuous Prevention and reduce pollution, resources wastage and probability of injury and ill health of Employees & interested parties.
- Inculcate a working culture with emphasis on prevention of pollution, minimizing and controlling waste generation, Safe work practices and optimize consumption of resources/energy.
- Provide necessary resources and information to achieve objectives and targets.
- Support purchase of environment friendly & energy efficient products, services & design.
- Provide effective facilities for consultation between management and worker's representatives.

The policy is made available to all employees and interested parties.

Ajay Kumar Saraogi
Director



JK Cement Works, Aligarh

A unit of JK Cement LTD.

(CIN: L17228UP1991PLC017199)
ISO 9001 & ISO 14001 CERTIFIED COMPANY

Web: www.jkcement.com

Aligarh: Ramnagar Road
Muzaffarnagar: Ramnagar Road
New Delhi: Durgam Chauri - 200012

Ref. No.: AL/EMD/MoEF/2018-19/F 01/006

Dated: 04.12.2018

To,
Regional Office
Ministry of Environment & Forest (Central Region)
Kendriya Bhawan, 5th Floor, Sector-H, Aliganj,
Lucknow (UP)

Subject: Environmental Clearance Compliance Report of our Proposed Clinker Grinding Unit capacity 2 MMTPA at Village: Satha, Tehsil: Koil, District: Aligarh.

Ref. No. EC Letter No. 532/Parya/SEAC/4214/2018, Dated: 27th November, 2018.

Dear Sir,

We highly thanks full to SEIAA, Uttar Pradesh for awarded Environment Clearance vide letter No. 532/Parya/SEAC/4214/2018, Dated: 27th November, 2018 for Proposed Clinker Grinding Unit capacity 2.0 MMTPA of M/s JK Cement Works, Village: Satha, Tehsil: Koil, District: Aligarh. Please find enclosed herewith the copy of 1. Environmental Clearance, 2. Public Notice advertisement in Two Hindi News Papers reg. awarded EC as per below condition compliance for your ready reference.

Environment Clearance Condition No. X. Miscellaneous ii: -

The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's web site permanently. Please find the above for your ready reference.

Thanking you,

Yours faithfully,
For JK Cement Works


GM (Environment)

Encl.: 1. Copy of Environmental Clearance, 2. Public Notice advertised in Gujarati & English News Paper.

Copy to:

1. The Member Secretary, UP Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow (UP).
2. The Regional Officer, UP Pollution Control Board, J-1, Gyan Sarovar Colony, Ramghat Road Aligarh (UP)



Corporate & Registered Office : Karmia Tower, Karmia, Lucknow-200001, (U. P.) INDIA

Phone : +91-512-2371476 to 81 Fax : +91-512-2399854 E-mail: ho.grey@jkcement.com



J.K. Cement Works, Nimbahera
J.K. Cement Works, Mangrol
J.K. Cement Works, Gotan
J.K. Cement Works, Jharli

J.K. Power, Bamania
J.K. Cement Works, Muddapur
J.K. White Cement Works, Gotan
J.K. White, Katni



पर्यावरण स्वीकृति के संबंध में आम सूचना

पर्यावरण वन और जलवायु परिवर्तन मंत्रालय (एम.ओ.ई.एफ., सी.सी.) भारत सरकार नई दिल्ली की ई.आई.ए. अधिसूचना-2006 के अधीन मेसर्स जे.के. सीमेन्ट वर्क्स, अलीगढ़, (ईकाई जे.के. सीमेन्ट लि.) ग्राम-साथा, तहसील-कोल, जिला-अलीगढ़ (उत्तर प्रदेश) की प्रस्तावित परियोजना के लिए एस.ई.ए.सी./एस.ई.आई.ए.ए. उत्तर प्रदेश के द्वारा पर्यावरण की अनुमति प्रदान की गई है। यह विज्ञापन आम जनता के सूचनार्थ है।

पर्यावरण स्वीकृति पत्र क्रमांक-532/Parya/SEA/4214/2018 दिनांक 27-11-2018 की उत्तर प्रदेश प्रदूषण नियंत्रण मंडल, अलीगढ़ (उत्तर प्रदेश) और <http://envfor/nic.in> के एम.ओ.ई.एफ. सी.सी. की वेबसाइट पर भी उपलब्ध है।

ईकाई प्रमुख

जे.के. सीमेन्ट वर्क्स, अलीगढ़ ग्राम-साथा,
तहसील-कोल, जिला-अलीगढ़ (उत्तर प्रदेश)

7

दैनिक जागरण

अलीगढ़ 4 नवंबर, 2018

www.jagran.com

पर्यावरण स्वीकृति के संबंध में आम सूचना

पर्यावरण वन और जलवायु परिवर्तन मंत्रालय (एम.ओ.ई.एफ., सी.सी.) भारत सरकार नई दिल्ली की ई.आई.ए. अधिसूचना-2006 के अधीन मेसर्स जे.के. सीमेन्ट वर्क्स, अलीगढ़, (ईकाई जे.के. सीमेन्ट लि.) ग्राम-साथा, तहसील-कोल, जिला-अलीगढ़ (उत्तर प्रदेश) की प्रस्तावित परियोजना के लिए एस.ई.ए.सी./एस.ई.आई.ए.ए. उत्तर प्रदेश के द्वारा पर्यावरण की अनुमति प्रदान की गई है। यह विज्ञापन आम जनता के सूचनार्थ है।

पर्यावरण स्वीकृति पत्र क्रमांक-532/Parya/SEA/4214/2018 दिनांक 27-11-2018 की उत्तर प्रदेश प्रदूषण नियंत्रण मंडल, अलीगढ़ (उत्तर प्रदेश) और <http://envfor/nic.in> के एम.ओ.ई.एफ. सी.सी. की वेबसाइट पर भी उपलब्ध है।

ईकाई प्रमुख

जे.के. सीमेन्ट वर्क्स, अलीगढ़ ग्राम-साथा,
तहसील-कोल, जिला-अलीगढ़ (उत्तर प्रदेश)



JK Cement Works, Aligarh

A unit of JK Cement LTD.

(CIN: L17229UP1994PLC017199)
ISO 9001 & ISO 14001 CERTIFIED COMPANY

Web : www.jkcement.com

Aligarh – Kasimpur Road,
Village – Satha, Pargana – Morthal,
Tehsil Koil, District Aligarh - 202127

Ref.No.: JK/Aligarh/MoEFCC/EC/F 003

Dated: 03.12.2018

To,
The Vice Chairman,
Aligarh Development Authority,
Aligarh (Uttar Pradesh)

Subject: - Environment Clearance from SEAC/SEIAA, Uttar Pradesh Project of
M/s JK Cement Works, Aligarh, Village: Satha, Tehsil: Koil, District: Aligarh (U.P.)

Dear Sir,

We are pleased to inform that the SEAC/SEIAA, Uttar Pradesh granted Environmental Clearance on dated 27th November' 2018 wide their Ref. No. 532/Parya/SEAC/4214/2018, for proposed project of JK Cement, Clinker Grinding Unit at Villages: Satha, Tehsil: Koil, District: Aligarh (UP)

Thanking you,

Yours faithfully

For JK Cement Work, Aligarh

Unit Head

C.C. to

1. Sarpanch, Gram Panchayat Satha, Tehsil: Koil, District: Aligarh. (UP)
2. GM, District Industry Centre, Aligarh (UP)
3. RO, UPPCB, Aligarh

Encl.: Copy of Environment Clearance



Corporate & Registered Office : Kamla Tower, Kanpur-208001, (U. P.) INDIA
Phone : +91-512-2371478 to 81 Fax : +91-512-2399854 E-mail: ho.grey@jkcement.com

J.K. Cement Works, Nimbahera
J.K. Cement Works, Mangrol
J.K. Cement Works, Gotan
J.K. Cement Works, Jharli

J.K. Power, Bamania
J.K. Cement Works, Muddapur
J.K. White Cement Works, Gotan
J.K. White, Katni





JK Cement Works, Aligarh

A unit of JK Cement LTD.

(CIN: L17229UP1994PLC017199)
ISO 9001 & ISO 14001 CERTIFIED COMPANY

Web : www.jkcement.com

Aligarh – Kasimpur Road,
Village – Satha, Pargana – Morthal,
Tehsil Koil, District Aligarh - 202127

Ref. No.: JK/Aligarh/EC/MoEFCC/2018-19/F 03/ 004

Dated: 19.12.2018

To,

Additional Director

Regional Office

Ministry of Environment & Forest (Central Region)

Kendriya Bhawan, 5th Floor, Sector-H, Aliganj,

Lucknow (UP)

Subject: Environmental Clearance for Establishment of Clinker Grinding Unit of Capacity: 2 Million Ton per Annum (5836.0 TPD) at Village- Satha, Tehsil- Koil, District- Aligarh of M/s JK Cement Works. Reg. Compliance of EC Condition No. **X. Miscellaneous-viii.**

Ref. No. EC Letter No. 532/Parya/SEAC/4214/2018, Dated: 27th November, 2018

Dear Sir,

Refer to the above subject & reference, we are enclosing herewith reply of EC Condition No. **X. Miscellaneous-viii.** We have commencing the land development & civil construction work from dated 14.12.2018 and when will start of production operation (After 9-10 months) and same will inform to your good office.

Thanking you,

Yours faithfully

For JK Cement Work

[Signature]
Unit Head 19/12/18

- Encl.: 1. Copy of Environment Clearance
2. Photographs of Bhumi Pujan & Foundation Stone.

C.C.:

1. Advisor, IA Division, Ministry of Environment, Forest & Climate Change, Govt. of India, Paryavaran Bhawan, Jor Bagh Road, Aliganj, **New Delhi**.
2. The Member Secretary, UP Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, **Lucknow** (UP).
3. The Regional Officer, UP Pollution Control Board, **Aligarh** (UP)



Corporate & Registered Office : Kamla Tower, Kanpur-208001, (U. P.) INDIA
Phone : +91-512-2371478 to 81 Fax : +91-512-2399854 E-mail: ho.grey@jkcement.com

J.K. Cement Works, Nimbahera
J.K. Cement Works, Mangrol
J.K. Cement Works, Gotan
J.K. Cement Works, Jharli

J.K. Power, Bamania
J.K. Cement Works, Muddapur
J.K. White Cement Works, Gotan
J.K. White, Katni



Bhumi Pujan on 14.12.2018 at JK Cement Works, Clinker Grinding Unit, Aligarh (UP)

Foundation Stone on 14.12.2018 at JK Cement Works, Clinker Grinding Unit, Aligarh (UP)