

Phone: +91 9729991610 E-mail: Jkc.jharl@Jkcament.com

Mohan Bari Road, Jharli-124 106 Diet, Shaljar, Haryana (India)

Ref. No. JKJharli/PC-01/885

Dated - 20th November, 2020

The Member Secretary
State Level Environment Impact
Assessment Authority, Bay No. 55-58
Paryatan Bhawan
Sector - 2, Panchkula
Haryana

Sub: Submission of Compliance Report for J.K. Cement, Jharli, Jhajjar, Haryana.

Ref: - EC letter no. SEIAA/HR/2013/647 Dated 04.09.2013

Sir,

We are attaching herewith Half yearly Compliance Report for our clinker grinding unit of 2.0 Million TPA at Jharli, Jhajjar.

We trust you will find the same in order. This is for your kind reference and record. We are complying with all the required conditions of HSPCB.

Kindly acknowledge the receipt.

With regards,



ANIRUDH DANI
Unit Head
J. K. Cement Works, Jharli

Encl.: As above.

C.C. -

1. The Member Secretary, HSPCB, Panchkula, Haryana

2. The Regional Officer, HSPCB, Bahadurgarh, Haryana

The Regional Office, MoEF, Chandigarh, Haryana

Administrative & Registered Office: Kamia Tower, Kanpur-208 001 (U.P.) INDIA Phone: +91-512-2371478 to 81, E-mail: admin@jkcement.com, Website: www.jkcement.com



Part A. - Specific Conditions

Sr. No.	Condition	Reply
1.	Particulate emission shall be controlled within 50 mg/Nm³ by installing adequate air pollution control	Being Complied.
	system viz. Bag House filters and stacks of adequate height etc. Data on ambient air, fugitive and stack emissions shall be submitted to the Ministry's Regional Office at Chandigarh, SEIAA Haryana, HSPCB, Panchkula and CPCB regularly.	The Environmental Monitoring of the project site has been done. lab reports of air and stack are enclosed as Annexure-1
2.	The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826 (E) dated 16 th November, 2009 should be followed.	Yes, We are following the standards of NAAQ issued by the Ministry vide G.S.R. No. 826 (E) dated 16 th November, 2009
3.	Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits by the Ministry and regularly monitored Guidelines/Code of Practice issued by the CPCB should be followed.	Yes, We are following all the codes of the practices.
4.	The Company shall install adequate dust collection and extraction system to control fugitive dust emissions at various transfer points. Vehicular movements, bagging and packing areas etc. All the raw material stock piles shall be covered. A closed clinker stockpile system shall be provided. All conveyers shall be covered with GI sheets. Covered sheds for storage of raw materials shall be provided besides cement, fly ash and clinker shall be stored in silos. Pneumatic system shall be used for fly ash handling.	We have already installed bag houses and bag filters for the collection of dust particles in the plant. Fly ash and clinker are being stored in silos. The conveyors are covered which are used for the transportation of the raw material.
5.	Asphalting/concreting of roads and water spray all around the stockyard and loading/unloading areas in the plant shall be carried out to control fugitive emissions. Regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM and RSPM such as haul road, loading and unloading points, transfer points and other vulnerable areas. It shall be ensured that the ambient quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Being Complied. Regular water sprinkling for the suppression of dust particles is carried out in the dust pollution prone area. Regular monitoring is being done at plant site. The ambient air quality parameters are maintained in the plant site falling within the prescribed limit of CPCB. lab reports of ambient air are enclosed as Annexure-1
6.	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land. All the raw materials including fly ash shall be transported in the closed containers only and should not be overloaded. Vehicular emission should be regularly monitored. Te vehicles should have Pollution under Control Certificate	Being Complied The raw material are being transported in the closed containers,. Vehicular emission will be monitored regularly. Vehicles only with the Pollution under Control Certificate are allowed to transport the raw material within the Plant site.
7.	Total ground water requirement for the Cement plant shall not exceed 300 m³/day and necessary permission for the drawl shall be obtained. All the treated waste water shall be recycled and reused in the process and /or for dust suppression and green belt development and other plant related activities etc. No process wastewater shall be discharged outside the factory premises and "zero" discharge shall be adopted.	We have obtained No Objection Certificate from CGWA for the withdrawal of ground water in the project site. NOC from CGWA is enclosed as Annexure-2 . We assure not to discharge the treated water outside the project premises. The treated waste water are being/will be used in various operations such as dust suppression and green belt development within the site only. Zero discharge of waste water is assured.

8.	Efforts shall be made to make use of rain water harvested. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources.	Yes,, we have constructed Six rain water harvesting pits in the plant site to recharge the ground water table.
9.	All the bag filter dust, clinker dust and cement dust from pollution control devices shall be recycled and reused in the process used for cement manufacturing. Spent oil and batteries shall be sold to authorized recyclers/reprocessors only.	We are practicing the recycling of the dust from Bag House, Clinker and cement dust. The hazardous waste (Spent oil and batteries) are sold to an authorized vendor.
10.	Green belt shall be developed in at least 33% area in and around the cement plant as per the CPCB guidelines to mitigate the effects of air emissions in consultation with local DFO.	We have developed 27.45% green belt area, remaining part is under progress.
11.	At least 5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based on locals need and item-wise details along with time bound action plan should be prepared and submitted to the SEIAA Haryana/ RO MoEF, GOI, Chandigarh. Implementation of such program should be ensured accordingly in a time bound manner.	We agree to invest 5% of the total cost of the project for the Enterprise Social Commitment. The record for the same shall be prepared regularly and submitted to the SEIAA, Chandigarh in due course of time. Annexure-3.
12.	The company shall provide housing for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	As the company is in full running process, no construction work is going on.
13.	The Sewage Treatment Plant (STP) of 60 KLD capacity shall be installed for the treatment of the sewage to the prescribed standards including odour and treated effluent will be recycled to achieve zero exit discharge. The installation of STP should be certified by an independent expert and a report in this regard should be submitted to the SEIAA, Haryana before the project is commissioned for operation. Tertiary treatment of waste water is mandatory. Discharge of treated sewage shall conform to the norms and standards of HSPCB, Panchkula. Project proponent shall implement such as STP technology which does not require filter backwash	We have installed the STP of 60 KLD capacity within the project site for the treatment of waste water to achieve zero exit discharge.
14.	The sludge generated shall be treated and used as manure.	Agreed. We are using sludge as manure.

Part B.- General Conditions

Sr. No.	Condition	Reply
(i)	The project authority must strictly adhere to the stipulations made by the Haryana State Pollution Control Board and the State Government.	Agreed.
(ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA, Haryana	Any modification or expansion in the plant will never be done without prior permission from SEIAA, Haryana.
(iii)	The gaseous emissions from various process units shall conform to the load/mass based standards notified by Ministry on 19 th May, 1993 and standards prescribed from time to time. The State Pollution Control Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location.	We agree to conform the standards notified by Ministry on 19th May,1993. If in any case the authority will define stringent parameters we will be positively following them.
(iv)	At least four ambient air quality monitoring stations shall be established in the downward direction as well as where maximum ground level concentration of PM _{2.5} , PM ₁₀ , SO ₂ , NO _x is anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to SEIAA including Regional Office MoEF, GOI at Chandigarh the HSPCB Panchkula once in six months.	We have defined four monitoring stations for the monitoring of ambient air quality. Regular monitoring is being conducted in the project site. The lab Reports of stack and Air are enclosed as Annexure 1.
(v)	The overall noise levels in and around plant area shall be kept well within the standards (85dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night time).	All the noise control devices are used to control the noise pollution within the project site. The regular noise monitoring is being done as per prescribed rules of EPA, 1989 to record the noise level. The lab report for the ambient noise level is enclosed as Annexure-1.
(vi)	Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act	The Health surveillance of the workers is regularly maintained as per factories act. Annexure-4
(vii)	The company shall develop at least three surface water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	We have constructed four rain water harvesting pits along with six injection pits structure for recharging the ground water.
(viii)	The Project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programming, drinking water supply and health care etc.	recommended in EIA/EMP report. The socio- economic developmental activities like community development programmes, educational
(ix)	As proposed Rs. 748 Lakh shall be earmarked towards capital cost and recurring cost /annum for environment pollution control measures and EMP to implement the conditions stipulated by the SEIAA Haryana, as well. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the SEIAA, Haryana Regional Office of the Ministry at Chandigarh. The funds so provided shall not be diverted for any other purpose.	We have already invested 100% of the cost in installing the bag filters, bag houses, STP and in plantation.
(x)	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any from whom suggestions/ representations, if any, were received while	We have already sent the EC Letter to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO. The Clearance

	processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	letter has already been displayed on the Company's Website too.
(xi)	The project proponent shall upload the status of the compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the SEIAA Haryana, Regional Office of the MoEF at Chandigarh and HSPCB Panchkula. The criteria pollutant levels namely; PM2.5, PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We commit to upload the Compliance of the stipulated environmental clearance conditions, including results of monitored data on the company's website. The same will be sent to SEIAA, Haryana, Regional Office of MoEF, Chandigarh and HSPCB, Panchkula.
(xii)	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mal) to the SEIAA Haryana, Regional Office of MoEF, GoI at Chandigarh/HSPCB shall monitor the stipulated conditions.	The half yearly compliance report of the plant is regularly prepared and submitted to SEIAA Haryana, Regional Office of MoEF, GoI at Chandigarh and HSPCB, Panchkula in one hard and one soft copy.
(m)	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules,1986, as amended subsequently, shall also be put on the website of the company along with the status of the compliance if environmental conditions and shall also be sent to SEIAA Haryana and regional office of the MoEF at Chandigarh by e-mail.	The Environmental Statement of each year shall be prepared and submitted to the authority on timely basis. The same shall also be displayed on the Company's website shall also be sent to SEIAA Haryana and regional office of the MoEF at Chandigarh by e-mail.
(n)	The project proponent should inform the public that the project has been accorded Environmental Clearance by the SEIAA and copies of the clearance letter are available with the Haryana State Pollution Control Board & SEIAA. This should be advertised within 7 Days from the date circulated in the region and the copy of the same should be forwarded to SEIAA Haryana. A Copy of Environment Clearance conditions shall also be put on project proponent's website for public awareness. Project authorities shall inform the regional office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	We have published about the project in two local dailies Viz. Dainik Bhaskar (on 09.09.2013) and Haribhoomi (on 10.09.2013) to inform the local public.
(0)	The SEIAA Haryana may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed
(p)	The SEIAA Haryana reserves the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions	Agreed. Authority has all the rights to upgrade or modify the environmental safeguards given in the EC. We assure that we will co-operate with the Ministry and will follow its order.
(q)	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act,1986, Hazardous Wastes (Management, Handling & Transboundary movement) Rules,2008 and Public (Insurance)Liability Act,1991 along with their amendments and rules.	We assure that we will comply with all the rules and norms made under different environmental acts.
(r)	The project proponent shall provide for adequate fire safety measures and equipments as required by Haryana Fire Service Act,2009 and instructions issued by the local Authority/Directorate of fire from time to time. Further the	We have provided all the measures for the fire safety. We have also obtained approval for firefighting scheme. The same is enclosed as Annexure-5

project proponent shall take necessary permission regarding fire safety scheme/ NOC from competent Authority is required. **5** | Page

Test Report

Sample Number:

VEL/JKCW/A/01

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/001

Format No.:

7.8 F-01

Party Reference No.: Reporting Date:

NIL

Period of Analysis:

12/10/2020 07/10/2020 to 12/10/2020

Receipt Date:

07/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code **Instrument Calibration Status**

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Gate No -1

RDS & FPS sampler with all Accessories

VEL/RDS/01 & VEL/FPS/01

Calibrated

Clear Sky

05/10/2020 to 06/10/2020

24 hours

Min. 32.0

Max. 42.0

8.71

Human, Vehicular and Cement plant activities

Regulatory Requirement

PM_{2.5}, PM₁₀, NO_x, SO₂

: Water Spray

IS-5182

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	53.20	μg/m³	60
2	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Ciravimetic Method	92.48	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	17.92	це/m ³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP Laboratory Standard Operating Procedure.

IS: 5182 (P-2), Modified West and Gaeke



Sulphur Dioxide (SO₂)

(Checked By)



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

www.vardan.co.in

80

Test Report

Sample Number:

VEL/JKCW/A/02

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/002

Format No.:

7.8 F-01

Party Reference No.: Reporting Date:

NIL 12/10/2020

Period of Analysis:

07/10/2020 to 12/10/2020

Receipt Date:

07/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Gate No -2

RDS & FPS sampler with all Accessories

VEL/RDS/02 & VEL/FPS/02

Calibrated

Clear Sky

5/10/2020 to 06/10/2020

24 hours

Min. 32.0 Max. 42.0

Human, Vehicular and Cement plant activities

: Regulatory Requirement

: Water Spray

IS-5182

: PM_{2.5}, PM₁₀, NO_x, SO₂

Parameter	Protocol	Result	Unit	NAAQS* Limit
Particulate Matter (PM _{2,5})	#SOP No. VEL/SOP/01, Section No. SP 63	51.88	μg/m³	60
Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	90.63	μg/m ³	100
Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	19.34		80
Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	9.13		80
	Particulate Matter (PM _{2.5}) Particulate Matter (PM ₁₀) Nitrogen Dioxide (NO ₂)	Particulate Matter (PM _{2.5}) Particulate Matter (PM ₁₀) IS: 5182 (P-23), Gravimetic Method Nitrogen Dioxide (NO ₂) IS: 5182 (P-6), Jacob & Hochheiser	Particulate Matter (PM _{2.5}) *SOP No. VEL/SOP/01, Section No. SP 63 Particulate Matter (PM ₁₀) IS: 5182 (P-23), Gravimetic Method 90.63 Nitrogen Dioxide (NO ₂) IS: 5182 (P-6), Jacob & Hochheiser 19.34	Particulate Matter (PM _{2.5}) "SOP No. VEL/SOP/01, Section No. SP 63 51.88 μg/m³ Particulate Matter (PM ₁₀) IS: 5182 (P-23), Gravimetic Method 90.63 μg/m³ Nitrogen Dioxide (NO ₂) IS: 5182 (P-6), Jacob & Hochheiser 19.34 μg/m³

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/03

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/003

Format No.:

7.8 F-01

Party Reference No.: Reporting Date:

NIL 12/10/2020

Period of Analysis:

07/10/2020 to 12/10/2020

Receipt Date:

07/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Railway Line Side

RDS & FPS sampler with all Accessories

VEL/RDS/03 & VEL/FPS/03

: Calibrated

: Clear Sky

: 05/10/2020 to 06/10/2020

24 hours

Min. 32.0

Human, Vehicular and Rail activities

Max. 42.0

Regulatory Requirement

: Water Spray

IS-5182

PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1,	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01, Section No. SP 63	52.13	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	91.04	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	20.37	μg/m³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	9.15	μg/m ³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP Laboratory Standard Operating Procedure.

KOMAL SINGH

ARJUN RAWAT (Clecked By)



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/04

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/004

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

12/10/2020

Period of Analysis:

07/10/2020 to 12/10/2020

Receipt Date:

07/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Wagon Tippler

RDS & FPS sampler with all Accessories

VEL/RDS/04 & VEL/FPS/04

: Calibrated

Clear Sky

3 05/10/2020 to 06/10/2020

24 hours

Min. 32.0 Max. 42.0

Human, Vehicular and Cement plant activities

Regulatory Requirement

Yes

: IS-5182

PM_{2.5} PM₁₀ NO_x SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
I _{ac}	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01, Section No. SP 63	47.36	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	86.14	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	16.72	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2). Modified West and Gaeke	8.34	ug/m³	80

^{*} NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009, # SOP Laboratory Standard Operating Procedure.

KOMAL SINGH

Testeli By

ARJUN RAWAT



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/05

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/005

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

16/10/2020

Period of Analysis:

12/10/2020 to 16/10/2020

Receipt Date:

12/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Gate No -1

RDS & FPS sampler with all Accessories

VEL/RDS/01 & VEL/FPS/01

Calibrated

Clear Sky

09/10/2020 to 10/10/2020

24 hours

Min. 33.0 Max. 43.0

Human, Vehicular and Cement plant activities

Regulatory Requirement

Water Spray

: IS-5182

: PM_{2.5}, PM₁₀, NO_x SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1	Particulate Matter (PM _{2.5})	#SOP No. VEL/SOP/01, Section No. SP 63	50.86	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	89.69	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	18.05	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8.79	μg/m ³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

www.vardan.co.in

Ph: 0124-4343750/752/753, 9810355569, 9953147268 E-mail: lab@vardanenvironet.com, bd@vardanenvironet.com

Test Report

Sample Number:

VEL/JKCW/A/06

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/006

Format No.:

7.8 F-01

Party Reference No.: Reporting Date:

NIL 16/10/2020

Period of Analysis:

12/10/2020 to 16/10/2020

Receipt Date:

12/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Gate No -2

RDS & FPS sampler with all Accessories

VEL/RDS/02 & VEL/FPS/02

: Calibrated

Clear Sky

09/10/2020 to 10/10/2020

: 24 hours

Min. 33.0 Max. 43.0

Human, Vehicular and Cement plant activities

Regulatory Requirement

Water Spray

: IS-5182

PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	52.04	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	91.31	μg/m ³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	19.53	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8.35	μg/m³	80

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/07

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/007

Format No.:

7.8 F-01

Party Reference No.:

NIL 16/10/2020

Reporting Date: Period of Analysis:

12/10/2020 to 16/10/2020

Receipt Date:

12/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Railway Line Side

RDS & FPS sampler with all Accessories

VEL/RDS/03 & VEL/FPS/03

Calibrated

Clear Sky

09/10/2020 to 10/10/2020

24 hours

Min. 33.0 Max. 43.0

Human, Vehicular and Rail activities

Regulatory Requirement


Water Spray

: IS-5182

PM_{2.5} PM₁₀ NO_x SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
$1_{\rm E}$	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	49.22	μg/m ³	60
2.,	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	88.65	μg/m³	100
3	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	21.52	μg/m³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8.79	μg/m³	80

^{*} NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP Laboratory Standard Operating Procedure.



ARJUN RAWAT Checked By)



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/08

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/008

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

16/10/2020

Period of Analysis:

12/10/2020 to 16/10/2020

Receipt Date:

12/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

: Vardan Enviro Lab Representative

Near Wagon Tippler

RDS & FPS sampler with all Accessories

VEL/RDS/04 & VEL/FPS/04

Calibrated

Clear Sky

09/10/2020 to 10/10/2020

24 hours

Min. 33.0 Max. 43.0

Human, Vehicular and Cement plant activities

Regulatory Requirement


Yes

IS-5182

: PM_{2.5} PM₁₀ NO_x SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
las	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	48.65	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	87.93	μg/m³	100
3.	Nitrogen Dioxide (NO2)	IS: 5182 (P-6), Jacob & Hochheiser	17.11	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8.41	μg/m ³	80

^{*} NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/09

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/009

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date: Period of Analysis:

19/10/2020 14/10/2020 to 19/10/2020

Receipt Date:

14/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

: Mr. Anirudh Dani (Plant Head)

VardanEnviro Lab Representative

Near Gate No -1

RDS & FPS sampler with all Accessories

VEL/RDS/01 & VEL/FPS/01

Calibrated

: Clear Sky

12/10/2020 to 13/10/2020

: 24 hours

Min. 31.5 Max. 42.3

Human, Vehicular and Cement plant activities

Regulatory Requirement

: Water Spray

: IS-5182

PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
lae	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	52.41	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	91.68	μg/m ³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Flochheiser	17.51	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8,49	μg/m ³	80

^{*} NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009.

F SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH ANALYST

ARJUN RAWAT



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/10

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/010

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date: Period of Analysis: 19/10/2020 14/10/2020 to 19/10/2020

Receipt Date:

14/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

: Mr. Anirudh Dani (Plant Head)

VardanEnviro Lab Representative

: Near Gate No -2

RDS & FPS sampler with all Accessories

VEL/RDS/02 & VEL/FPS/02

: Calibrated

Clear Sky

: 12/10/2020 to 13/10/2020

24 hours

Min. 31.5 Max. 42.3

Human, Vehicular and Cement plant activities

Regulatory Requirement

: Water Spray


: IS-5182

PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1_{a}	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01, Section No. SP 63	53.57	μg/m³	60
2,	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	92.80	$\mu g/m^3$	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	22.67	μg/m ³	80
4,	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8.98	μg/m ³	80

^{*} NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009.

** SOP- Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/11

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/011

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

19/10/2020

Period of Analysis:

14/10/2020 to 19/10/2020

Receipt Date:

14/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviro Lab Representative

Railway Line Side

RDS & FPS sampler with all Accessories

VEL/RDS/03 & VEL/FPS/03

Calibrated

Clear Sky

12/10/2020 to 13/10/2020

24 hours

Min. 31.5

Max. 42.3 Human, Vehicular and Rail activities

Regulatory Requirement

Water Spray

IS-5182

* PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01, Section No. SP 63	51.97	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	92.10	μg/m³	100
3	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6). Jacob &Hochheiser	23.78	μg/m³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	9.45	μg/m ³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009.

[#] SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH

APHIN PAIM (hecked By)



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/12

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/012

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date: Period of Analysis:

14/10/2020 to 19/10/2020

Receipt Date:

14/10/2020

19/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviro Lab Representative

Near Wagon Tippler

: RDS & FPS sampler with all Accessories

VEL/RDS/04 & VEL/FPS/04

Calibrated

: Clear Sky

: 12/10/2020 to 13/10/2020

24 hours

Min. 31.5 Max. 42.3

Human, Vehicular and Cement plant activities

: Regulatory Requirement

Yes

IS-5182

3 PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	#SOP No. VEL/SOP/01, Section No. SP 63	50.11	μg/m ³	60
2,	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	89.27	μg/m³	100
3,0	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	21.41	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8.85	$\mu g/m^3$	80

^{*} NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009.

KOMAL SINGH ANALXST

ARJUN RAWAT



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

^{*} SOP- Laboratory Standard Operating Procedure.

Test Report

Sample Number:

VEL/JKCW/A/13

Name & Address of the Party!

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/013

Format No.:

7.8 F-01

Party Reference No.: Reporting Date:

NIL

Period of Analysis:

23/10/2020 19/10/2020 to 23/10/2020

Receipt Date:

19/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviro Lab Representative

Near Gate No -1

RDS & FPS sampler with all Accessories

VEL/RDS/01 & VEL/FPS/01

Calibrated

Clear Sky

£ 16/10/2020 to 17/10/2020

24 hours

Min. 31.0 Max. 41.5

Human, Vehicular and Cement plant activities

Regulatory Requirement

: Water Spray

IS-5182

PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1#	Particulate Matter (PM _{2,5})	"SOP No. VEL/SOP/01, Section No. SP 63	51.77	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	92.60	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	18.49	μg/m³	80
4	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8.12	μg/m ³	80

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009, SOP- Laboratory Standard Operating Procedure.



AR II IN BANATAT



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/14

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/014

Format No.:

7.8 F-01

Party Reference No.: Reporting Date:

NIL

Period of Analysis:

23/10/2020

or remarysis

19/10/2020 to 23/10/2020

Receipt Date:

19/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

: Mr. Anirudh Dani (Plant Head)

: VardanEnviro Lab Representative

Near Gate No -2

RDS & FPS sampler with all Accessories

VEL/RDS/02 & VEL/FPS/02

: Calibrated

: Clear Sky

16/10/2020 to 17/10/2020

24 hours

Min. 31.0 Max. 41.5

Human, Vehicular and Cement plant activities

Regulatory Requirement

Water Spray

IS-5182

PM25 PM10 NOx SO2

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
12	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01, Section No. SP 63	52.87	μg/m³	60
2,	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	91.74	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	21.94	$\mu g/m^3$	80
4	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8.60	μg/m³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009.

SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH ANALYST

AR, JUN RAWAT



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

www.vardan.co.in

Ph: 0124-4343750/752/753, 9810355569, 9953147268 E-mail: lab@vardanenvironet.com, bd@vardanenvironet.com

Test Report

Sample Number:

VEL/JKCW/A/15

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.: Format No.: VEL/A/2010/015

Party Reference No.:

7.8 F-01 NIL

Reporting Date:

23/10/2020

Period of Analysis:

19/10/2020 to 23/10/2020

Receipt Date:

19/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviro Lab Representative

: Railway Line Side

: RDS & FPS sampler with all Accessories

VEL/RDS/03 & VEL/FPS/03

Calibrated

Clear Sky

16/10/2020 to 17/10/2020

24 hours

Min. 31.0 Max. 41.5

Human, Vehicular and Rail activities

Regulatory Requirement

Water Spray

* IS-5182

* PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
L	Particulate Matter (PM _{2.5})	#SOP No. VEL/SOP/01. Section No. SP 63	54.75	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	93.61	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	25.87	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	9.88	μg/m³	80

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH ANALYST

ARJUN RAWAT



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/16

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/016

Format No.:

7.8 F-01

Party Reference No.: Reporting Date:

NIL 23/10/2020

Period of Analysis:

19/10/2020 to 23/10/2020

Receipt Date:

19/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviro Lab Representative

Near Wagon Tippler

RDS & FPS sampler with all Accessories

VEL/RDS/04 & VEL/FPS/04

Calibrated

Clear Sky

16/10/2020 to 17/10/2020

24 hours

Min. 31.0 Max. 41.5

Human, Vehicular and Cement plant activities

Regulatory Requirement

Yes

IS-5182

PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
11.0	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01. Section No. SP 63	51.37	μg/m ³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	90.42	μg/m ³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6). Jacob & Hochheiser	18.10	μg/m³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2). Modified West and Gaeke	9.57	μg/m³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. SOP- Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/17

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/017

Format No.:

7.8 F-01

Party Reference No.:

NIL.

Reporting Date:

26/10/2020

Period of Analysis:

21/10/2020 to 26/10/2020

Receipt Date:

21/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

- Mr. Anirudh Dani (Plant Head)
- Vardan EnviroLab Representative
- Near Gate No -1
- RDS & FPS sampler with all Accessories
- VEL/RDS/01 & VEL/FPS/01
- Calibrated
- Clear Sky
- 19/10/2020 to 20/10/2020
- 24 hours
- Min. 31.2 Max. 41.6
- Human, Vehicular and Cement plant activities
- Regulatory Requirement
- : Water Spray
- : IS-5182
- * PM_{2.5} PM₁₀ NO_x SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
$-1_{\rm g}$	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01, Section No. SP 63	54.17	μg/m ³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	95.11	μg/m ³	100
3	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	26.34	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	9.54	μg/m³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH

Checked By)



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/18

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/018

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

26/10/2020

Period of Analysis:

21/10/2020 to 26/10/2020

Receipt Date:

21/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Gate No -2

RDS & FPS sampler with all Accessories

VEL/RDS/02 & VEL/FPS/02

Calibrated

: Clear Sky

19/10/2020 to 20/10/2020

24 hours

Min. 31.2 Max. 41.6

Human, Vehicular and Cement plant activities

Regulatory Requirement

: Water Spray

: IS-5182

PM_{2,5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	53.70	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	94.66	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	24.81	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	9.75	μg/m³	80

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH ANALYST

ARJUN RAWAT



NOTE: a) The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/19

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/019

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

26/10/2020

Period of Analysis:

21/10/2020 to 26/10/2020

Receipt Date:

21/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Railway Line Side

RDS & FPS sampler with all Accessories

VEL/RDS/03 & VEL/FPS/03

Calibrated

Clear Sky

19/10/2020 to 20/10/2020

24 hours

Min. 31.2 Max. 41.6

Human, Vehicular and Rail activities

Regulatory Requirement

Water Spray

: IS-5182

♠ PM_{2.5} PM₁₀ NO_x SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	53.47	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	94.50	μg/m ³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	25.33	μg/m³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	9.60	μg/m ³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/20

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/020

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

26/10/2020

Period of Analysis:

21/10/2020 to 26/10/2020

Receipt Date:

21/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Wagon Tippler

RDS & FPS sampler with all Accessories

VEL/RDS/04 & VEL/FPS/04

Calibrated

Clear Sky

: 19/10/2020 to 20/10/2020

24 hours

Min. 31.2 Max. 41.6

Human, Vehicular and Cement plant activities

Regulatory Requirement

Yes

IS-5182

: PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
147	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	50.70	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	91.40	μg/m ³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	24.16	μg/m ³	80
4,	Sulphur Dioxide (SO2)	IS: 5182 (P-2). Modified West and Gaeke	8.40	μg/m ³	80

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009, # SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH

trested By)

AR ILIN PAMAT



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/21

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2030/021

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

30/10/2020

Period of Analysis:

26/10/2020 to 30/10/2020

Receipt Date:

26/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan EnviroLab Representative

Near Gate No -1

RDS & FPS sampler with all Accessories

VEL/RDS/01 & VEL/FPS/01

Calibrated

Clear Sky

23/10/2020 to 24/10/2020

24 hours

Min. 30.8

Max. 41.0 Human, Vehicular and Cement plant activities

Regulatory Requirement


Water Spray

IS-5182

* PM_{2.5} PM₁₀ NO_x SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1/2/1	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	53.87	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	92.78	μg/m³	100
3	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	22.10	μg/m³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2). Modified West and Gaeke	8.90	μg/m³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law www.vardan.co.in

Ph: 0124-4343750/752/753, 9810355569, 9953147268 E-mail: lab@vardanenvironet.com, bd@vardanenvironet.com

Test Report

Sample Number:

VEL/JKCW/A/22

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2030/022

Format No.: Party Reference No.: 7.8 F-01 NIL

Reporting Date:

30/10/2020

Period of Analysis:

26/10/2020 to 30/10/2020

Receipt Date:

26/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Gate No -2

RDS & FPS sampler with all Accessories

VEL/RDS/02 & VEL/FPS/02

Calibrated

Clear Sky

23/10/2020 to 24/10/2020

24 hours

: Min. 30.8

Max. 41.0

Human, Vehicular and Cement plant activities

Regulatory Requirement

Water Spray

: IS-5182

PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
l,	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01. Section No. SP 63	51.63	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23). Gravimetic Method	92.49	μg/m ³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	21.71	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2). Modified West and Gaeke	8.91	μg/m³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.









NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/23

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2030/023

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:
Period of Analysis:

30/10/2020

CITOU OF Allarysis

26/10/2020 to 30/10/2020

Receipt Date:

26/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Railway Line Side

RDS & FPS sampler with all Accessories

: VEL/RDS/03 & VEL/FPS/03

Calibrated

Clear Sky

23/10/2020 to 24/10/2020

24 hours

Min. 30.8

Max. 41.0

Human, Vehicular and Rail activities

Regulatory Requirement

Water Spray

: IS-5182

PM25 PM10 NOx SO2

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01, Section No. SP 63	52.10	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	93.77	μg/m ³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	21.48	$\mu g/m^3$	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	9.21	μg/m ³	80

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH ANALYST

ARJUN RAWAT



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/24

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2030/024

Format No.:

7.8 F-01

Party Reference No.:

NIL 30/10/2020

Reporting Date: Period of Analysis:

26/10/2020 to 30/10/2020

Receipt Date:

26/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Wagon Tippler

RDS & FPS sampler with all Accessories

VEL/RDS/04 & VEL/FPS/04

Calibrated

Clear Sky

23/10/2020 to 24/10/2020

24 hours

Min. 30.8 Max. 41.0

Human, Vehicular and Cement plant activities

Regulatory Requirement

Yes

: IS-5182

* PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
bar	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	47.22	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	89.70	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	17.54	μg/m³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2). Modified West and Gaeke	8.21	μg/m ³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH

ARJUN RAWA (Checked By)



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/25

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/025

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

02/11/2020

Period of Analysis:

28/10/2020 to 02/11/2020

Receipt Date:

28/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Gate No -1

RDS & FPS sampler with all Accessories

VEL/RDS/01 & VEL/FPS/01

Calibrated

Clear Sky

26/10/2020 to 27/10/2020

24 hours

Min. 29.8

Max. 38.7

Human, Vehicular and Cement plant activities

Regulatory Requirement


Water Spray

: IS-5182

 $PM_{2.5}$, PM_{10} , NO_x , SO_2

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
Î.	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01, Section No. SP 63	53.50	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23). Gravimetic Method	94.31	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Flochheiser	23.66	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	9.87	μg/m ³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/26

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/026

Format No.:

7.8 F-01

Party Reference No.:

NIL.

Reporting Date: Period of Analysis: 02/11/2020

28/10/2020 to 02/11/2020

Receipt Date:

28/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used **Instrument Code**

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

: Mr. Anirudh Dani (Plant Head)

: Vardan Enviro Lab Representative

Near Gate No -2

RDS & FPS sampler with all Accessories

VEL/RDS/02 & VEL/FPS/02

Calibrated

Clear Sky

26/10/2020 to 27/10/2020

24 hours

: Min. 29.8

Max. 38.7

Human, Vehicular and Cement plant activities

Regulatory Requirement

: Water Spray

: IS-5182

PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01. Section No. SP 63	53.47	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	94.18	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Flochheiser	25.70	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2). Modified West and Gaeke	9.80	μg/m ³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH ANALYST



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/27

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106 Distt - Jhajjar (HARYANA) Report No.:

VEL/A/2010/027

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

02/11/2020

Period of Analysis:

28/10/2020 to 02/11/2020

Receipt Date:

28/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative Sample collected by

Sampling Location Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

: Railway Line Side

RDS & FPS sampler with all Accessories

: VEL/RDS/03 & VEL/FPS/03

: Calibrated

Clear Sky

26/10/2020 to 27/10/2020

4 24 hours

Min. 29.8

Max. 38.7

Human, Vehicular and Rail activities

Regulatory Requirement

: Water Spray

IS-5182

1 PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
\mathbf{I}_{x}	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	53.89	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	92.41	μg/m³	100
3,	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6). Jacob & Hochheiser	22.98	μg/m³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2). Modified West and Gaeke	9.08	$\mu g/m^3$	80

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.

KOMAL SINGH ANALYST

ARJUN RAWAT

Dr. Shiv

NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/28

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/028

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

02/11/2020

Period of Analysis:

28/10/2020 to 02/11/2020

Receipt Date:

28/10/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

: Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Wagon Tippler

RDS & FPS sampler with all Accessories

VEL/RDS/04 & VEL/FPS/04

Calibrated

Clear Sky

26/10/2020 to 27/10/2020

24 hours

Min. 29.8 Max. 38.7

Human, Vehicular and Cement plant activities

Regulatory Requirement

Yes

: IS-5182

PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
I _a	Particulate Matter (PM _{2,5})	"SOP No. VEL/SOP/01, Section No. SP 63	48.15	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	86.12	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	18.57	μg/m³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8.10	$\mu g/m^3$	80

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.



ARJUN RAWAT



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/29

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/029

7.8 F-01 Format No.:

Party Reference No.: NIL

Reporting Date:

06/11/2020

Period of Analysis:

02/11/2020 to 06/11/2020

Receipt Date:

02/11/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

Near Gate No -1

RDS & FPS sampler with all Accessories

VEL/RDS/01 & VEL/FPS/01

Calibrated

Clear Sky

30/10/2020 to 31/10/2020

• 24 hours

Min. 26.2 Max. 35.0

Human, Vehicular and Cement plant activities

Regulatory Requirement

Water Spray

* IS-5182

: PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2.5})	*SOP No. VEL/SOP/01, Section No. SP 63	54.65	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23), Gravimetic Method	94.81	μg/m³	100
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	24.75	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2). Modified West and Gacke	9.62	μg/m ³	80

* NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/30

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/030

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

06/11/2020

Period of Analysis:

02/11/2020 to 06/11/2020

Receipt Date:

02/11/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

: Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

: Near Gate No -2

RDS & FPS sampler with all Accessories

VEL/RDS/02 & VEL/FPS/02

Calibrated

Clear Sky

: 30/10/2020 to 31/10/2020

24 hours

: Min. 26.2

Max. 35.0

Human, Vehicular and Cement plant activities

Regulatory Requirement

: Water Spray

: IS-5182

PM_{2.5}, PM₁₀, NO_x, SO₂

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
1.	Particulate Matter (PM _{2,5})	"SOP No. VEL/SOP/01, Section No. SP 63	50.19	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23). Gravimetic Method	91.80	μg/m³	100
3	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6), Jacob & Hochheiser	23.96	μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2), Modified West and Gaeke	8.95	μg/m³	80

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.



AR JUN RAWAT



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our (ab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/31

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/031

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

06/11/2020

Period of Analysis:

02/11/2020 to 06/11/2020

Receipt Date:

02/11/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Railway Line Side

RDS & FPS sampler with all Accessories

VEL/RDS/03 & VEL/FPS/03

Calibrated

Clear Sky

30/10/2020 to 31/10/2020

24 hours

Min. 26.2 Max. 35.0

Human, Vehicular and Rail activities

Regulatory Requirement

Water Spray

: IS-5182

 $PM_{2.5}, PM_{10}, NO_{x}, SO_{2}$

S. No.	Parameter	Protocol	Result	Unit	NAAQS* Limit
la la	Particulate Matter (PM _{2.5})	#SOP No. VEL/SOP/01, Section No. SP 63	52.10	μg/m³	60
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23). Gravimetic Method	93.18	μg/m ³	100
3.	Nitrogen Dioxide (NO ₂)	Dioxide (NO ₂) IS: 5182 (P-6), Jacob & Hochheiser		μg/m ³	80
4.	Sulphur Dioxide (SO ₂)	IS: 5182 (P-2). Modified West and Gaeke	9.22	μg/m ³	80

* NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009. # SOP- Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

- b) Total liabilities of our lab will be restricted to the invoice amount only
- c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/A/32

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/A/2010/032

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

06/11/2020

Period of Analysis:

02/11/2020 to 06/11/2020

Receipt Date:

02/11/2020

Sample Description:

AMBIENT AIR QUALITY MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Ambient Temperature (°C)

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Anirudh Dani (Plant Head)

Vardan Enviro Lab Representative

Near Wagon Tippler

RDS & FPS sampler with all Accessories

VEL/RDS/04 & VEL/FPS/04

Calibrated

: Clear Sky

30/10/2020 to 31/10/2020

24 hours

Min. 26.2 Max. 35.0

Human, Vehicular and Cement plant activities

Regulatory Requirement

Yes


IS-5182

 $PM_{2.5}, PM_{10}, NO_{x}, SO_{2}$

S. No.	o. Parameter Protocol		Result	Unit	NAAQS* Limit	
lu lu	Particulate Matter (PM _{2.5})	"SOP No. VEL/SOP/01, Section No. SP 63	50.11	μg/m³	60	
2.	Particulate Matter (PM ₁₀)	IS: 5182 (P-23). Gravimetic Method	90.63	μg/m³	100	
3.	Nitrogen Dioxide (NO ₂)	IS: 5182 (P-6). Jacob & Hochheiser	21.05	μg/m ³	80	
4.	Sulphur Dioxide (SO ₂) IS: 5182 (P-2). Modified West and Gaeke		9.10	μg/m ³	80	

^{*} NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009.

SOP- Laboratory Standard Operating Procedure.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/AN/01

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/AN/2010/001

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

20/10/2020

Period of Analysis:

14/10/2020 to 19/10/2020

Receipt Date:

14/10/2020

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used
Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Sampling Duration

Parameter Required

Mr. Anirudh Dani (Plant Head)

: VardanEnviroLab Representative

Near Gate No – 1

Sound Level Meter

VEL/S/SLM/01

Calibrated

Clear Sky

12/10/2020 to 13/10/2020

06:00 AM to 06:00AM

Human, Vehicular and Cement plant Activities

Regulatory Requirement

No any

IS-9989 R-2003

24 Hours

As per Work Order

			Test Resi	esult dB (A)	Unit
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
I _(c)	Lmax	IS 9989 R-2003	77.3	64.8	dB(A)
2.	Lmin	IS 9989 R-2003	59.2	47.4	dB(A)
3	Leq	IS 9989 R-2003	70.30	56.10	dB(A)
4.	CPCB Limits in dB(A*) Leq (Industrial Area)	(-)/	75.00	70.00	dB(A)

Note *A "decibel" is a unit in which noise is measured.

ARUN KUMAR ANALYST (Tested By)

ARJUN RAWAT

DA Shiv Capacita Singh

NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/AN/02

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/AN/2010/002

Format No.:

7.8 F-01

Party Reference No.: Reporting Date:

NIL 20/10/2020

Period of Analysis:

14/10/2020 to 19/10/2020

Receipt Date:

14/10/2020

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-

Client Representative Sample collected by

Sampling Location Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring Surrounding Activity Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Sampling Duration Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

Near Gate No – 2
Sound Level Meter

VEL/S/SLM/03Calibrated

Clear Sky

12/10/2020 to 13/10/2020

6:00 AM to 06:00AM

Human, Vehicular and Cement plant Activities

Regulatory Requirement

No any

IS-9989 R-2003

24 Hours

As per Work Order

			Test Res	esult dB (A)	Unit
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
lar	Lmax	IS 9989 R-2003	74.8	62.7	dB(A)
2.	Lmin	IS 9989 R-2003	53.4	42.1	dB(A)
3.	Leq	IS 9989 R-2003	66.20	53.60	dB(A)
4.	CPCB Limits in dB(A*) Leq (Industrial Area)	91	75.00	70.00	dB(A)

Note *A "decibel" is a unit in which noise is measured.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/AN/03

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/AN/2010/003

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date: Period of Analysis: 20/10/2020 14/10/2020 to 19/10/2020

Receipt Date:

14/10/2020

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-

Name & Address of the Party:

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Sampling Duration

Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

Railway Line Side

Sound Level Meter

₩ VEL/S/SLM/03

Calibrated

: Clear Sky

12/10/2020 to 13/10/2020

06:00 AM to 06:00AM

Human, Vehicular and Rail Activities

Regulatory Requirement

No any

IS-9989 R-2003

24 Hours

As per Work Order

			Test Res	Test Result dB (A)	
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
1.0	Lmax	IS 9989 R-2003	75.4	66.9	dB(A)
2.	Lmin	IS 9989 R-2003	57.5	51.7	dB(A)
3.	Leq	IS 9989 R-2003	68.10	59.44	dB(A)
4.	CPCB Limits in dB(A*) Leq (Industrial Area)		75.00	70.00	dB(A)

Note *A "decibel" is a unit in which noise is measured.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

- b) Total liabilities of our lab will be restricted to the invoice amount only
- c) The sample will be destroyed after retention time unless otherwise specified
- d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/AN/04

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/AN/2010/004

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date: Period of Analysis:

20/10/2020 14/10/2020 to 19/10/2020

Receipt Date:

14/10/2020

Sample Description:

Name & Address of the Party:

AMBIENT NOISE LEVEL MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Sampling Duration Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

Near Wagon Tippler

Sound Level Meter

VEL/S/SLM/04

Calibrated Clear Sky

12/10/2020 to 13/10/2020

: 06:00 AM to 06:00AM

Human, Vehicular and Cement plant Activities

Regulatory Requirement

No any

IS-9989 R-2003

24 Hours

As per Work Order

			Test Res	esult dB (A)	Unit
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1,00	Lmax	IS 9989 R-2003	70.6	64.4	dB(A)
2.	Lmin	IS 9989 R-2003	55.7	43.1	dB(A)
3	Leq	IS 9989 R-2003	62.10	53.50	dB(A)
4.	CPCB Limits in dB(A*) Leq (Industrial Area)	щ·	75.00	70.00	dB(A)

Note *A "decibel" is a unit in which noise is measured.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/AN/05

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.: VEL

VEL/AN/2010/005

Party Reference No.:

7.8 F-01 NIL

Reporting Date:

03/11/2020

Period of Analysis:

28/10/2020 to 02/11/2020

Receipt Date:

Format No.:

28/10/2020

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-

Name & Address of the Party:

Client Representative

Sample collected by

Sampling Location

Instrument Used

Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Sampling Duration Parameter Required

on:-

: Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

Near Gate No − 1

Sound Level Meter

VEL/S/SLM/01

Calibrated

: Clear Sky

26/10/2020 to 27/10/2020

: 06:00 AM to 06:00AM

Human, Vehicular and Cement plant Activities

Regulatory Requirement

No any

: IS-9989 R-2003

24 Hours

: As per Work Order

			Test Result dB (A)	esult dB (A)	Unit m)
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
Ka s	Lmax	IS 9989 R-2003	79.7	69.5	dB(A)
2,,,	Lmin	IS 9989 R-2003	58.2	52.1	dB(A)
3.	Leq	IS 9989 R-2003	72.50	61.20	dB(A)
4.	CPCB Limits in dB(A*) Leq (Industrial Area)	***	75.00	70.00	dB(A)

Note *A "decibel" is a unit in which noise is measured.









NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/AN/06

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/AN/2010/006

Format No.:

Party Reference No.:

7.8 F-01 NIL

Reporting Date:

03/11/2020

Period of Analysis:

28/10/2020 to 02/11/2020

Receipt Date:

28/10/2020

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-

Name & Address of the Party:

Client Representative

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Sampling Duration

Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

Near Gate No – 2

Sound Level Meter

VEL/S/SLM/03

Calibrated

: Clear Sky

26/10/2020 to 27/10/2020

№ 06:00 AM to 06:00AM

Human, Vehicular and Cement plant Activities

Regulatory Requirement

No any

: IS-9989 R-2003

□ 24 Hours

As per Work Order

			Test Res	esult dB (A)	Unit
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
[t].	Lınax	IS 9989 R-2003	74.1	58.4	dB(A)
2.	Lmin	IS 9989 R-2003	60.5	47.2	dB(A)
3.0	Leq	IS 9989 R-2003	69.21	55.35	dB(A)
4.	CPCB Limits in dB(A*) Leq (Industrial Area)	261	75.00	70.00	dB(A)

Note *A "decibel" is a unit in which noise is measured.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/AN/07

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/AN/2010/007

Format No.:
Party Reference No.:

7.8 F-01

arty Reference No..

NIL

Reporting Date:

03/11/2020 28/10/2020 to 02/11/2020

Period of Analysis: Receipt Date:

28/10/2020

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-

Client Representative Sample collected by Sampling Location

Instrument Used
Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring Time of Monitoring

Surrounding Activity

Scope of Monitoring

Control measure if Any Sampling & Analysis Protocol

Sampling Duration

Parameter Required

Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

Railway Line Side

Sound Level Meter

VEL/S/SLM/03

Calibrated

Clear Sky

26/10/2020 to 27/10/2020

06:00 AM to 06:00AM

Human, Vehicular and Rail Activities

Regulatory Requirement

No any

IS-9989 R-2003

24 Hours

As per Work Order

			Test Result dB (A)	esult dB (A)	
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	Unit
1.	Lmax	IS 9989 R-2003	81.8	69.5	dB(A)
2.	Lmin	IS 9989 R-2003	62.9	47.5	dB(A)
3.	Leq	IS 9989 R-2003	73.10	58.50	dB(A)
4.	CPCB Limits in dB(A*) Leq (Industrial Area)	#	75.00	70.00	dB(A)

Note *A "decibel" is a unit in which noise is measured.







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/AN/08

M/s JK Cement Works Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/AN/2010/008

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date: Period of Analysis: 03/11/2020

28/10/2020 to 02/11/2020

Receipt Date:

28/10/2020

Sample Description:

AMBIENT NOISE LEVEL MONITORING

General Information:-

Name & Address of the Party:

Client Representative

Sample collected by

Sampling Location

Instrument Used Instrument Code

Instrument Calibration Status

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Surrounding Activity

Scope of Monitoring

Control measure if Any

Sampling & Analysis Protocol

Sampling Duration Parameter Required Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

: Near Wagon Tippler

Sound Level Meter

VEL/S/SLM/04

Calibrated

Clear Sky

\$ 26/10/2020 to 27/10/2020

06:00 AM to 06:00AM

Human, Vehicular and Cement plant Activities

Regulatory Requirement

No any

IS-9989 R-2003

24 Hours

As per Work Order

			Test Res	esult dB (A)	Unit
S. No.	Parameters	Protocol	Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1,	Lmax	IS 9989 R-2003	71.8	63.2	dB(A)
2.	Lmin	IS 9989 R-2003	53.9	42.7	dB(A)
3.	Leq	IS 9989 R-2003	61.50	52.20	dB(A)
4.	CPCB Limits in dB(A*) Leq (Industrial Area)	-	75.00	70.00	dB(A)

Note *A "decibel" is a unit in which noise is measured.



NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law





Cattle Breed Improvement Programme

J. K. Cement Works Jharli launched livestock development program in Jhajjar district under the umbrella of J. K. Trust Rural Development Plan in the month of August 2015. Presently, 20 centres are operating in District Jhajjar. Each Center is covering 5 to 7 villages. All Centres are working for artificial insemination of cows and buffaloes through proper intimation to the Cattleman for proper maintenance of the animals.

Total number of artificial insemination done from the date of commencement of the project up to the month of June 2020 are 62651. Total no. of Calf born are 15260 of which 5560 are cows and 9700 are buffaloes. Animal treatment camps are organized in association with the team of doctors from J. K. Trust Gram Vikas Yojana in regular intervals at these centres. In all the camps Jharli HR team always make active participation.

Donation for Animal Food

On 5th November 2020 a group of Jharli team members visited Khanpur Khurd village and donated Rs. 50,000/- to Mr. Uday Singh, Sarpanch Khanpur Khurd for animal fodder on behalf of J. K. Cement Works Jharli in the presence of villagers.



Mr. Ashok Kumar from HR & Admin. Jharli donating to village Sarpanch.

(M/s SLV Security Services 7000100)

J.K.CEMENT WORKS, JHARLI

PERIODICAL MEDICAL EXAMINATION

Date: 21: 10-202
Employee / Worker Name <u>RAVINDER II</u> Age Sex <u>Male</u>
E. Code / Gate Pass <u>7000100</u> Contractor <u>M/s SLV Security Services</u>
Department <u>SECURITY</u> Designation <u>Civilian-A</u>
Height\
Mark of identification The classification of the consultation of t
Drug allergy
History of any chronic diseases
Digestive System - P/A Liver Spleen Spleen
Respiratory System - R.R. Chest O
Spirometry
CVS- H.R. B.P. M. Heart sound Murmur N ECG. NOO
CNS
Blood group & RH Blood Sugar (RBS) 7
Other investigations if any
Medical advice
I hereby certify that Mr. <u>RAVINDER II s</u> /o Shri <u>RAMNIWAS</u>
Found medically Fit / Unfit for employment.
or, pleak Gupta
Signature of person examined Chest Physician
Date 21-10-2020
(Signature with Registration No.
And seal of qualified Allopathic Medical Practitioner)

^{**}Some of the test not done / possible due to Covid 19 Safety Precautionary Measures & General Health **Conditions**

J.K.CEMENT WORKS, JHARLI

PERIODICAL MEDICAL EXAMINATION

Date: 20.16-262
Employee / Worker Name <u>NARVINDER</u> Age 33 YN Sex <u>Male</u>
E. Code / Gate Pass <u>6000008</u> Contractor <u>M/s Shree Jee Traders</u>
Department <u>MATERIALS</u> Designation <u>LABOUR-B</u>
Height
Mark of identification. LLT) SIDE NECK
Drug allergy
History of any chronic diseases
Digestive System - P/A NAS Liver Spleen NAS
Respiratory System - R.R. 161mm Chest. Blulau
Spirometry
CVS- H,R., 8.2 B.P. 118138 Heart sound North Marmur Now Ecc. No.
CNS
Blood group & RH . D - Ve Blood Sugar (RBS) 84 m. Lu.
Other investigations if any No
Medical advice
I hereby certify that Mr. <u>NARVINDER</u> s/o Shri <u>VIJAYPAL</u>
Found medically Fit / Unfit for employment.
Agra:
Signature of person examined

(Signature with Registration No. And seal of qualified

^{**}Some of the test not done / possible due to Covid 19 Safety Precautionary Measures & General Health **Conditions**

J.K.CEMENT WORKS, JHARLI

PERIODICAL MEDICAL EXAMINATION

	Date
	Employee / Worker Name MANOJ Age Sex Male
	E. Code / Gate Pass <u>6000080</u> Contractor <u>M/s Shree Jee Traders</u>
	Department <u>ADMIN</u> Designation CIFANER
	Height
	Mark of identification BMON (N) NOR
	Drug allergy
	History of any chronic diseases
	Digestive System - P/A
	Respiratory System - R.R. ASMM. Chest. Blc den, ARBE
	Spirometry
	CVS- H.R
	CNS
مل	Blood group & RH Blood Sugar (RBS)
	Other investigations if any
	Medical advice - Donstar fit after provious blood group
	I hereby certify that Mr. <u>MANOJ</u> s/o Shri <u>SATBIR</u>
	en mengany some
	Found medically Fit / Unfit for employment.
	Dr. Hoopan On M.B.B.S.
	(hest Physician
	Date 25213 mcP
	01/0/10

(Signature with Registration No. And seal of qualified Allopathic Medical Practitioner)

^{**}Some of the test not done / possible due to Covid 19 Safety Precautionary Measures & General Health

J.K.CEMENT WORKS, JHARLI

PERIODICAL MEDICAL EXAMINATION

Date:
Employee / Worker Name <u>DESH RAM</u> Age Sex <u>Male</u>
E. Code / Gate Pass <u>7000057</u> Contractor <u>M/s SLV Security Services</u>
Department <u>SECURITY</u> Designation <u>Civilian-A</u>
Height
Mark of identification CMSS (CM)
Drug allergy
History of any chronic diseases
Digestive System - P/A Liver Spleen Spleen
Respiratory System - R.R. Chest D
Spirometry
CVS- H.R. D. B. P. N.J. & Heart sound Murmur SECG. CCG.
CNS No Vision – Near Distant S. A. Colour vision
Blood group & RH Blood Sugar (RBS)
Other investigations if any
Medical advice
hereby certify that Mr. <u>DESH RAM</u> s/o Shri <u>JAG RAM</u>
ound medically Fit / Unfit for employment.
Min
ignature of person examined M.B.B.S.
Chest Physician 20813
(Signature with Registration No.
And seal of qualified
Allopathic Medical Practitioner)

**Some of the test not done / possible due to Covid 19 Safety Precautionary Measures & General Health Conditions

From

Fire Station Officer, Bahadurgarh (Jhajjar)

To,

M/s JK Cement Works, Village Jharli, Tehsil-Matanhail, Distt. Jhajjar Haryana.

Memo No. 434/FSB

Dated 20.06.18


Subject: Renewal of Fire NOC from fire safety point of view in respect of Industrial Building M/s JK Cement Works, Village-Jharli, Tehsil- Matanhail Distt-Jhajjar, Haryana.

The above said building was inspected by Fire Station Officer Bahadurgarh to check the above building's Fire Fighting arrangement in respect of Industrial building. During inspection, the Fire Fighting arrangements in the above said industrial building were found in working condition as per National Building Code of India, Part IV Revision 2005 & 2016. This No Objection Certificate is issued to firm with the approval Ld. Deputy Commissioner, Jhajjar Memo No. 930/LFA Dated 20/06/2018.

The No. objection Certificate is issued this effect on the following terms and conditions.

- 1. That the present No Objection Certificate shall be valid for a period of Five year from the date of issue & it shall be the responsibility of the owner to obtain renewal of the same.
- 2. That the owner/ occupier shall ensure that the Fire Fighting arrangements should remain in working condition all the times & for any lapses in this regard the owner/occupier shall be responsible for the same.
- 3. That the owner/occupier shall be responsible to deploy trained Fire Fighting staff in the Industries round the clock l.e. under rule in all three shifts to operate & maintain the Fire Fighting system in the Industries.
- 4. The owner/occupier shall strictly follow the other applicable rules/regulations/bylaws laid down regarding Fire Safety System. If you fail to comply with any of above terms/conditions, you will be liable to be punished as per Haryana Fire Service Act, 2009 specially chapter III, Section 31, & sub rules 1&2 of said Act.

Fire Station Officer Bahadurgarh (Jhajjar)



Test Report

Sample Number:

VEL/JKCW/ST/01

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (Haryana)

Report No.:

VEL/ST/2010/001

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date: Period of Analysis: 22/10/2020 17/10/2020 to 21/10/2020

Receipt Date:

17/10/2020

Sample Description:

STACK EMISSION MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Date

Sampling Location

Sampling Duration (Minutes)

Stack Attached to

Metrological Condition

Instrument Calibration Status

Height of Stack

Diameter of Stack

Ambient Temperature-Ta (°C)

Temperature of Stack Gases-Ts (°C)

Velocity of Stack Gases (m/sec.)

Flow rate of PM (LPM)

Flow rate of Gas (LPM)

Sampling Condition

Protocol Used

Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

16/10/2020

Near Bag House

32.0

Ballmill Bag house or Separator Bag house

Clear Sky

OK

43.0 mtr

2 mtr

32.0

162.0

9.81

24.0

2.0

Isokinetic

IS:11255

S. No.	Parameter	Parameter Protocol	Result	Unit
1.	Particulate Matter (PM)	IS 11255 (P-1) Gravimetric Method	24.50	mg/Nm3







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/ST/02

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/ST/2010/002

Format No.:

7.8 F-01

Party Reference No.: Reporting Date:

NIL 22/10/2020

Period of Analysis:

17/10/2020 to 21/10/2020

Receipt Date:

17/10/2020

Sample Description:

STACK EMISSION MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Date

Sampling Location

Sampling Duration (Minutes)

Stack Attached to

Metrological Condition

Instrument Calibration Status

Ambient Temperature-Ta (°C)

Temperature of Stack Gases-Ts (°C)

Velocity of Stack Gases (m/sec.)

Flow rate of PM (LPM)

Flow rate of Gas (LPM)

Sampling Condition

Protocol Used

Mr. Anirudh Dani (Plant Head)

∇ardanEnviroLab Representative

16/10/2020

: Near D.G Set Area

* 33.0

D.G Set (750 KVA)

Clear Sky

OK

32.0

: 172.0

8.67

25.0

: 2.0

Isokinetic

IS:11255

S. No.	Parameter	Protocol	Result	Unit	Limits (As Per CPCB)
. Is	Particulate Matter (PM)	IS 11255 (P-1) Gravimetric Method	0.091	gm/Kw-hr	≤0.2
2.	Nitrogen Dioxide (as NO ₂)	IS 11255 (P-7) Colorimetric Method	1.48	gm/Kw-hr	≤4.0
3.	Sulphur Dioxide (SO ₂)	IS 11255 (P-2) Titrimetric Method	16.27	mg/Nm3	**
4.	Carbon Monoxide (as CO)	*SOP No. VEL/SOP/01, Section No. SP 74	0.41	gm/Kw-hr	<3.5

KOMAL SINGH

ARJUN RAMA (Checked By)

NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/ST/03

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

VEL/ST/2010/003

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date: Period of Analysis: 22/10/2020

17/10/2020 to 21/10/2020

Receipt Date:

17/10/2020

Sample Description:

STACK EMISSION MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Date

Sampling Location

Sampling Duration (Minutes)

Stack Attached to

Metrological Condition

Instrument Calibration Status

Ambient Temperature-Ta (°C)

Temperature of Stack Gases-Ts (°C)

Velocity of Stack Gases (m/sec.)

Flow rate of PM (LPM)

Flow rate of Gas (LPM)

Sampling Condition Protocol Used

Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

16/10/2020

Near D.G Set Area

34.0

D.G SetNo. 1-250 KVA

Clear Sky

OK

32.0

186.0

9.54 24.0

2.0

2.0

Isokinetic

S IS:11255

S. No.	Parameter	Protocol	Result	Unit	Limits (As Per CPCB)
1	Particulate Matter (PM)	IS 11255 (P-1) Gravimetric Method	0.075	gm/Kw-hr	≤0.2
2.	Nitrogen Dioxide (as NO2)	IS 11255 (P-7) Colorimetric Method	1.38	gm/Kw-hr	≤4.0
3.	Sulphur Dioxide (SO ₂)	IS 11255 (P-2) Titrimetric Method	21.40	mg/Nm3	-
4	Carbon Monoxide (as CO)	*SOP No. VEL/SOP/01. Section No. SP 74	0.29	gm/Kw-hr	<3.5

^{*} SOP-I aboratory Standard operating procedure







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

Name & Address of the Party:

VEL/JKCW/ST/04

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (HARYANA)

Report No.:

: VEL/ST/2010/004

Format No.:

Party Reference No.: N

7.8 F-01 NIL

Reporting Date:

22/10/2020

Period of Analysis:

17/10/2020 to 21/10/2020

Receipt Date:

17/10/2020

Sample Description:

STACK EMISSION MONITORING

General Information:-

Client Representative

Sample collected by

Sampling Date

Sampling Location

Sampling Duration (Minutes)

Stack Attached to

Metrological Condition

Instrument Calibration Status

Ambient Temperature-Ta (°C)

Temperature of Stack Gases-Ts (°C)

Velocity of Stack Gases (m/sec.)

Flow rate of PM (LPM)

Flow rate of Gas (LPM)

Sampling Condition

Protocol Used

: Mr. Anirudh Dani (Plant Head)

VardanEnviroLab Representative

16/10/2020

Near D.G Set Area

31.0

D.G Set No. 2 -250 KVA

Clear Sky

OK

32.0

180.0

9.78

25.0


2.0

Isokinetic

: IS:11255

S. No.	Parameter	Protocol	Result	Unit	Limits (As Per CPCB)
1;*	Particulate Matter (PM)	IS 11255 (P-1) Gravimetric Method	0.069	gm/Kw-hr	≤0.2
2.	Nitrogen Dioxide (as NO2)	IS 11255 (P-7) Colorimetric Method	1.32	gm/Kw-hr	<4.0
3,,	Sulphur Dioxide (SO ₂)	IS 11255 (P-2) Titrimetric Method	14.98	mg/Nm3	22
4.	Carbon Monoxide (as CO)	*SOP No. VEL/SOP/01, Section No. SP 74	0.27	gm/Kw-hr	<3.5

* SOP-Laboratory Standard operating procedure







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

Name & Address of Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Sample Description:

Sample Location:

Sample Collected by:

Sampling and Analysis Protocol:

Parameter Required:

VEL/JKCW/W/01

Distt - Jhajjar (Haryana)

Ground Water Sample

Project Site

Vardan EnviroLab Representative

IS-10500-2012,APHA

As per IS 10500-2012

Report No.:

Format No.:

Party Reference No.:

Reporting Date:

Period of Analysis:

Receipt Date: Sampling Date:

Preservation:

Sampling Quantity: Sampling Type:

VEL/W/2010/001

7.8 F-01

NIL

26/10/2020 20/10/2020 to 24/10/2020

20/10/2020

19/10/2020

Refrigerated

2.0 Ltr

Grab

	Parameter			Unit	Limits of IS:10500 -2012	
S. No.		Test-Method	Result		Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
I.	pH (at 25 °C)	APHA .4500-H+ B Electrometric Method	7.68	3.5	6.5 to 8.5	No Relaxation
2.	Colour	APHA .2120 B, Visual Comparison Method	*BDL (**DL 5Hazen)	Hazen	5	15
3.	Turbidity	APHA, 2130 B, Nephlelometric Method	*BDL (**DL 0. 1 NTU)	NTU	1	5
4.	Odour	APHA. 2150 B. Threshold Test Method	Agreeable		Agreeable	Agreeable
5.	Taste	APHA, 2160 B. Threshold Test Method	Agreeable		Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	APHA . 2340 C. EDTA Titrimetric Method	227.00	mg/l	200	600
7.,	Calcium as Ca	APHA, 3500 Ca B, EDTA Titrimetric Method	86.74	mg/l	75	200
8.	Alkalinity as CaCO ₃	APHA, 2320 B. Titrimetric Method	176.81	mg/l	200	600
9.	Chloride as Cl	APHA, 4500-Cl- B, Argentometric Method	71.38	mg/J	250	1000
10.	Residual free Chlorine	APHA. 3500 Cl B Iodometric Method	*BDL(**DL 0.02mg/l)	mg/l	0.2	1
Пе	"Cyanide as CN	АРНА . 4500 CN- D	*BDL(**DL 0.02 mg/l)	mg/l	0.05	No Relaxation
12,	Magnesium as Mg	APHA . 3500 Mg B. Calculation Method	2.57	mg/l	30	100
13.	Total Dissolved Solids	APHA, 2540 C. Gravimetric Method	742.00	mg/l	500	2000
14.	Sulphate as SO ₄	APHA, 4500 E. Turbidimetric Method	23.54	mg/l	200	400
15,	Fluoride as F	APHA, 4500-F-D, SPADNS Method	0.55	mg/l	1.0	1.5
16.	Nitrate as NO ₃	IS 3025 (P-34) ,Chromotropic Method	8.10	mg/l	45	No Relaxation
17.	Iron as Fe	APHA, 3500-Fe B 1,10 Phenanthroline Method	0.14	mg/l	0.3	No relaxation







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample	No.: VEL/JKCW/W/01			F	Report No: VE	L/W/2010/001
					Limits of IS:10500-2012	
S. No	Parameter	Test-Method	Result	Unit	Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate Source
18.	Aluminium as Al	APHA . 3111 D. Direct Nitrous Oxide- Acetylene Flame Method	*BDL(**DL 0.05 mg/l)	mg/l	0.03	0.2
19.	Boron	APHA, 4500B C, Carmine Method	0.15	mg/l	0.5	1
20.	Total Chromium as Cr	APHA . 3111 B. Direct Air. Acetylene Flame Method	*BDL(**DL 0.05 mg/l)	mg/l	0.05	No Relaxation
215	Phenolic Compounds	APHA, 5530 C Chloroform Extraction Method	*BDL(**DL 0.003 mg/l)	mg/l	0.001	0.002
22.	*Anionic Detergents as MBAS	APHA, 5540 C MBAS Method	*BDL(**DL 0.04 mg/l)	mg/l	0.2	1.0
23.	Zinc as Zn	APHA, 3111 B, Direct Air, Acetylene Flame Method	0.63	mg/l	5	15
24.	Copper as Cu	APHA, 3111 B, Direct Air, Acetylene Flame Method	0.08	mg/l	0.05	1.5
25.	Manganese as Mn	APHA, 3111 B, Direct Air, Acetylene Flame Method	*BDL(**DL 0.08mg/l)	mg/l	0.1	0.3
26,	Cadmium as Cd	APHA , 3111 B, Direct Air, Acetylene Flame Method	*BDL	mg/l	0.003	No Relaxation
27.	Lead as Pb	APHA . 3111 B, Direct Air, Acetylene Flame Method	*BDL	mg/l	0.01	No Relaxation
28.	Selenium as Se	APHA , 3114 B, Manual Hydride Generation	*BDL(**DL 0.01 mg/l)	mg/l	0.01	No Relaxation
29.	Arsenic as As	APHA, 3114 B, Manual Hydride Generation	*BDL(**DL 0.01 mg/l)	mg/l	0.01	0.05
30.	Mercury as Hg	APHA . 3112 B, Cold Vapor AAS Method	*BDL (**DL 0.001 mg/l)	mg/l	0.001	No Relaxation
31a	Total Coliform	IS 1622	< 2	MPN/100ml		etectable in any sample
32.	E. Coli	IS 1622	Absent	MPN/100ml	Shall not be de	etectable in any sample

Note: - These parameter are not covered in our NABL scope.

*BDL-Below Detection Limit. **DL- Detection Limit







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (Haryana)

Sample Description:

Sample Location:

Sample Collected by:

Sampling and Analysis Protocol:

Parameter Required:

VEL/JKCW/W/02

DrinkingWater Sample

Project Site

Vardan EnviroLab Representative

IS-10500-2012,APHA

As per 1S 10500-2012

Report No.:

VEL/W/2010/002

Format No.:

Party Reference No.: NIL

Reporting Date: Period of Analysis: 26/10/2020 20/10/2020 to 24/10/2020

7.8 F-01

Receipt Date:

20/10/2020

Sampling Date:

19/10/2020

Preservation:

Refrigerated

Sampling Quantity: Sampling Type:

2.0 Ltr Grab

	Parameter				Limits of IS:10500 -2012	
S. No.		Test-Method	Result	Unit	Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	pH (at 25 °C)	APHA ,4500-H+ B Electrometric Method	7.72	4	6.5 to 8.5	No Relaxation
2.	Colour	APHA ,2120 B, Visual Comparison Method	*BDL (**DL 5Hazen)	Hazen	5	15
3.	Turbidity	APHA, 2130 B, Nephlelometric Method	*BDL (**DL 0. 2 NTU)	NTU	1	5
4.	Odour	APHA, 2150 B . Threshold Test Method	Agreeable	no:	Agreeable	Agreeable
5.	Taste	APHA, 2160 B. Threshold Test Method	Agreeable	990	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	APHA . 2340 C. EDTA Titrimetric Method	67.00	mg/l	200	600
7.	Calcium as Ca	APHA, 3500 Ca B, EDTA Titrimetric Method	24.37	mg/l	75	200
8.	Alkalinity as CaCO ₃	APHA . 2320 B. Titrimetric Method	51.34	mg/l	200	600
9.	Chloride as Cl	APHA, 4500-Cl- B. Argentometric Method	19.26	mg/l	250	1000
10.	Residual free Chlorine	APHA, 3500 Cl B Iodometric Method	*BDL(**DL 0.02mg/l)	mg/l	0.2	1
$\Pi_{\mathscr{C}}$	*Cyanide as CN	APHA , 4500 CN- D	*BDL(**DL 0.05 mg/l)	mg/l	0.05	No Relaxation
12.	Magnesium as Mg	APHA . 3500 Mg B, Calculation Method	1.50	mg/l	30	100
13	Total Dissolved Solids	APHA . 2540 C, Gravimetric Method	114.00	mg/l	500	2000
14.	Sulphate as SO ₄	APHA . 4500 E, Turbidimetric Method	0.47	mg/l	200	400
15.	Fluoride as F	APHA, 4500-F-D, SPADNS Method	0.12	mg/l	1.0	1.5
16.	Nitrate as NO ₃	IS 3025 (P-34) ,Chromotropic Method	0.28	mg/l	45	No Relaxation
17.	Iron as Fe	APHA . 3500-Fe B 1.10 Phenanthroline Method	0.10	mg/l	0.3	No relaxation







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample	No.:VEL/JKCW/W/02			R	Report No: VEL	/W/2010/002
					Limits of IS:10500-2012	
S. No	Parameter	Test-Method	Result	Unit	Requirement (Acceptable) Limit	Permissible limit in the Absence of Alternate Source
18.	Aluminium as Al	APHA, 3111 D. Direct Nitrous Oxide- Acetylene Flame Method	*BDL(**DL 0.02 mg/l)	mg/l	0.03	0.2
19.	Boron	APHA, 4500B C, Carmine Method	*BDL(**DL 0.1 mg/l)	mg/l	0.5	1
20.	Total Chromium as Cr	APHA, 3111 B, Direct Air, Acetylene Flame Method	*BDL(**DL 0.04 mg/l)	mg/l	0.05	No Relaxation
21.:	Phenolic Compounds	APHA. 5530 C Chloroform Extraction Method	*BDL(**DL 0.001 mg/l)	mg/l	0.001	0.002
22.	*Anionic Detergents as MBAS	APHA, 5540 C MBAS Method	*BDL(**DL 0.02 mg/f)	mg/l	0.2	1.0
23	Zinc as Zn	APHA . 3111 B. Direct Air, Acetylene Flame Method	*BDL(**DL 0.03 mg/l)	mg/l	5	15
24.	Copper as Cu	APHA . 3111 B. Direct Air. Acetylene Flame Method	*BDL(**DL 0.03 mg/l)	mg/l	0.05	1.5
25.	Manganese as Mn	APHA, 3111 B. Direct Air, Acetylene Flame Method	*BDL(**DL 0.06 mg/l)	mg/l	0.1	0.3
26.	Cadmium as Cd	APHA, 3111 B. Direct Air, Acetylene Flame Method	*BDL	mg/l	0.003	No Relaxation
27.	Lead as Pb	APHA, 3111 B, Direct Air, Acetylene Flame Method	*BDL	mg/l	0.01	No Relaxation
28.	Selenium as Se	APHA, 3114 B, Manual Hydride Generation	*BDL(**DL 0.01 mg/l)	mg/l	0.01	No Relaxation
29.	Arsenic as As	APHA . 3114 B, Manual Hydride Generation	*BDL(**DL 0.01 mg/l)	mg/l	0.01	0.05
30.	Mercury as Hg	APHA, 3112 B. Cold Vapor AAS Method	*BDL (**DL 0.001 mg/l)	mg/l	0.001	No Relaxation
31	Total Coliform	IS 1622	< 2	MPN/100ml	Shall not be de	etectable in any sample
32.	E. Coli	IS 1622	Absent	MPN/100ml	Shall not be de	

Note: These parameter are not covered in our NABL scope.

*BDL-Below Detection Limit. **DL- Detection Limit







NOTE: a)The results listed refer only to the tested samples & applicable parameters

b) Total liabilities of our lab will be restricted to the invoice amount only

c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

Test Report

Sample Number:

VEL/JKCW/S/01

Name & Address of the Party:

M/s JK Cement Works

Mohan Bari Road Jharli - 124106

Distt - Jhajjar (Haryana)

Sample Description:

Soil Sample

Sample Location: Sample Collected by: Garden Area

Sampling and Analysis Protocol:

Vardan EnviroLab Representative IS 2720, USEPA 3050B & USDA

Parameter Required:

As per work order

Report No.:

VEL/S/2010/001

Format No.:

7.8 F-01

Party Reference No.:

NIL

Reporting Date:

26/10/2020

Period of Analysis:


20/10/2020 to 24/10/2020

Receipt Date: Sampling Date: 20/10/2020 19/10/2020

Sampling Quantity: 2.0 Kg Sampling Type: Composite

Packing Status: Temp Sealed

S. No.	Parameter	Test-Method	Result	Unit
1.	pH (at 25 °C)	IS : 2720 (P-26) by pH Meter	7.85	744
2.	Conductivity	IS:14767 by Conductivity meter	0.357	mS/cm
3.	Soil Texture	IS: 2720 (P-22. RA2003)	Silty Loam	++
4.	Color	SOP . SP-78.Issue No01& Issue Date-14/02/2013	Yellowish Brown	
5 u	Water holding capacity	SOP , SP-81.Issue No01& Issue Date-14/02/2013	22.40	%
6.	Bulk density	SOP . SP-80.Issue No01& Issue Date-14/02/2013	0.78	gm/co
7.	Chloride as Cl	SOP , SP-85.Issue No01& Issue Date-14/02/2013	62.41	mg/kg
8.	Calcium as Ca	SOP . SP-82,Issue No01& Issue Date-14/02/2013	51.54	mg/kg
9.	Sodium as Na	SOP , SP-84,Issue No01& Issue Date-14/02/2013	43.12	mg/k
10,	Potassium as K	SOP . SP-84,Issue No01& Issue Date-14/02/2013	148.36	kg/hed
Πз	Organic Matter	IS:2720 (P-22) Titrimetric Method	0.74	%
12.	Magnesium as Mg	SOP . SP-83,Issue No01& Issue Date-14/02/2013	37.46	mg/k
13.	Available Nitrogen as N	IS:14684 Distillation Method	255.00	kg./he
14.	Available Phosphorus	SOP , SP-86,Issue No01& Issue Date-14/02/2013	22.34	kg./he
15.	Zinc (as Zn)	USEPA 3050B	14.50	mg/k
16.	Manganese (as Mn)	USEPA 3050B	4.18	mg/k
17.	Lead (as Pb)	USEPA 3050B	0.79	mg/k
18,	Cadmium (as Cd)	USEPA 3050B	0.81	mg/k
19.	Chromium (as Cr)	USEPA 3050B	2.58	mg/k
20.	Copper (as Cu)	USEPA 3050B	24.85	mg/k





NOTE: a)The results listed refer only to the tested samples & applicable parameters

- b) Total liabilities of our lab will be restricted to the invoice amount only
- c) The sample will be destroyed after retention time unless otherwise specified

d) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law

