

Regd.AD.



JK Cement LTD.

CIN : L17229UP1994PLC017199

ISO 9001:2008, ISO 14001:2004 & OHSAS 18001 : 2007 CERTIFIED COMPANY

Phone : +91-1477-220098, 220087
Fax : +91-1477-220027, 220049
E-mail : jkc.nbh@jkcement.com
Web : www.jkcement.com

J.K. Cement Works, Mangrol
C/o. Kailash Nagar-312617, Nimbahera
Distt. Chittorgarh (Raj.) INDIA

Ref. No.: MGR-PC -13/ *2394*

Date: 27.09.2018

To,
✓ **The Member Secretary,**
Rajasthan State Pollution Control Board 4,
Industrial Area, Jhalana Dungri
JAIPUR – 302004 (Raj)


SUBJECT: **Environmental Statement for the year 2017-2018 (02 Copies)**

Dear Sir,

Kindly find herewith enclosed **Environment Statement Report of J.K. Cement Works Mangrol Line-2** for the **year 2017-2018** for your kind reference and record. We trust you will find the same in order.

Thanking You.

Yours Faithfully
For J.K. Cement Works, Mangrol


S.K. Acharya
Asth. V.P. (E&I)

Encl. : a / a

Copy to –

The Regional Officer, Rajasthan State Pollution Control Board, Near FCI Godown,
Chandaria, Distt.- CHITTORGARH (RAJ)

Corporate & Registered Office : Kamla Tower, Kanpur-208001, (U. P.) INDIA
Phone : +91-512-2371478 to 81 **Fax :** 2399854 **E-mail :** ho.grey@jkcement.com



J. K. Cement Works, Nimbahera
J. K. Cement Works Mangrol
J. K. Cement Works, Gotan
J. K. Cement Works, Jharli

J. K. Power, Bamania
J. K. Cement Works, Muddapur
J. K. White Cement Works, Gotan
J. K. White, Katni



Government of India
Ministry of Environment and Forest

"FORM - V"

(See rule 14)

**ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31ST MARCH
2018**

PART - A

- | | |
|---|--|
| (I) NAME & ADDRESS OF THE
OWNER / OCCUPIER OF THE INDUSTRY
OPERATION OR PROCESS
(AS PER FACTORY ACT) | S. K. Rathore
Unit Head
J.K. Cement Works,
Mangrol, Chittorgarh (Raj.) (Line-2) |
| (II) INDUSTRY CATEGORY
PRIMARY :- (STC CODE)
SECONDARY :- (SIC CODE) | Primary |
| (III) CEMENT PRODUCTION CAPACITY :-
(DESIGNED / INSTALLED CAPACITY) | 2.50 MMTPA |
| (IV) YEAR OF ESTABLISHMENT :- | 2014 |
| (V) DATE OF LAST ENVIRONMENTAL
STATEMENT SUBMITTED | 16 th Sept-2017 |

PART - B

WATER & RAW MATERIAL CONSUMPTION

(1) WATER CONSUMPTION M³/day

Process : NIL
Cooling : 960 M³/day
Domestic : 165 M³/day

NAME OF THE PRODUCTS

PROCESS WATER CONSUMPTION PER
PRODUCT OUTPUT

PREVIOUS FINANCIAL
YEAR

CURRENT FINANCIAL
YEAR

(1)

(2)

CEMENT

Being a dry process cement plant, process water
consumption is nil.

(II) RAW MATERIAL CONSUMPTION

NAME OF
RAW MATERIAL
USED

NAME OF
PRODUCTS

CONSUMPTION OF RAW MATERIAL
PER UNIT OF OUTPUT

DURING THE
PREVIOUS
FINANCIAL
YEAR

DURING THE
CURRENT
FINANCIAL
YEAR

Limestone

CEMENT

1.0383

1.000

Laterite

0.1138

0.132

Gypsum

0.0517

0.054

Flyash

0.1869

0.158

* Industry may use codes if disclosing details of raw material would violate contractual obligations
Otherwise all industries have to name the raw materials used.

PART - C

POLLUTION DISCHARGE TO ENVIRONMENT / UNIT OF OUTPUT

(Parameters as specified in the consent issued)

(1)	Pollutants	Quantity of Pollutants discharged (Mass / day)	Concentrations of Pollutants in discharged (Mass / volume)	Percentage of variation from prescribed standards with reasons
-----	------------	--	---	---

(a)	Water	:		
(i)	colonial	:	190 KL / day ((treated Sewage water analysis report enclosed in Table No. VIII)	
(ii)	Industrial	:	NIL	
(b)	Air	:	(See Table No. IV, V, VI & VII in report)	

PART - D

(As specified under Hazardous Waste & Other waste Management rules-2016)

HAZARDOUS WASTE		TOTAL QUANTITY (KGS.)	
		DURING THE PREVIOUS FINANCIAL YEAR	DURING THE CURRENT FINANCIAL YEAR
(a)	From Process (DG & Plant Machinery)	10.0K.L.	16.38 K.L. (Including unit-1)
(b)	From Pollution Control facilities	N. A.	N. A.

PART - E
SOLID WASTES

TOTAL QUANTITY

		DURING THE PREVIOUS FINANCIAL YEAR	DURING THE CURRENT FINANCIAL YEAR
(a)	From Process	N. A.	N. A.
(b)	From Pollution Control facilities	179465.929	243774.114 MT
(c)	(i) Qty. recycled or reused with in the unit	179465.929	243774.114 MT
	(ii) Sold	NIL	NIL
	(iii) Disposed	NIL	NIL

PART - F

PLEASE SPECIFY THE CHARACTERISATIONS (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS AS WELL AS WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES.

- * Soild waste generated from PCE (i. e. from ESP's, Bag filters & dust cyclones) in form of bottom dust is completely recycled.
- * Hazardous waste is generated in the form of used / spent oil, wastes/ residues containing oil which is stored in 210 ltr. Capacity drums at safe side and sale of to approved party from Moef / Rajasthan Pollution Control Board.

PART - G

IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION .

- * By recycling total solid waste generated from pollution control facilities, the industry has conserve natural raw materials.

PART - H

ADDITIONAL MEASURES / INVESTMENT PROPOSALS FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT POLLUTION, PREVENTION OF POLLUTION.

N. A.

PART - I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF ENVIRONMENT.

- * Industry has planted 5000 plants (Including unit-1) in and around factory area during the period under review.



S.K. ACHARYA
A.P. (E&I)
J.K. CEMENT WORKS
NIMBAHERA
Distt. CHITTORGARH (Raj.)

For J.K.CEMENT WORKS
MANGROL

J.K.Cement Works,Mangrol (Line-2)
DUST CONCENTRATION FROM STACK
(MONTHLY AVERAGE IN mg/NM³)
FY 2017-18
TABLE - IV

Month	Kiln Bag House Stack	Cooler ESP Stack	Coal Mill-2 B.F. Stack	Cement Mill -3 B.F. Stack	Crusher Bag Filter Stack	Packer-1	Packer-2	Packer-3	Packer-4
Apr-17	17.4	25.3	15.3	26.6	24.2	14.7	19.2	22.3	21.2
May-17	15.7	27.3	17.1	24.8	19.7	18.2	21.5	23.7	22.6
Jun-17	17.6	22.9	14.6	23.4	21.6	17.4	20.4	25.4	26.7
Jul-17	19.4	24.6	16.5	21.4	17.4	26.3	23.4	24.8	20.5
Aug-17	14.2	21.0	13.6	22.8	20.4	19.6	18.7	21.8	17.7
Sep-17	12.3	19.7	14.8	20.6	18.5	22.2	16.5	23.2	15.8
Oct-17	11.7	22.3	18.8	23.7	25.3	20.5	19.7	24.4	18.1
Nov-17	9.4	24.2	17.8	21.7	23.3	18.6	14.4	20.8	16.6
Dec-17	13.4	26.4	20.4	22.8	21.2	16.7	23.3	18.9	24.2
Jan-18	9.9	17.8	12.3	14.5	16.6	12.3	15.7	13.8	11.9
Feb-18	11.5	15.3	10.9	18.2	19.4	11.8	12.7	10.1	14.5
Mar-18	10.2	18.4	13.5	15.7	17.1	10.7	14.8	12.2	13.0

J.K.Cement Works,Mangrol(Line-2)
STACK EMISSION CONCENTRATION
 (% variation from prescribed standard)
FY 2017-18
TABLE - V

Month	Kiln Bag House Stack	Cooler ESP Stack	Coal Mill-2 B.F. Stack	Cement Mill -3 B.F. Stack	Crusher Bag Filter Stack
Apr-17	-82.6	-74.7	-84.7	-73.5	-75.9
May-17	-84.3	-72.8	-82.9	-75.2	-80.3
Jun-17	-82.4	-77.1	-85.4	-76.7	-78.5
Jul-17	-80.6	-75.4	-83.6	-78.6	-82.6
Aug-17	-85.8	-79.0	-86.4	-77.2	-79.6
Sep-17	-87.7	-80.3	-85.2	-79.5	-81.5
Oct-17	-88.3	-77.7	-81.2	-76.3	-74.7
Nov-17	-90.6	-75.8	-82.2	-78.3	-76.7
Dec-17	-86.6	-73.7	-79.6	-77.2	-78.8
Jan-18	-90.1	-82.2	-87.7	-85.5	-83.4
Feb-18	-88.6	-84.7	-89.1	-81.8	-80.7
Mar-18	-89.8	-81.6	-86.5	-84.3	-82.9

J.K.Cement Works,Mangrol(Line-2)
DUST GENERATION FROM STACK
(MONTHLY AVERAGE IN TONNES / DAY)
FY 2017-18
TABLE - VI

Month	Kiln Bag House Stack	Cooler ESP Stack	Coal Mill-2 B.F. Stack	Cement Mill -3 B.F. Stack	Crusher Bag Filter Stack	Packer-1	Packer-2	Packer-3	Packer-4
Apr-17	0.219	0.121	0.032	0.159	0.026	0.011	0.015	0.017	0.016
May-17	0.201	0.094	0.035	0.149	0.022	0.014	0.016	0.019	0.018
Jun-17	0.224	0.084	0.029	0.139	0.025	0.013	0.016	0.019	0.020
Jul-17	0.251	0.110	0.035	0.123	0.018	0.020	0.017	0.018	0.015
Aug-17	0.183	0.089	0.033	0.132	0.021	0.015	0.014	0.016	0.013
Sep-17	0.161	0.080	0.037	0.124	0.019	0.017	0.013	0.016	0.012
Oct-17	0.145	0.087	0.050	0.146	0.027	0.015	0.015	0.017	0.014
Nov-17	0.116	0.092	0.048	0.134	0.025	0.013	0.011	0.015	0.012
Dec-17	0.156	0.098	0.064	0.142	0.023	0.012	0.017	0.013	0.018
Jan-18	0.107	0.060	0.040	0.089	0.017	0.009	0.012	0.009	0.009
Feb-18	0.127	0.052	0.033	0.112	0.021	0.008	0.010	0.007	0.011
Mar-18	0.112	0.060	0.039	0.098	0.019	0.008	0.011	0.009	0.010

J.K.Cement Works,Mangrol(Line-2)
AMBIENT AIR QUALITY MONITORING DATA FOR SPM
(MONTHLY AVERAGE IN $\mu\text{g}/\text{M}^3$)
FY 2017-18
TABLE - VII

Month	Location			
	NEAR TIME OFFICE	NEAR THERMAL POWER PLANT	NEAR RAW MATERIAL GATE	NEAR PACKING PLANT GATE
Apr-17	346.3	388.0	355.0	323.5
May-17	379.0	397.5	366.8	349.8
Jun-17	347.2	377.7	350.2	350.3
Jul-17	295.8	315.2	295.8	275.0
Aug-17	296.3	342.2	312.3	282.0
Sep-17	328.3	379.3	355.5	311.7
Oct-17	335.8	384.0	359.0	319.0
Nov-17	328.5	345.0	394.2	358.5
Dec-17	343.0	381.5	399.7	369.3
Jan-18	319.3	352.5	377.0	350.3
Feb-18	334.7	350.8	392.7	373.8
Mar-18	335.8	363.3	420.3	383.3

J.K.CEMENT WORKS, Mangrol(Line-1 & 2)
ANALYSIS OF SEWAGE WATER (STP OUTLET)
(2017-18 Yearly Average)
TABLE - VIII

S.No.	PARAMETER	RESULT
1	pH	7.5
2	Total Suspended Solids (TSS)	9.6
3	Chemical Oxygen Demand (COD)	79.5
4	Bio-Chemical Oxygen Demand (BOD) (3 Days at 27 ⁰ C)	14.6
5	Oil & Grease	5.5
6	Ammononical Nitrogen (as N)	<0.1
7	Sulphide (as S)	<0.1
8	Chlorides	108.7
9	Total Residual Chlorine	<0.1