

JK Cement WORKS

MUDDAPUR

(Unit, J.K. Cement Ltd.)

CIN : L17229UP1994PLC017199

No. JKCW/ENV./E.C. (MUDDAPUR)/08/18

Phone : +91-8350-289000

Fax : +91-8350-289001

E-mail : factory.muddapur@jkcement.com

Works : P.O. Muddapur - 587 122

Dist Bagalkot (Karnataka) India

Date- 23-05-2017

The Deputy Director  
Ministry of Environment & Forest  
Govt. of India, Indira Paryavaran Bhavan  
New Delhi- 110 003

**Sub: Half Yearly Environmental Clearance Compliance for the period from October-2016 to March-2017 for our Muddapur Limestone Mine**

Ref: MoEF Letter No. J-11015/383/2006-1A.II (M) /dtd. 21st January 2008

Dear Sir,

With reference to your above cited environmental clearance letter of our Muddapur Lime stone mine. We are sending here with enclosed point wise compliance for the period from **October-2016 to March-2017** for your kind information and record please.

Thanking you

Yours faithfully  
For Muddapur Lime Stone Mine

RBM Tripathi  
(Unit Head)

Encl. - Compliance report, Socio-economic development report, six monthly ambient air quality monitoring, fugitive emission, water testing and noise monitoring report

CC:

- 1- The Addl. Principal Chief Conservator of Forest (C) , Ministry of Environment & Forest, Regional Office (South Zone), 4th floor, E&F Wings, Kendriya Sadan, 17th Main Road, IIInd Block, Koramangala, Bangalore
- 2- Chairman, Central Pollution Control Board, Parivesh Bhavan, East Arjun Nagar, New Delhi
- 3- Scientist 'D' & Incharge, Central Pollution Control Board, 1st & 2nd Floors, Nisarga Bhavan , A-Block, Thimmaiah , Main Road, 7<sup>th</sup> D Cross, Shivanagar, Opp. Pushpanjali Theatre, Bengaluru
- 4- Member Secretary, Karnataka Pollution Control Board, Church Street, Bangalore
- 5- The Environmental officer , Karnataka State Pollution Control Board, Sector no.07, by pass road, Navanagar, Bagalkot – 587102



Registered & Corporate Office .

Kamla Tower, Kanpur - 208 001 (U.P.)

Ph. : 0512-2371478-81 Fax : 0512-2399854

E-mail : ho.grey@jkcement.com

Website : www.jkcement.com

Central Marketing Office :

4th Floor, Krsna Chambers, Plot no. 11, Galaxy Garden,  
North Main Road, Koregaon Park, Pune - 411001

Ph. : 020 -41350000 Fax : 020 - 41350099

E-mail : cmo.south@jkcement.com

**Muddapur Limestone Mine, Village- Muddapur, Taluk- Mudhol, Distt.-Bagalkot, Karnataka**

Ref: - MoEF Letter No. J-11015/383/2006-1A.II (M) /dtd. 21st January 2008

**Half Yearly Compliance Report for the period from October-2016 to March-2017**

EC to Muddapur Limestone Mine (ML area 161.87 ha and 2.0 MTPA of limestone Production) at village Muddapur, in Mudhol Taluk, Bagalkot, Distt. in Karnataka

**Specific Conditions**

| Sr. No. | CONDITION                                                                                                                                                                                                                                                                                                                                                                                              | Reply                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| i)      | Land use pattern of nearby village shall be studied and action plan for abatement and compensation for damage to agriculture land /common property land as applicable due to mining activity shall be submitted to the Regional office of the Ministry within six month. Annual status of implementation of the plan and expenditure thereon shall be reported to the regional office of the ministry. | Complied, Land use pattern has been studied with EIA which has been submitted to concerned authority. Limestone mining is being done systematically as per the IBM approved mining plan. Most sophisticated mining machineries are being deployed and highly safe methods of drilling & blasting techniques are being practiced. So, There is no damage of public building, common properties and Agriculture Land etc due to mining activities. |
| ii)     | Need based assessment for the nearby villages shall be conducted to study economic measures which can help in upliftment of poor section of society such as development of fodder farm, fruit orchard, vocational training etc. Year wise allocation of funds for implementation of these economic measures shall be reported to the regional office of the ministry within six months.                | Complied, Need based assessment for the nearby villages have been conducted. CSR activities and budget for that have been submitted to MoEF. Year wise allocation of funds has been submitted to regional office of MoEF. We are granting funds to the nearby villages for socio-economic development as per annexure- 1                                                                                                                         |
| iii)    | Recommendations of NEERI, Nagpur, as mentioned in their report on status of Environment –"Action plan " for the State of Karnataka, as be applicable to this project, shall be reported to the Regional office of the Ministry.                                                                                                                                                                        | Not applicable                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| iv)     | Conservation plan for wild life shall be prepared in consultation with the Chief wild life warden and shall be implemented within six months. Necessary allocation of fund for implementation of the same and the status of implementation of the plan shall be reported to the regional office of the Ministry.                                                                                       | Not Applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| v)      | Measures for control and preventions of soil erosion and management of silt shall be prepared and submitted to the Regional office of the ministry within six months                                                                                                                                                                                                                                   | Complied<br>Details have been Submitted with REIA & EMP Report for Muddapur Limestone Mine.                                                                                                                                                                                                                                                                                                                                                      |
| vi)     | Water quality both for surface as well as ground water in the core zone shall be regularly monitored for contamination due to mining activity and records maintained. In case contamination is observed, measures for control and action taken shall be reported to the State Government as well                                                                                                       | Complying, Water quality is being monitored regularly and no contamination has been observed. Report has been annexed as per annexure-2                                                                                                                                                                                                                                                                                                          |



**Muddapur Limestone Mine, Village- Muddapur, Taluk- Mudhol, Distt.-Bagalkot, Karnataka**

Ref: - MoEF Letter No. J-11015/383/2006-1A.II (M) /dtd. 21st January 2008

**Half Yearly Compliance Report for the period from October-2016 to March-2017**

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                          |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | as the Regional Office of the Ministry within six months.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                          |
| vii)  | Water bodies shall be developed and utilized to developed Pisciculture. Fishermen cooperative society shall be established with the land losers (if any) and specially the poorer section as members of society. Initial financial assistance either in the form of shared money or other wise and managerial assistance shall be provided so that the members themselves can run the affairs of the society in due course. The project proponent shall arrange marketing tie up so that the society gets fair price of their produce and the profits are equitably shared by the members of the society as regular source of income. | There is no water body in and around the project area so Pisciculture is not possible.                                                                                                                                                                                                                                                                                                   |
| Viii) | Action taken report on issues raised during the public hearing shall be submitted to the Ministry and the State Governments within six months.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Complied                                                                                                                                                                                                                                                                                                                                                                                 |
| ix)   | Occupational health and safety measures for the workers including training on malaria eradication, HIV, health effects on exposure to mineral dust etc. shall be carried out. The company shall engage a full time doctor who is trained in occupational health surveillance. Records of the health of the workers shall be maintained.                                                                                                                                                                                                                                                                                               | Complying, Company arranges time to time health check up camp and training programme for the employee and workers. Medical treatment facility is being given to workers at free of cost by the company dispensary which is established in factory premises. The company has engaged a full time doctor who is trained in occupational health surveillance. Records are being maintained. |
| x)    | Top soil/solid waste(if any ) shall be stacked properly with proper slope and adequate safe guards and shall back filled for reclamation and rehabilitation of the mined area                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Being complied, Top soil is being stacked properly with proper slope and adequate safe guards. Plantation is being done continuously.                                                                                                                                                                                                                                                    |
| xi)   | Over burden if any shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not be exceed 30m,each stage shall preferably be of 10m and overall slope of the dump shall not exceeded 28°. The OB dump shall be backfilled. The OB scientifically vegetated with suitable native species to prevent erosion and surface run off. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self – sustaining. Compliance status shall be submitted to the Ministry of Environment Forests on six monthly bases.           | Complying, we are working as per approved mining scheme. We are using top soil for plantation purpose. Generation of waste is very less in our mine. Company has a horticulture officer for this purpose. Compliance report is being submitted to the Ministry of Environment Forests on six monthly bases.                                                                              |
| xii)  | Garland drains shall be constructed to arrest silt and sediment flows from soil, and mineral dumps. The                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Complying, Garland drains are being constructed to arrest silt and sediment                                                                                                                                                                                                                                                                                                              |



**Muddapur Limestone Mine, Village- Muddapur, Taluk- Mudhol, Distt.-Bagalkot, Karnataka**

Ref: - MoEF Letter No. J-11015/383/2006-1A.II (M) /dtd. 21st January 2008

**Half Yearly Compliance Report for the period from October-2016 to March-2017**

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | water so collected shall be utilised for watering the mine areas, roads, green belt development etc. The drains shall be regularly de-silted particularly after monsoon and maintained properly. Garland drain of appropriate size, gradient and length shall be designed keeping 50% safety margin over and above peak sudden rain fall and maximum discharge in the area adjoining the mine site. Sump capacity will also provide adequate retention period to allow proper settling silt materials. Sedimentation pits shall be constructed at the corners of the garland drains and de-silted at regular intervals. Check dams and gully checks shall be constructed across nallahs (if any) flowing through the lease area. | flows from soil. The collected water in pit is being used for green belt development & Water spray on haul roads for controlling the fugitive dust emission. Garland drain of appropriate size, gradient and length are being taken care. We have also made soil bund with surface gradient around the mined out area to arrest silt and sediments flows at the time of peak sudden rain fall. No check dam is flowing through the lease area.                                      |
| xiii) | Slope of mining bench and ultimate pit limit shall be as per the mining scheme approved by Indian Bureau of mines.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Complying, Slope of mining bench and ultimate pit limit are followed as per the mining scheme approved by Indian Bureau of mines.                                                                                                                                                                                                                                                                                                                                                   |
| xiv)  | Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with DFO. Herbs, shrubs shall also form a part of a forestation programme besides tree plantation. Plantation shall be raised in 22.0 ha around the ML area, haul roads, OB dump sites etc. The density of the trees shall be not less than 2500 plants per ha. The company shall involve local people with the help of self help group for plantation programme.                                                                                                                                                                                                                               | Being Complied. We have received a certificate from forest department via. Letter no. B2.GFL/Mines/2007-08/597 dated 30-08-2007 regarding availability of local Flora and Fauna in Mudhol Taluk. We have planted a number of trees and continuously this number is increasing. Plantation is being raised around the ML area and haul roads etc.<br>The density of the trees is being not less than 2500 plants per ha. The company involves local people for plantation programme. |
| xv)   | Details of the year wise a forestation programmed already under take as well as proposed to be taken of including rehabilitation of mined out areas shall be submitted to the Ministry within six months.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Complied. Details of the year wise a forestation programmed already under take as well as proposed to be taken of including rehabilitation of mined out areas has been submitted to the Ministry in EIA which is already submitted.                                                                                                                                                                                                                                                 |
| xvi)  | The project authority shall implement suitable conservation measures to augment ground water resources in the areas in consultation with the Regional Director, Central Ground water Board. Status of implementation shall be reported to the regional office of the Ministry from time to time.                                                                                                                                                                                                                                                                                                                                                                                                                                 | Complying, Rain water harvesting practices are being implemented mine area. Rain water is collected in mine sump which helps in recharging the ground water table. Status of rain water harvesting has been submitted to the regional office of the Ministry.                                                                                                                                                                                                                       |
| xvii) | Prior permission from the competent authority shall be obtained for extraction of ground water, if any.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | We have taken permission from central ground water board for extraction of ground                                                                                                                                                                                                                                                                                                                                                                                                   |



**Muddapur Limestone Mine, Village- Muddapur, Taluk- Mudhol, Distt.-Bagalkot, Karnataka**

Ref: - MoEF Letter No. J-11015/383/2006-1A.II (M) /dtd. 21st January 2008

**Half Yearly Compliance Report for the period from October-2016 to March-2017**

|          |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                         |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |                                                                                                                                                                                                                                                                                                                                                                                                                                      | water.                                                                                                                                                                                                                                                                                                  |
| xviii)   | Vehicles used for transportation of ores and other mining operation shall have valid permission as prescribed under Central Motor Vehicles rules,1989 and its amendments . Transporting of ores shall be done covered with a tarpaulin or other suitable enclosures so that no dust particles /fine matters escape during the course of transportation. No overloading of ores for transportations shall be under taken.             | Complying, Vehicles used for transportation of ores and other mining operation have valid permission as per rule. No trucks are over loaded. Transporting of ores is being done covered with a tarpaulin.                                                                                               |
| xix)     | Drilling and blasting (if any) shall be conducted by using dust extractors/ wet drilling.                                                                                                                                                                                                                                                                                                                                            | Being Complied                                                                                                                                                                                                                                                                                          |
| xx)      | Village roads through which transportation of ores are being carried out shall be regularly maintained by the company at its own expenses                                                                                                                                                                                                                                                                                            | Being Complied                                                                                                                                                                                                                                                                                          |
| xxi)     | A final mine closure plan, along with details of corpus funds, shall be submitted to the Ministry of Environments &Forests within six months, in advance of final mine closure for approval.                                                                                                                                                                                                                                         | Will be followed before closure of mines.                                                                                                                                                                                                                                                               |
| <b>B</b> | <b>General Condition:</b>                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                         |
| i)       | No change in mining technology and scope of working shall be made without prior approval of Ministry of Environment& Forests.                                                                                                                                                                                                                                                                                                        | Agreed                                                                                                                                                                                                                                                                                                  |
| ii)      | No change in calendar plan including excavation, quantum of mineral, limestone and waste shall be made.                                                                                                                                                                                                                                                                                                                              | Agreed                                                                                                                                                                                                                                                                                                  |
| iii)     | Four Ambient Air Quality – monitoring station shall be established in the core zone as well as in the buffer zone for RPM, SPM, SO <sub>2</sub> ,NOX monitoring . Location of the stations should be decided based on the metrological data, Topographical features and Environmentally and ecologically sensitive targets and frequency of monitoring should be under taken in consultation with the State Pollution Control Board. | Complied, Four Ambient Air Quality monitoring stations have been established. Regular ambient air monitoring is being carried out and reports are being sent to concerned deptt. Metrological data is also recorded continuously.                                                                       |
| iv)      | Data on Ambient Air Quality (RSPM, SPM, SO <sub>2</sub> , Nox) should be regularly submitted to the Ministry including its Regional Office located at Bangalore and the State Pollution Control Board/Central Pollution Control Boards once in six months.                                                                                                                                                                           | Being Complied, Data on Ambient Air Quality (RSPM, SPM, SO <sub>2</sub> , and Nox) are being regularly submitted to the Ministry including its Regional Office located at Bangalore and the State Pollution Control Board/Central Pollution Control Boards once in six months. <b>As per Annexure-3</b> |
| v)       | Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points shall be provided and properly Maintained.                                                                                                                                                                                                                       | Being Complied. We are spraying water for controlling the dust from haul roads, loading and unloading areas. Internal roads are maintained time to time. Fugitive emission report has been annexed <b>as per Annexure-4</b>                                                                             |



**Muddapur Limestone Mine, Village- Muddapur, Taluk- Mudhol, Distt.-Bagalkot, Karnataka**

Ref: - MoEF Letter No. J-11015/383/2006-1A.II (M) /dtd. 21st January 2008

**Half Yearly Compliance Report for the period from October-2016 to March-2017**

|       |                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                             |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                             |
| vi)   | Measures shall be taken for control of noise level below 85 dBA in the work environments. Workers engaged in operations of HEMM, etc shall be provided with ear plugs / muffs.                                                                                                                                             | Being complied. We have adopted enough noise controlling measures. Ear plugs/ muffs have been provided to the workers. Noise level in work environment is within the 85 dBA. Noise report has been annexed as per annexure-5                                                |
| Vii)  | Industrial waste water (Works shop and waste water from the mine should be properly collected , treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May , 1993 and 31st December 1993 or as amended from time to time. Oil and Grease trap shall be instilled before discharge of effluents. | Not applicable, there is no work shop in mines area and no waste water is discharged from mines.                                                                                                                                                                            |
| viii) | Personnel working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information of Safety and Health aspects.                                                                                                                                     | Being complied, Personnel working in dusty areas have been provided with protective respiratory devices and Company has given the training also to the personnel working in dusty areas and training as well as information of Safety and Health aspects are given to them. |
| ix)   | A separate Environmental Management cell with suitable qualified personnel shall be set up the control of Senior Executive, who will be report directly to the head of the organization.                                                                                                                                   | Complied, A separate Environmental Management cell with suitable qualified personnel has been set up the control of Senior Executive, who is reporting directly to the head of the organization.                                                                            |
| X)    | The project authorities shall informed to the Regional Office of the Ministry located at Bangalore regarding date of financial closures and final approval of the project by the concern authorities and the date of start of land development work.                                                                       | Complied                                                                                                                                                                                                                                                                    |
| xi)   | The funds earmarked for Environmental Protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Ministry and its Regional office located at Bangalore.                                                                             | Complying                                                                                                                                                                                                                                                                   |
| xii)  | The project authorities shall informed to the Regional Office of the Ministry located at Bangalore regarding date of financial closures and final approval of the project by the concern authorities and the date of start of land development work.                                                                       | Complied                                                                                                                                                                                                                                                                    |
| xiii) | The Regional Office of the Ministry, Bangalore shall monitor compliance of the stipulated conditions. The project authorities shall extend full cooperation to the officer(s) of the Regional office by furnishing the requisite data/ information /monitoring reports.                                                    | Agreed, we are giving full co-operation to the officer(s) of the Regional office by furnishing the requisite data/ information /monitoring reports.                                                                                                                         |

**Muddapur Limestone Mine, Village- Muddapur, Taluk- Mudhol, Distt.-Bagalkot, Karnataka**

Ref: - MoEF Letter No. J-11015/383/2006-1A.II (M) /dtd. 21st January 2008


**Half Yearly Compliance Report for the period from October-2016 to March-2017**

|      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| xiv) | A copy of clearance letter will be marked to concerned panchayat /local NGO, if any from whom suggestion /representation has been received while processing the proposal.                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Complied |
| xv)  | State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industry Centre and collector's office /Tehsildar's office for 30 days.                                                                                                                                                                                                                                                                                                                                                                                                                                           | Complied |
| xvi) | The project authorities shall advertise at least in two local Newspapers widely circulated , one of which shall be in the vernacular languages of the localities concern within 7days of issue of the clearance letter informing that the project has been accorded Environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site pf the Ministry of the Environment &Forests at <a href="http://www.envfor.nic.in">http: www.envfor.nic.in</a> and a copy of the same shall be forwarded to the Regional Office of the Ministry located at Bangalore . | Complied |

We hope, you will find our reply in order.

Thanks with regards,

Yours faithfully  
For Muddapur Lime Stone Mine

  
RBM Tripathi  
(Unit Head)



**Social Development Expenses for the period from October 2016 to March 2017**

| S.N. | Subject                                             | Amount (Rs.) |
|------|-----------------------------------------------------|--------------|
| 1    | Durga Pooja Exp                                     | 11000.00     |
| 2    | Sir Padampat Primary School Salary October 2016     | 140000.00    |
| 3    | Padayatra To Shri Kshetra Pandarpur Lord Pandurang  | 3001.00      |
| 4    | Ganesh Temple Construction 40 Bag Cement            | 13600.00     |
| 5    | Sir Padampat Primary School Salary November 2016    | 100000.00    |
| 6    | 100 Bag Cement Shri Mahalaxmi Devasthan Trust Comm  | 30000.00     |
| 7    | Physically Handicapped Activity In Dec.2016 Mudhol  | 10000.00     |
| 8    | Sir Padampat Primary School Salary December 2016    | 100000.00    |
| 9    | Koti Japyatna Programme & Vedant Mahotsav           | 21000.00     |
| 10   | Ro Service Bill Agst School Adjusted                | 520.00       |
| 11   | Sir Padampat Primary School Salary January 2017     | 150000.00    |
| 12   | Utsaha 2017 Talent Hunt(Shri Sai International)     | 15000.00     |
| 13   | Ashwini Hippali Lord Palace School 10th Topper      | 5000.00      |
| 14   | Chaitra Muddapur Lord Palace School 10th Top Ranker | 5000.00      |
| 15   | Vivek Adavi Lord Palace School 10th Top Ranker      | 5000.00      |
| 16   | Bagalkot Zilla Wrestling Association (R) Mudhol     | 10000.00     |
| 17   | Shri Lokeshwar Jathra Lokapur 04.03.17 To 12.03.17  | 11000.00     |
| 18   | Hindu Jagran Vedike Rss 05.03.2017 Mudhol           | 50000.00     |
| 19   | Sir Padampat Primary School Salary February 2017    | 134000.00    |
| 20   | Paid For Yamanureshwar Jatra, Muddapur              | 175000.00    |
| 21   | Pandurang Rukmini Devasthan Jathra Annaprasad       | 25000.00     |
| 22   | Laying Of Cable 5cx2.5 Sqmm                         | 321.85       |
| 23   | Laying Of Cable 4cx16 Sqmm                          | 703.00       |
| 24   | Termination Of Cable 4cx16 Sqm                      | 409.82       |
| 25   | Making Of Earth Pit                                 | 2927.42      |
| 26   | Fixing Of Earth Patti                               | 562.24       |
| 27   | Erection Of Control Panel With Frame                | 7333.09      |
| 28   | Termination Of Cable 5cx2.5sqmm                     | 1756.78      |
| 29   | Fixing Of Light Fitting 120 Watt Led                | 2933.23      |
| 30   | Erection Of High Mast Tower With Complete           | 8711.06      |
| 31   | Fixing Of Aviation Fitting                          | 217.44       |
| 32   | Fixing Of Lightening Arrestor                       | 850.84       |
| 33   | Termination Of Cable 4cx16 Sqm                      | 819.64       |
| 34   | Erection Of Control Panel With Frame                | 14666.19     |
| 35   | Making Of Earth Pit                                 | 5854.85      |
| 36   | Fixing Of Earth Patti                               | 1124.47      |
| 37   | Laying Of Cable 4cx16 Sqm                           | 1406.00      |
| 38   | Laying Of Cable 5cx2.5 Sqm                          | 643.70       |
| 39   | Termination Of Cable 5cx2.5 Sqm                     | 3513.56      |
| 40   | Fixing Of Light Fitting 120 Watt Led                | 5866.47      |
| 41   | Erection Of High Mast Tower With Complete           | 17422.12     |
| 42   | Fixing Of Aviation Fitting                          | 434.88       |
| 43   | Fixing Of Lightening Arrestor                       | 1701.69      |




|    |                                                    |                   |
|----|----------------------------------------------------|-------------------|
| 44 | Termination Of Cable5cx2.5sqmm                     | 1756.78           |
| 45 | Fixing Of Light Fitting 120 Watt Led               | 2933.23           |
| 46 | Erection Of High Mast Tower With Complete          | 8711.06           |
| 47 | Fixing Of Aviation Fitting                         | 217.44            |
| 48 | Fixing Of Lightening Arrestor                      | 850.84            |
| 49 | Making Of Earth Pit                                | 2927.42           |
| 50 | Fixing Of Earth Patti                              | 562.24            |
| 51 | Erection Of Control Panel With Frame               | 7333.09           |
| 52 | Laying Of Cable 4cx16 Sqm                          | 703.00            |
| 53 | Termination Of Cable 4cx16 Sqm                     | 409.82            |
| 54 | Laying Of Cable 5cx2.5 Sqm                         | 321.85            |
| 55 | Fixing Of Lightening Arrestor                      | 850.84            |
| 56 | Making Of Earth Pit                                | 2927.42           |
| 57 | Fixing Of Earth Patti                              | 562.24            |
| 58 | Erection Of Control Panel With Frame               | 7333.09           |
| 59 | Laying Of Cable 4cx16 Sqm                          | 703.00            |
| 60 | Termination Of Cable 4cx16 Sqm                     | 409.82            |
| 61 | Laying Of Cable 5cx2.5 Sqmm                        | 321.85            |
| 62 | Termination Of Cable5cx2.5 Sqm                     | 1756.78           |
| 63 | Fixing Of Light Fitting 120 Watt Led               | 2933.23           |
| 64 | Erection Of High Mast Tower With Complete          | 8711.06           |
| 65 | Fixing Of Aviation Fitting                         | 217.44            |
| 66 | Paid For Revayya Shivayogi Math Jatra, Hebbal      | 15000.00          |
| 67 | Kannada Sahithya Sammelan At Sameerwadi 28 June 16 | 25000.00          |
| 68 | Durga Devi Jathra Mahotsav Petlur 31.03.2017       | 11000.00          |
| 69 | Uniform Exp Agst Lokapur Police Bill               | 60000.00          |
| 70 | Sir Padampat Primary School Salary March 2017      | 137000.00         |
| 71 | Kasba Jambagi                                      | 3200.00           |
|    | <b>Total</b>                                       | <b>1398954.88</b> |

# MUDDAPUR LIME STONE MINES, (KARNATAKA)

(Unit : J.K. Cement Ltd.)

Half yearly Fugitive Emission Monitoring Report of Muddapur mines for the Period from October-2016 to March-2017

| Sl. No. | Month/Year | SPM (µg/m <sup>3</sup> ) |               |              |                    |              |
|---------|------------|--------------------------|---------------|--------------|--------------------|--------------|
|         |            | Loading Area             | Drilling Area | Haulage Area | Waste Dumping Site | Service Road |
| 1       | October    | 544.50                   | 695.60        | 577.90       | 775.12             | 669.50       |
| 2       | November   | 532.60                   | 672.60        | 523.51       | 724.10             | 568.20       |
| 3       | December   | 508.20                   | 705.60        | 548.60       | 713.60             | 592.60       |
| 4       | January    | 543.40                   | 699.48        | 578.87       | 774.13             | 670.94       |
| 5       | February   | 532.40                   | 674.44        | 522.72       | 725.43             | 565.28       |
| 6       | March      | 507.20                   | 706.76        | 549.37       | 714.06             | 595.87       |
| Minimum |            | 507.2                    | 672.6         | 522.7        | 713.6              | 565.3        |
| Maximum |            | 544.5                    | 706.8         | 578.9        | 775.1              | 670.9        |
| Average |            | 528.1                    | 692.4         | 550.2        | 737.7              | 610.4        |

  
Manjunath.K.T  
Monitored by

  
Dr. Saurabh Kumar  
Dy.Mgr.(Env).



**Muddapur Mines (Karnataka)**  
**(Unit: J.K. Cement Ltd.)**

Noise monitoring report of Muddapur mines (Core zone) for the Period from October-2016 to March-2017

| Sl.No. | Time  | Month  | Muddapur Mines boundary | Muddapur Mines Office | Muddapur mines Drilling Time | Muddapur mines Waste dumping site | Muddapur mines Service Road | Excavator |
|--------|-------|--------|-------------------------|-----------------------|------------------------------|-----------------------------------|-----------------------------|-----------|
| 1      | Day   | Oct-16 | 52.4                    | 49.5                  | 65.8                         | 52.4                              | 50.2                        | 50.2      |
|        | Night |        | 42.6                    | 38.2                  | -                            | 41.8                              | 40.5                        | 40.5      |
| 2      | Day   | Nov-16 | 50.4                    | 50.6                  | 62.3                         | 51.7                              | 56.8                        | 56.8      |
|        | Night |        | 40.5                    | 38.5                  | -                            | 41.6                              | 44.3                        | 44.3      |
| 3      | Day   | Dec-16 | 50.4                    | 49.6                  | 60.2                         | 54.6                              | 52.5                        | 52.5      |
|        | Night |        | 42.5                    | 38.4                  | -                            | 42.6                              | 41.5                        | 41.5      |
| 4      | Day   | Jan-17 | 48.5                    | 44.7                  | 47.5                         | 46.2                              | 45.8                        | 56.5      |
|        | Night |        | 35.4                    | 34.8                  | -                            | 33.8                              | 32.5                        | -         |
| 5      | Day   | Feb-17 | 42.6                    | 40.8                  | 41.2                         | 44.8                              | 46.5                        | 53.5      |
|        | Night |        | 33.5                    | 32.8                  |                              | 35.2                              | 36.1                        |           |
| 6      | Day   | Mar-17 | 54.2                    | 54.3                  | 61.5                         | 45.8                              | 52.1                        | 52.1      |
|        | Night |        | 40.6                    | 41.5                  |                              | 38.4                              | 40.7                        | 40.7      |

  
Manjunath.K.T  
Monitored By

  
Dr.Saurabh Kumar  
Dy.Manager-Env

**MUDDAPUR LIMESTONE MINES, (KARNATAKA)**

(Unit: Jk Cement Ltd.)

**HALF YEAR AAQM REPORT (SO<sub>2</sub>, NO<sub>2</sub>, PM<sub>10</sub>, SPM) PERIOD FROM OCTOBER-2016 TO MARCH-2017**

( ALL VALUES IN MICROGRAMS / CUBIC METER )

| Month            | Sl. No. | Date       | Week | SO <sub>2</sub> |     |     |     | NO <sub>2</sub> |     |     |     | PM <sub>10</sub> |      |      |      | SPM       |       |       |        |
|------------------|---------|------------|------|-----------------|-----|-----|-----|-----------------|-----|-----|-----|------------------|------|------|------|-----------|-------|-------|--------|
|                  |         |            |      | Locations       |     |     |     | Locations       |     |     |     | Locations        |      |      |      | Locations |       |       |        |
|                  |         |            |      | A               | B   | C   | D   | A               | B   | C   | D   | A                | B    | C    | D    | A         | B     | C     | D      |
| OCTOBER          | 1       | 1.10.2016  | 1st  | 5.2             | 5.8 | 6.1 | 5.8 | 6.8             | 6.5 | 7.0 | 6.6 | 57.9             | 56.2 | 57.8 | 57.5 | 158.2     | 158.7 | 158.6 | 158.26 |
|                  | 2       | 5.10.2016  |      | 6.5             | 6.3 | 6.6 | 6.2 | 7.5             | 7.3 | 7.5 | 7.5 | 56.6             | 56.9 | 56.7 | 57.1 | 158.9     | 157.4 | 157.7 | 158.17 |
|                  | 3       | 8.10.2016  | 2nd  | 5.8             | 5.8 | 5.5 | 6.3 | 6.6             | 6.5 | 6.6 | 7.0 | 55.4             | 55.2 | 55.6 | 56.6 | 156.2     | 156.5 | 156.8 | 157.34 |
|                  | 4       | 13.10.2016 |      | 6.6             | 5.8 | 6.0 | 6.5 | 7.0             | 6.8 | 7.0 | 7.5 | 56.2             | 56.6 | 56.8 | 56.8 | 157.1     | 158.0 | 157.6 | 157.35 |
|                  | 5       | 17.10.2016 | 3rd  | 6.0             | 6.2 | 5.8 | 6.5 | 7.2             | 7.2 | 6.8 | 7.2 | 57.1             | 55.1 | 56.1 | 57.9 | 158.9     | 157.6 | 158.9 | 158.57 |
|                  | 6       | 20.10.2016 |      | 6.5             | 5.5 | 6.3 | 5.8 | 7.5             | 6.8 | 7.5 | 6.8 | 56.1             | 56.1 | 57.7 | 56.8 | 158.6     | 157.6 | 158.6 | 157.28 |
|                  | 7       | 24.10.2016 | 4th  | 6.0             | 6.2 | 6.6 | 6.0 | 7.0             | 7.5 | 7.3 | 7.5 | 57.5             | 57.7 | 58.2 | 57.7 | 158.2     | 159.3 | 160.1 | 159.05 |
|                  | 8       | 27.10.2016 |      | 6.3             | 6.8 | 6.3 | 6.8 | 7.5             | 7.5 | 7.5 | 7.5 | 56.5             | 57.1 | 56.3 | 56.7 | 157.4     | 158.1 | 158.3 | 157.55 |
| NOVEMBER         | 1       | 2.11.2016  | 1st  | 6.8             | 6.3 | 5.8 | 6.5 | 7.0             | 7.0 | 6.7 | 7.5 | 55.8             | 56.7 | 56.7 | 57.3 | 113.0     | 157.9 | 158.1 | 159.08 |
|                  | 2       | 5.11.2016  |      | 6.5             | 5.8 | 6.5 | 6.0 | 7.0             | 6.2 | 6.7 | 7.3 | 58.6             | 57.0 | 58.2 | 57.8 | 159.1     | 158.9 | 159.8 | 158.77 |
|                  | 3       | 9.11.2016  | 2nd  | 6.8             | 6.5 | 6.7 | 5.5 | 7.5             | 7.2 | 7.2 | 6.5 | 56.2             | 56.4 | 58.0 | 58.8 | 157.1     | 157.6 | 160.1 | 159.06 |
|                  | 4       | 12.11.2016 |      | 6.8             | 6.6 | 5.8 | 6.5 | 7.0             | 7.0 | 6.7 | 7.0 | 58.8             | 57.6 | 57.0 | 56.1 | 159.5     | 158.4 | 157.6 | 157.22 |
|                  | 5       | 16.11.2016 | 3rd  | 5.8             | 6.8 | 6.8 | 6.5 | 6.0             | 7.2 | 7.5 | 7.5 | 57.4             | 56.9 | 57.4 | 57.2 | 158.3     | 157.2 | 158.3 | 158.44 |
|                  | 6       | 19.11.2016 |      | 6.3             | 6.0 | 5.3 | 5.7 | 7.2             | 7.5 | 6.7 | 6.7 | 56.4             | 57.6 | 56.6 | 57.9 | 157.3     | 158.1 | 157.8 | 156.28 |
|                  | 7       | 23.11.2016 | 4th  | 5.5             | 6.0 | 6.2 | 6.2 | 6.3             | 7.5 | 7.2 | 7.0 | 54.1             | 56.0 | 55.8 | 56.2 | 155.6     | 157.1 | 156.9 | 157.52 |
|                  | 8       | 26.11.2016 |      | 5.5             | 5.5 | 6.2 | 6.2 | 6.6             | 6.6 | 7.2 | 7.0 | 65.6             | 56.5 | 56.1 | 57.0 | 156.3     | 158.1 | 157.9 | 157.76 |
|                  | 9       | 30.11.2016 |      | 5.5             | 5.5 | 6.2 | 6.3 | 6.5             | 6.5 | 7.5 | 7.2 | 56.5             | 56.7 | 55.4 | 56.3 | 157.9     | 158.0 | 156.1 | 158.10 |
| DECEMBER         | 1       | 3.12.2016  | 1st  | 6.3             | 5.5 | 7.0 | 6.0 | 7.5             | 6.6 | 8.3 | 7.5 | 56.4             | 57.9 | 56.3 | 57.4 | 158.4     | 158.9 | 157.7 | 158.50 |
|                  | 2       | 7.12.2016  |      | 6.6             | 6.3 | 6.0 | 6.6 | 6.5             | 7.2 | 7.2 | 7.0 | 57.8             | 56.0 | 57.2 | 55.8 | 158.6     | 156.8 | 157.5 | 156.81 |
|                  | 3       | 10.12.2016 | 2nd  | 5.6             | 7.0 | 6.8 | 6.6 | 6.6             | 8.0 | 7.8 | 7.5 | 57.3             | 56.2 | 55.3 | 56.1 | 158.5     | 157.0 | 156.2 | 158.23 |
|                  | 4       | 14.12.2016 |      | 5.5             | 6.0 | 5.8 | 7.2 | 7.5             | 7.2 | 6.6 | 8.2 | 56.0             | 55.5 | 57.3 | 57.5 | 158.5     | 95.0  | 158.0 | 158.62 |
|                  | 5       | 17.12.2016 | 3rd  | 6.5             | 6.5 | 6.3 | 7.0 | 7.5             | 7.5 | 7.3 | 8.0 | 57.0             | 56.2 | 56.5 | 56.5 | 157.0     | 156.9 | 45.0  | 157.17 |
|                  | 6       | 21.12.2016 |      | 6.3             | 6.6 | 6.8 | 6.5 | 8.0             | 7.5 | 7.5 | 7.5 | 57.8             | 57.4 | 55.6 | 55.6 | 32.0      | 158.0 | 157.8 | 156.93 |
|                  | 7       | 24.12.2016 | 4th  | 7.0             | 6.5 | 6.5 | 6.0 | 7.0             | 7.5 | 7.5 | 7.5 | 56.2             | 55.8 | 56.9 | 57.2 | 157.2     | 157.6 | 157.2 | 158.54 |
|                  | 8       | 28.12.2016 |      | 6.2             | 6.2 | 6.3 | 7.0 | 6.5             | 7.8 | 7.5 | 8.1 | 57.3             | 59.5 | 56.4 | 56.3 | 158.1     | 151.2 | 157.3 | 157.50 |
|                  | 9       | 31.12.2016 |      | 5.6             | 5.5 | 5.7 | 5.5 | 6.5             | 6.5 | 6.2 | 6.5 | 57.2             | 58.9 | 57.5 | 57.4 | 166.7     | 160.3 | 158.7 | 158.10 |
| JANUARY          | 1       | 4.01.2017  | 1st  | 6.3             | 6.5 | 6.2 | 6.2 | 7.5             | 7.5 | 7.5 | 7.0 | 59.9             | 59.8 | 59.2 | 56.4 | 158.0     | 160.1 | 160.0 | 158.1  |
|                  | 2       | 7.01.2017  |      | 6.5             | 6.2 | 5.8 | 5.8 | 7.5             | 7.2 | 6.8 | 7.0 | 58.6             | 58.4 | 57.6 | 58.8 | 160.3     | 160.4 | 159.0 | 160.3  |
|                  | 3       | 11.01.2017 | 2nd  | 6.5             | 6.2 | 6.7 | 6.8 | 7.3             | 7.5 | 7.5 | 7.5 | 56.0             | 56.9 | 56.4 | 55.5 | 158.4     | 158.4 | 158.1 | 157.5  |
|                  | 4       | 14.01.2017 |      | 6.5             | 6.3 | 6.8 | 7.2 | 7.5             | 7.5 | 7.5 | 8.0 | 57.7             | 58.1 | 58.0 | 57.8 | 159.5     | 159.8 | 158.0 | 159.1  |
|                  | 5       | 18.01.2017 | 3rd  | 7.7             | 7.2 | 7.3 | 6.8 | 9.0             | 9.0 | 9.2 | 8.8 | 56.0             | 57.7 | 58.3 | 58.0 | 158.7     | 158.4 | 159.7 | 159.2  |
|                  | 6       | 21.01.2017 |      | 7.5             | 7.0 | 6.8 | 7.0 | 8.5             | 9.0 | 8.7 | 9.0 | 57.4             | 58.2 | 57.5 | 58.6 | 159.3     | 159.8 | 158.1 | 160.0  |
|                  | 7       | 25.01.2017 | 4th  | 6.8             | 6.7 | 6.5 | 7.5 | 8.2             | 8.0 | 8.5 | 8.5 | 56.7             | 57.8 | 58.2 | 56.2 | 158.3     | 159.7 | 159.5 | 158.2  |
|                  | 8       | 30.01.2017 |      | 7.5             | 7.5 | 6.8 | 7.2 | 8.8             | 8.5 | 7.5 | 8.0 | 57.7             | 56.1 | 57.6 | 56.6 | 158.1     | 159.2 | 158.4 | 157.2  |
| FEBRUARY         | 1       | 2.02.2017  | 1st  | 7.5             | 7.0 | 7.5 | 7.0 | 8.8             | 8.2 | 8.8 | 8.3 | 57.9             | 56.9 | 56.5 | 57.1 | 158.2     | 158.3 | 157.3 | 158.1  |
|                  | 2       | 6.02.2017  |      | 6.7             | 7.3 | 6.7 | 6.5 | 7.8             | 8.8 | 7.2 | 7.3 | 56.5             | 57.5 | 57.3 | 56.1 | 158.0     | 158.7 | 158.8 | 158.6  |
|                  | 3       | 9.02.2017  | 2nd  | 7.0             | 6.5 | 7.5 | 7.5 | 8.5             | 7.5 | 8.2 | 8.0 | 58.4             | 58.8 | 56.3 | 57.3 | 160.0     | 159.0 | 157.1 | 159.1  |
|                  | 4       | 13.02.2017 |      | 7.5             | 6.7 | 7.0 | 6.7 | 8.5             | 7.5 | 8.5 | 7.5 | 57.8             | 56.7 | 58.4 | 58.4 | 158.7     | 159.6 | 159.9 | 159.3  |
|                  | 5       | 16.02.2017 | 3rd  | 6.8             | 7.5 | 6.8 | 7.5 | 7.5             | 8.5 | 8.5 | 8.5 | 60.3             | 57.6 | 59.7 | 58.0 | 162.7     | 158.3 | 160.5 | 159.4  |
|                  | 6       | 20.02.2017 |      | 7.5             | 7.5 | 7.2 | 6.5 | 8.2             | 8.2 | 7.5 | 7.8 | 57.3             | 56.9 | 58.7 | 58.9 | 159.1     | 158.7 | 159.2 | 159.1  |
|                  | 7       | 23.02.2017 | 4th  | 7.5             | 6.5 | 6.7 | 7.5 | 8.2             | 7.5 | 7.8 | 8.5 | 56.5             | 57.5 | 57.1 | 56.5 | 159.4     | 159.9 | 158.9 | 158.5  |
|                  | 8       | 27.02.2017 |      | 6.7             | 7.5 | 7.5 | 7.5 | 7.5             | 8.5 | 8.2 | 8.2 | 58.8             | 58.9 | 58.9 | 57.7 | 159.1     | 159.8 | 160.3 | 158.3  |
| MARCH            | 1       | 2.03.2017  | 1st  | 7.3             | 7.2 | 7.2 | 7.1 | 8.9             | 8.0 | 8.5 | 8.2 | 58.4             | 57.5 | 58.4 | 57.5 | 159.2     | 158.2 | 159.3 | 158.5  |
|                  | 2       | 06.03.2017 |      | 7.7             | 7.2 | 6.8 | 6.8 | 7.6             | 8.1 | 7.2 | 7.2 | 57.5             | 57.0 | 57.5 | 56.0 | 159.5     | 152.3 | 159.0 | 158.9  |
|                  | 3       | 09.03.2017 | 2nd  | 7.0             | 6.7 | 7.2 | 7.5 | 8.3             | 7.3 | 8.0 | 8.1 | 58.9             | 58.4 | 58.8 | 57.6 | 159.5     | 160.0 | 159.8 | 159.9  |
|                  | 4       | 13.03.2017 |      | 7.4             | 7.3 | 7.1 | 6.7 | 8.7             | 7.3 | 8.2 | 7.7 | 57.2             | 57.9 | 59.7 | 58.5 | 158.5     | 159.0 | 160.6 | 159.5  |
|                  | 5       | 16.03.2017 | 3rd  | 7.0             | 7.1 | 6.9 | 7.3 | 7.6             | 8.1 | 7.9 | 8.6 | 52.2             | 56.5 | 59.9 | 58.4 | 153.9     | 162.1 | 160.2 | 159.9  |
|                  | 6       | 20.03.2017 |      | 7.5             | 7.4 | 7.5 | 6.4 | 8.2             | 8.1 | 8.2 | 7.6 | 55.7             | 56.7 | 59.7 | 59.6 | 157.6     | 157.7 | 160.3 | 159.8  |
|                  | 7       | 23.03.2017 | 4th  | 7.4             | 6.9 | 7.0 | 7.4 | 8.0             | 7.7 | 8.0 | 8.4 | 57.7             | 58.8 | 59.1 | 59.5 | 156.7     | 161.8 | 159.4 | 159.5  |
|                  | 8       | 27.03.2017 |      | 6.9             | 7.2 | 7.4 | 7.2 | 7.5             | 8.3 | 8.1 | 8.3 | 59.7             | 58.6 | 59.3 | 57.5 | 160.3     | 159.3 | 159.3 | 157.6  |
|                  | 9       | 30.03.2017 |      | 7.1             | 7.4 | 7.4 | 7.4 | 7.7             | 7.6 | 8.0 | 7.5 | 57.3             | 56.3 | 57.8 | 57.6 | 157.4     | 156.9 | 158.7 | 160.2  |
| Half Yearly Avg. |         |            |      | 6.6             | 6.5 | 6.6 | 6.6 | 7.5             | 7.5 | 7.6 | 7.6 | 57.3             | 57.2 | 57.5 | 57.3 | 155.1     | 157.1 | 156.3 | 158.4  |
| Half Yearly Min. |         |            |      | 5.2             | 5.5 | 5.3 | 5.5 | 6.0             | 6.2 | 6.2 | 6.5 | 52.2             | 55.1 | 55.3 | 55.5 | 32.0      | 95.0  | 45.0  | 156.3  |
| Half Yearly Max. |         |            |      | 7.7             | 7.5 | 7.5 | 7.5 | 9.0             | 9.0 | 9.2 | 9.0 | 65.6             | 59.8 | 59.9 | 59.6 | 166.7     | 162.1 | 160.6 | 160.3  |

Manjunath.K.T  
Monitored by

Dr.Saifab Kumar  
Dy. Mgr (Env)




## Muddapur Limestone Mines, (Karnataka)

(Unit of J.K. Cement Ltd.)

### PM<sub>2.5</sub> MONITORING REPORT FROM October-2016 to March-2017

| Site          | Month  | Date       | Monitoring Location | Parameter PM <sub>2.5</sub> (µg/m <sup>3</sup> ) |
|---------------|--------|------------|---------------------|--------------------------------------------------|
| MUDDAPUR MINE | Oct-16 | 3.10.2016  | A                   | 31.2                                             |
|               |        | 5.10.2016  | B                   | 30.8                                             |
|               |        | 6.10.2016  | C                   | 31                                               |
|               |        | 8.10.2016  | D                   | 30.6                                             |
| MUDDAPUR MINE | Nov-16 | 2.11.2016  | A                   | 32.6                                             |
|               |        | 4.11.2016  | B                   | 40.5                                             |
|               |        | 8.11.2016  | C                   | 36.5                                             |
|               |        | 10.11.2016 | D                   | 34.6                                             |
| MUDDAPUR MINE | Dec-16 | 2.12.2016  | A                   | 32.4                                             |
|               |        | 5.12.2016  | B                   | 33.6                                             |
|               |        | 7.12.2016  | C                   | 31.4                                             |
|               |        | 9.12.2016  | D                   | 32.6                                             |
| MUDDAPUR MINE | Jan-17 | 4.1.2017   | A                   | 31.5                                             |
|               |        | 6.1.2017   | B                   | 32.4                                             |
|               |        | 9.1.2017   | C                   | 30.8                                             |
|               |        | 11.1.2017  | D                   | 31.6                                             |
| MUDDAPUR MINE | Feb-17 | 2.2.2017   | A                   | 32.5                                             |
|               |        | 4.2.2017   | B                   | 30.6                                             |
|               |        | 6.2.2017   | C                   | 31.5                                             |
|               |        | 9.2.2017   | D                   | 32.8                                             |
| MUDDAPUR MINE | Mar-17 | 3.3.2017   | A                   | 31.8                                             |
|               |        | 4.3.2017   | B                   | 30.4                                             |
|               |        | 6.3.2017   | C                   | 31.9                                             |
|               |        | 7.3.2017   | D                   | 33.1                                             |
| Minimum       |        |            |                     | 30.4                                             |
| Maximum       |        |            |                     | 40.5                                             |
| Average       |        |            |                     | 32.45                                            |

  
Manjunath.K.T  
Monitored By

  
Dr.Saurabh Kumar  
Dy.Mgr(Env)