



JK Cement WORKS

MUDDAPUR

(Unit : J.K. Cement Ltd.)

CIN : L17229UP1994PLC017199

Phone : +91-8350-289000

Fax : +91-8350-289001

E-mail : factory.muddapur@jkcement.com

Works : P.O. Muddapur - 587 122

Dist. Bagalkot (Karnataka) India

No. - JKCW/ENV./CFO (MINE)/6/19

Date: 09-09-2017

The Member Secretary
Karnataka State Pollution Control Board,
"Parisar Bhavan" 4th & 5th Floor,
49, Church Street, BANGALORE- 560 001

Subject- Environmental Statement Report of Muddapur Limestone Mine, Village- Muddapur, Dist.- Bagalkot (Karnataka) for the financial year April-2016 to March-2017

Dear Sir

As per 14 of Environment (Protection) Rule 1986, please find herewith enclosed Environmental Statement Report for Muddapur Limestone Mine, Village- Muddapur, Dist.- Bagalkot (Karnataka) in **Form V for the financial year 2016-2017** for your kind information and record, please.

Thanking you,

Yours faithfully,
Muddapur Limestone Mine
(Unit-JK Cement Ltd.)

R.B.M. R.B.M. Tripathi
(Unit Head)

Encl:

- 1- Duly filled Form-V as Environmental Statement Report of Muddapur Limestone Mine
- 2- Core zone and Buffer zone water testing report as Annexure-1
- 3- Ambient Air Quality Monitoring report of Muddapur Limestone Mine as per Annexure-2
- 4- Fugitive emission report of Muddapur Limestone Mine as per Annexure-3
- 5- Noise Monitoring report of Muddapur Limestone Mine, Muddapur as per Annexure-4

CC:

- 1- The Addl. Principle Chief Conservator of Forest (C), Ministry of Environment & Forests, Regional Office (South Zone), Bangalore- 560034
- 2- Scientist 'E' & In-charge, Central Pollution Control Board, 1st & 2nd Floors, Nisarga Bhavan, A-Block, Thimmaiah Main Road, 7th D Cross, Shivanagar, Bengaluru -560 079
- 3- Environment Officer, Karnataka State Pollution Control Board, Bagalkot- 587 102

Registered & Corporate Office :

Kamla Tower, Kanpur - 208 001 (U.P.)

Ph. : 0512-2371478-81 Fax : 0512-2399854

E-mail : ho.grey@jkcement.com

Website : www.jkcement.com

Central Marketing Office :

4th Floor, Krsna Chambers, Plot no. 11, Galaxy Garden
North Main Road, Koregaon Park, Pune - 411001

Ph. : 020 -41350000 Fax : 020 - 41350099

E-mail : cmo.south@jkcement.com



FORM – V

ENVIRONMENTAL STATEMENT REPORT FOR THE FINANCIAL YEAR 2016-17

M/s Muddapur Lime Stone Mine (Unit: J. K. Cement Limited)

PART – A

(I)	Name & Address of the Owner / Occupier of the Industry Operation or Process	R. B. M. Tripathi (Unit Head) Muddapur Lime Stone Mine (Unit: J. K. Cement Limited) Muddapur, Bagalkot (Karnataka)
(II)	Industry Category Primary (STC CODE) Secondary (SIC CODE)	Red Category
(III)	Production Capacity	2.0 MTPA
(IV)	Year of Establishment	Year 2008
(V)	Date of last Environmental Statement Submitted	24-08-2016

PART – B

Water & Raw Material Consumption and Lime stone production

A. Water

Over All Consumption

- (i) Process (Dust Suppression) - 14033 KL
- (ii) Cooling - NA
- (iii) Domestic - 90.8 KL

Consumption per unit of production

Name of the Product	Process Water Consumption per unit of Product Output (KL/MT of Limestone)	
	During the Previous Financial Year (2015-16)	During the Current Financial Year (2016-17)
Lime Stone	0.05530	0.02291

A. Raw Material Consumption

B. Name of the C. Raw Material	Name of Product	Consumption of Raw Material per Unit Product Output (KL/MT of Limestone)	
		During the Previous Financial Year (2015-16)	During the Current Financial Year (2016-17)
Diesel	Limestone	0.00234	0.00074

D. Total Lime Stone Production (in Ton)

During the Previous Financial Year (2015-16)	During the Current Financial Year (2016-17)
189365.00	612558.57

E. Total Power consumption (KWH/ MT of Limestone)

During the Previous Financial Year (2015-16)	During the Current Financial Year (2016-17)
0.39010	0.11274

PART - C

Pollutant Discharged To Environment / Unit of Output
(Parameters as specified in the consent issued)

S. No.	Pollutants	Quantity of Pollutants Discharged (Mass / day) (tonne/day)	Concentrations of Pollutants in discharged (Mass / Volume) (kg/m ³)	Percentage of variation from prescribed standard with reasons
(a)	Water	Waste water generated from the office toilets is discharged into soak pit via septic tank. There is no waste water in the mine. Mine's pit water is used for dust suppression in mine. Pit water testing report is as per Annexure-1		
(b)	Air	There is no point source emission in mine. Ambient air quality and fugitive emission monitoring report as Annexure- 2 & 3		

PART - D

(As specified under Hazardous waste / Management and Handling rules, 1989 as Amended -2008)

Hazardous waste		During the Previous Financial Year (2015-16)	During the Current Financial Year (2016-17)
(a) From Process	N.A.		
(b) From Pollution Control Facilities	N.A.		

PART - E

Solid Wastes

Solid Waste		Total Quantity	
		During the Previous Financial Year (2015-16)	During the Current Financial Year (2016-17)
(a)	From Process	N.A.	
(b)	From Pollution Control facilities	N.A.	
(c)	(i) Qty. recycled or reused Within the unit.	N.A.	
	(ii) Sold	N.A.	
	(iii) Disposed: During the mining of limestone disposed of overburden (In MT)	23413.00 MT	00.0 MT

PART - F

PLEASE SPECIFY THE CHARACTERISATIONS (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THE CATEGORIES OF WASTES.

Hazardous waste: No hazardous waste is generated from mines.

Solid waste: Solid waste from the mine is overburden and it is dumped in predetermined dumping area. The total overburden generated from the April-2016 to March-2017 was 0.0 MT.

PART – G

IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION.

AIR

There is no impact observed on vegetation & water bodies in the surrounding areas due to dust, as it will be suppressed at its generating sources.

The following measures are taken to suppress the dust at the source as well as to prevent the same, spreading in the atmosphere:

- 1- Wet drilling system is provided on all drill machines.
- 2- Regular water sprinkling on haul road during operation.
- 3- Optimize blasting parameters for proper fragmentation to reduce dust generation.
- 4- Plantation and development of Green Belt along the Haul Roads and Working Pits.

WATER

- 1- Being Mechanized Limestone mine, it requires water mainly for Wet Drilling, Road Spraying and Green Belt Development. The source of water is the accumulated rainwater in the lower most benches. At Muddapur Mine, there is no discharged of liquid effluent / waste water from the Mine.
- 2- No discharge of rain water or waste water from the mine to outside lease area. Rain water in the catchment area of mine lease is diverted through drainage in to lower level area of mine and that water is used for dust suppression and plantation purpose.

NOISE

Noise is generated in the mine due to following mining activities:

- 1- Excavation, drilling, blasting and operations of HEMM.
- 2- Transportation and handling of material.

The results of base line noise level survey are well below the permissible limit except near machinery while operating. The noise generating sources are scattered within the whole mining area. All the sources will not generate the noise simultaneously hence; the noise level would not alter the noise environment significantly. The noise level reduces with increase in distance from the source.

The following measures are taken to reduce the noise level at the source as well as to prevent the same, spreading in the atmosphere:

- 1- Providing enclosures for noise sources to reduce dispersion of noise like cabin in HEMM.
- 2- Proper maintenance and lubrication of machinery rotating parts.
- 3- Use electric delay detonator on surface in place of detonating fuse.
- 4- By covering the detonating fuse as well as detonators under drill cutting or the fine material.
- 5- By providing earmuffs and earplugs to eligible miners.
- 6- Use of Air Decking & sufficient column stemming in the blast holes.

PART – H

ADDITONAL MEASURES / INVESTMENT PROPOSALS FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT POLLUTION, PREVENTION OF POLLUTION.

Green belt development and tree plantation is our ongoing process. Plantation has been done on OB sites, road sides and on other parts of non mineralized ML area. The top layer of the dump material and slopes is covered with top soil which is excellent property of water retention that supports good tree growth. Plantation details are following:

Year	No. of trees planted
Upto march, 2010	9831
2010-2011	3703
2011-2012	3225
2012-2013	Within lease- 2860
2013-2014	Within lease- 2264
2014-2015	Within lease- 342
2015-2016	1150
2016-2017	Within lease- 863 Outside lease- 158

PART – I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF ENVIRONMENT.

- 1- Regular water spraying is being done on haulage road and near loading places for effective dust suppression.
- 2- Thick plantation in and around the mine is being done.
- 3- Regular and proper maintenance of noise generating machinery including the transport vehicles is being done to maintain noise levels.
- 4- Air quality is being regularly monitored.
- 5- Delay detonators and shock tube initiation system is being used for blasting so as to reduce vibration and dust.
- 6- Sharp drill holes and drills with water flushing systems are being used to reduce dust generation.
- 7- We are providing all personal protective equipment (PPEs) to all mine employees i.e. dust mask (respirator), ear plug & ear muff, eye goggle etc. concern to them as additional measures of Air & Noise Pollution Control.
- 8- We are having full flash environmental laboratory for the monitoring of ambient air quality, water testing, noise monitoring etc.
- 9- Industry has been certified for standards ISO 9001: 2008, ISO 14001: 2004 and OHSAS 18001.
- 10- Company publishes its magazine i.e JK Spotlight. Environmental messages also printed in it.

For Muddapur Lime Stone Mine, Muddapur (Karnataka)
(Unit: J.K. Cement Limited)



R.B.M. Tripathi
(Unit Head)

MUDDAPUR LIMESTONE MINES, (KARNATAKA)

(Unit: J.K. Cement Ltd.)

Core Zone and Buffer Zone drinking water quality analysis report for the period from April-2016 to March-2017

Sample collected from												
Core Zone & Buffer Zone												
Sl. No.	Constituents	Desirable Limit	Core Zone		Buffer Zone							
			Muddapur mines pit	Muddapur mines	Muddapur	Pettur	Metgud	Ningapur	Bamanbudini	Halki	Thimmapur	
1	Odour	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	
2	Taste	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	
3	Total Dissolved Solids	500	238.74	231.53	226.95	218.09	227.49	219.58	221.55	226.23	223.08	
4	Turbidity	5 NTU	1.4	1.3	1.2	1.2	1.2	1.2	1.1	1.2	1.2	
5	pH	6.5-8.5	7.4	7.3	7.2	7.3	7.4	7.4	7.4	7.4	7.3	
6	Total Hardness	300	199.8	202.4	203.6	210.2	203.5	212.8	206.1	211.5	201.9	
7	Calcium	75	48.40	47.24	47.31	46.92	45.72	44.05	45.19	44.84	43.45	
8	Magnesium	30	20.03	20.46	20.08	20.46	20.73	20.97	20.70	21.38	20.25	
9	Alkanity	200	148.1	147.3	148.6	145.5	150.1	146.5	148.3	151.5	150.0	
10	Chloride	250	199.59	202.84	197.93	197.05	197.58	201.18	196.98	200.38	194.43	

Note: 1- The Above analysis have been carried out as per IS-10500.
2- Undeserved Concentration in mg/liter except pH and Turbidity.


Vantipati
Analysed by


Dr. Saurabh Kumar
Mgr. (Env.)

MUDDAPUR LIMESTONE MINES, (KARNATAKA)

(Unit: Jk Cement Ltd.)

HALF YEAR AAQM REPORT (SO₂, NO₂, PM₁₀, SPM) FROM APRIL-2016 TO MARCH-2017

(ALL VALUES IN MICROGRAMS / CUBIC METER)

Month	Sl. No.	Date	Week	SO ₂				NO ₂				PM ₁₀				SPM			
				Locations				Locations				Locations				Locations			
				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
A P R I L	1	2.4.2016	1st	6.5	6.7	6.0	6.0	7.0	7.0	7.2	7.0	56.1	59.2	58.8	56.9	160.5	160.7	158.7	159.30
	2	6.4.2016		6.0	6.7	6.0	6.0	7.0	7.5	7.0	7.2	59.1	58.2	59.3	57.1	160.1	160.1	159.9	159.87
	3	9.4.2016	2nd	5.5	6.5	6.5	6.5	6.7	7.5	7.5	7.5	58.9	58.6	60.4	58.3	160.1	160.2	157.8	160.43
	4	13.4.2016		6.5	5.8	5.8	6.2	7.7	6.8	6.5	7.5	57.9	59.4	59.8	58.7	158.4	160.9	160.1	160.17
	5	16.4.2016	3rd	5.8	5.5	6.3	6.5	6.2	6.2	7.5	7.5	58.1	57.3	58.9	59.0	160.5	158.8	161.3	159.84
	6	20.4.2016		5.7	6.0	6.0	5.8	6.3	7.2	7.2	6.8	58.6	58.3	59.9	58.1	159.1	158.4	159.7	159.27
	7	23.4.2016	4th	6.7	6.0	6.5	6.2	7.5	7.0	7.0	7.2	57.3	57.7	58.8	59.4	159.5	159.3	159.7	161.05
	8	27.4.2016		5.5	6.5	6.7	5.8	6.5	7.5	7.5	6.2	58.0	58.6	57.3	57.3	160.5	160.7	158.7	157.65
	9	30.4.2016		5.5	6.5	5.5	5.5	6.5	7.5	6.5	6.3	59.5	59.7	58.4	57.2	159.2	160.4	158.2	159.43
M A Y	1	4.5.2016	1st	5.2	5.7	5.8	6.5	6.0	6.7	6.7	7.5	58.5	57.4	58.4	59.0	159.0	160.0	159.2	160.94
	2	7.5.2016		6.3	5.8	6.5	6.0	7.3	6.7	6.7	7.3	58.6	58.1	59.5	57.5	159.8	159.3	159.0	158.15
	3	11.5.2016	2nd	5.2	6.0	6.7	5.5	6.0	7.5	7.2	6.5	59.0	59.1	59.0	59.0	159.4	160.4	159.2	159.92
	4	14.5.2016		6.3	6.5	5.8	6.5	7.3	7.7	6.7	7.0	59.4	58.3	58.6	59.3	160.3	160.6	159.9	160.07
	5	18.5.2016	3rd	6.0	5.7	6.8	6.5	7.5	6.7	7.5	7.5	58.9	60.0	57.0	57.2	160.3	160.2	158.3	158.43
	6	21.5.2016		5.5	6.2	5.3	5.7	6.2	7.5	6.7	6.7	58.8	58.8	58.3	58.8	159.4	160.8	160.2	159.60
	7	25.5.2016	4th	6.3	6.8	6.2	6.2	7.5	7.5	7.2	7.0	59.6	59.1	59.9	57.3	160.5	168.1	160.4	158.68
	8	28.5.2016		5.2	6.5	6.2	6.3	6.3	7.0	7.5	7.2	59.9	56.8	57.9	57.5	158.6	157.3	158.2	159.95
J U N E	1	1.6.2016	1st	5.8	5.5	6.3	5.3	6.5	6.3	7.8	6.8	58.3	58.5	59.4	59.6	160.1	160.3	160.7	164.53
	2	4.6.2016		6.8	6.5	6.2	6.2	7.8	7.0	7.0	7.2	59.9	59.3	59.4	58.3	157.9	158.4	160.4	158.42
	3	8.6.2016	2nd	5.8	6.0	6.7	5.5	6.3	7.2	7.8	6.5	58.5	57.9	57.5	57.8	159.2	159.4	158.0	157.87
	4	11.6.2016		5.8	5.5	5.7	5.7	6.7	6.2	6.8	6.2	60.5	57.4	58.8	58.9	161.9	158.4	159.7	159.20
	5	15.6.2016	3rd	6.3	6.3	5.8	6.3	7.2	7.0	7.0	7.3	59.6	58.4	59.1	59.4	160.5	160.7	160.6	159.55
	6	18.6.2016		5.7	6.0	6.2	5.5	7.0	7.0	7.0	6.2	59.0	57.2	56.8	60.2	159.1	159.1	159.2	162.33
	7	22.6.2016	4th	5.5	5.7	5.7	5.5	7.0	6.5	6.3	6.7	60.0	60.8	59.5	60.6	160.7	163.1	161.7	161.94
	8	25.6.2016		6.0	5.0	5.7	6.3	7.2	6.5	6.7	7.5	59.3	57.1	59.2	59.2	159.4	159.1	160.6	160.08
	9	29.6.2016		5.5	5.5	5.0	6.0	6.5	6.5	6.5	7.5	57.1	58.4	58.6	57.2	158.4	160.9	159.2	160.82
J U L Y	1	2.7.2016	1st	5.8	5.5	6.3	6.2	6.8	6.7	7.5	7.5	58.7	58.5	59.4	59.6	160.0	160.3	160.7	164.53
	2	6.7.2016		6.2	6.0	6.2	6.0	7.3	7.0	7.3	7.0	57.9	59.3	59.4	58.3	158.9	158.4	160.4	158.42
	3	9.7.2016	2nd	6.5	6.8	5.5	6.0	7.0	7.5	6.7	7.5	58.2	57.9	57.5	57.8	159.2	159.4	158.0	157.87
	4	13.7.2016		6.0	6.0	5.2	5.5	7.0	7.5	6.8	6.3	57.2	57.4	58.8	58.9	160.5	158.4	159.7	159.20
	5	16.7.2016	3rd	6.2	6.5	5.8	6.8	7.5	7.3	6.5	7.5	60.7	58.4	59.1	59.4	161.5	160.7	160.6	159.55
	6	20.7.2016		6.0	5.8	6.5	5.8	7.0	6.5	7.5	6.7	59.5	57.2	56.8	60.2	159.7	159.1	159.2	162.33
	7	23.7.2016	4th	6.5	6.3	5.5	5.2	7.5	7.0	6.3	6.7	60.4	60.8	59.5	60.6	161.4	163.1	161.7	161.94
	8	27.7.2016		6.3	6.2	6.7	6.7	7.3	7.2	7.3	7.5	57.3	57.1	59.2	59.2	159.1	159.1	160.6	160.08
	9	30.7.2016		6.0	5.5	5.8	5.5	7.0	6.5	6.5	6.5	58.3	58.4	58.6	57.2	160.7	160.9	159.2	160.82
A U G U S T	1	3.8.2016	1st	5.5	5.5	5.3	6.0	6.3	6.2	6.7	7.5	60.7	58.5	60.1	59.7	161.4	160.3	160.6	160.36
	2	6.8.2016		5.3	5.7	6.8	5.8	6.5	6.8	7.3	6.8	59.7	59.7	58.3	62.0	160.5	160.1	160.7	160.99
	3	10.8.2016	2nd	5.8	6.3	5.7	6.2	6.2	7.0	6.0	7.0	61.0	59.0	59.3	60.4	161.3	160.5	160.9	160.17
	4	13.8.2016		6.2	6.0	6.8	5.2	7.2	7.5	7.7	6.5	56.9	57.9	55.2	59.4	158.2	158.7	159.8	160.65
	5	17.8.2016	3rd	5.8	5.8	6.5	5.5	6.0	6.5	7.5	6.5	57.9	57.5	57.2	57.5	159.8	158.9	159.2	158.36
	6	20.8.2016		6.0	6.2	5.8	5.8	7.5	6.5	6.8	56.6	56.9	54.7	56.7	157.0	157.2	154.8	157.37	
	7	24.8.2016	4th	5.5	5.5	6.2	6.2	6.5	6.3	7.3	7.0	55.8	56.1	56.1	56.3	156.6	157.4	157.6	156.46
	8	27.8.2016		6.0	5.7	5.5	5.7	6.5	6.5	6.2	6.5	56.3	55.6	55.7	57.1	157.1	156.5	156.3	158.68
	9	31.8.2016		5.5	6.5	5.3	5.3	6.0	7.5	6.5	6.5	55.3	54.8	55.8	55.5	156.7	156.0	156.3	157.99
S E P T E M B E R	1	3.9.2016	1st	5.8	5.3	6.3	5.5	6.7	6.8	7.5	6.8	58.0	57.0	57.5	55.8	158.7	158.3	158.6	157.65
	2	7.9.2016		5.5	6.3	5.5	6.3	6.2	7.0	7.5	7.5	55.1	57.5	56.7	54.5	156.2	159.1	158.3	155.96
	3	10.9.2016	2nd	6.2	5.8	6.2	5.8	7.2	6.8	7.5	6.8	56.2	58.3	57.5	56.7	157.0	159.5	157.8	157.17
	4	14.9.2016		5.8	6.3	6.7	5.7	6.8	7.2	7.5	6.5	56.8	55.9	56.3	56.0	157.6	157.6	157.2	157.99
	5	17.9.2016	3rd	6.0	6.0	6.2	6.5	7.5	7.0	7.0	7.0	54.9	52.8	53.6	54.5	155.6	153.8	154.6	157.05
	6	21.9.2016		5.5	5.8	6.2	6.2	6.8	6.8	7.3	7.0	57.7	56.7	55.2	56.7	158.8	157.2	157.0	157.64
	7	24.9.2016	4th	5.5	6.2	6.0	5.8	6.5	7.5	7.0	6.5	57.1	57.6	54.7	56.7	158.6	159.6	155.2	158.66
	8	28.9.2016		6.3	5.7	6.2	6.8	7.5	6.2	7.3	7.0	57.8	57.1	56.3	57.3	158.2	159.6	157.1	159.61

O C T O B E R	1	1.10.2016	1st	5.2	5.8	6.1	5.8	6.8	6.5	7.0	6.6	57.9	56.2	57.8	57.5	158.2	158.7	158.6	158.26
	2	5.10.2016		6.5	6.3	6.6	6.2	7.5	7.3	7.5	7.5	56.6	56.9	56.7	57.1	158.9	157.4	157.7	158.17
	3	8.10.2016	2nd	5.8	5.8	5.5	6.3	6.6	6.5	6.6	7.0	55.4	55.2	55.6	56.6	156.2	156.5	156.8	157.34
	4	13.10.2016		6.6	5.8	6.0	6.5	7.0	6.8	7.0	7.5	56.2	56.6	56.8	56.8	157.1	158.0	157.6	157.35
	5	17.10.2016	3rd	6.0	6.2	5.8	6.5	7.2	7.2	6.8	7.2	57.1	55.1	56.1	57.9	158.9	157.6	158.9	158.57
	6	20.10.2016		6.5	5.5	6.3	5.8	7.5	6.8	7.5	6.8	56.1	56.1	57.7	56.8	158.6	157.6	158.6	157.28
	7	24.10.2016	4th	6.0	6.2	6.6	6.0	7.0	7.5	7.3	7.5	57.5	57.7	58.2	57.7	158.2	159.3	160.1	159.05
	8	27.10.2016		6.3	6.8	6.3	6.8	7.5	7.5	7.5	7.5	56.5	57.1	56.3	56.7	157.4	158.1	158.3	157.55
N O V E M B E R	1	2.11.2016	1st	6.8	6.3	5.8	6.5	7.0	7.0	6.7	7.5	55.8	56.7	56.7	57.3	113.0	157.9	158.1	159.08
	2	5.11.2016		6.5	5.8	6.5	6.0	7.0	6.2	6.7	7.3	58.6	57.0	58.2	57.8	159.1	158.9	159.8	158.77
	3	9.11.2016	2nd	6.8	6.5	6.7	5.5	7.5	7.2	7.2	6.5	56.2	56.4	58.0	58.8	157.1	157.6	160.1	159.06
	4	12.11.2016		6.8	6.6	5.8	6.5	7.0	7.0	6.7	7.0	58.8	57.6	57.0	56.1	159.5	158.4	157.6	157.22
	5	16.11.2016	3rd	5.8	6.8	6.8	6.5	6.0	7.2	7.5	7.5	57.4	56.9	57.4	57.2	158.3	157.2	158.3	158.44
	6	19.11.2016		6.3	6.0	5.3	5.7	7.2	7.5	6.7	6.7	56.4	57.6	56.6	57.9	157.3	158.1	157.8	156.28
	7	23.11.2016	4th	5.5	6.0	6.2	6.2	6.3	7.5	7.2	7.0	54.1	56.0	55.8	56.2	155.6	157.1	156.9	157.52
	8	26.11.2016		5.5	5.5	6.2	6.2	6.6	6.6	7.2	7.0	65.6	56.5	56.1	57.0	156.3	158.1	157.9	157.76
	9	30.11.2016		5.5	5.5	6.2	6.3	6.5	6.5	7.5	7.2	56.5	56.7	55.4	56.3	157.9	158.0	156.1	158.10
D E C E M B E R	1	3.12.2016	1st	6.3	5.5	7.0	6.0	7.5	6.6	8.3	7.5	56.4	57.9	56.3	57.4	158.4	158.9	157.7	158.50
	2	7.12.2016		6.6	6.3	6.0	6.6	6.5	7.2	7.2	7.0	57.8	56.0	57.2	55.8	158.6	156.8	157.5	156.81
	3	10.12.2016	2nd	5.6	7.0	6.8	6.6	6.6	8.0	7.8	7.5	57.3	56.2	55.3	56.1	158.5	157.0	156.2	158.23
	4	14.12.2016		5.5	6.0	5.8	7.2	7.5	7.2	6.6	8.2	56.0	55.5	57.3	57.5	158.5	95.0	158.0	158.62
	5	17.12.2016	3rd	6.5	6.5	6.3	7.0	7.5	7.5	7.3	8.0	57.0	56.2	56.5	56.5	157.0	156.9	45.0	157.17
	6	21.12.2016		6.3	6.6	6.8	6.5	8.0	7.5	7.5	7.5	57.8	57.4	55.6	55.6	32.0	158.0	157.8	156.93
	7	24.12.2016	4th	7.0	6.5	6.5	6.0	7.0	7.5	7.5	7.5	56.2	55.8	56.9	57.2	157.2	157.6	157.2	158.54
	8	28.12.2016		6.2	6.2	6.3	7.0	6.5	7.8	7.5	8.1	57.3	59.5	56.4	56.3	158.1	151.2	157.3	157.50
	9	31.12.2016		5.6	5.5	5.7	5.5	6.5	6.5	6.2	6.5	57.2	58.9	57.5	57.4	166.7	160.3	158.7	158.10
J A N U A R Y	1	4.01.2017	1st	6.3	6.5	6.2	6.2	7.5	7.5	7.5	7.0	59.9	59.8	59.2	56.4	158.0	160.1	160.0	158.10
	2	7.01.2017		6.5	6.2	5.8	5.8	7.5	7.2	6.8	7.0	58.6	58.4	57.6	58.8	160.3	160.4	159.0	160.32
	3	11.01.2017	2nd	6.5	6.2	6.7	6.8	7.3	7.5	7.5	7.5	56.0	56.9	56.4	55.5	158.4	158.4	158.1	157.48
	4	14.01.2017		6.5	6.3	6.8	7.2	7.5	7.5	7.5	8.0	57.7	58.1	58.0	57.8	159.5	159.8	158.0	159.07
	5	18.01.2017	3rd	7.7	7.2	7.3	6.8	9.0	9.0	9.2	8.8	56.0	57.7	58.3	58.0	158.7	158.4	159.7	159.19
	6	21.01.2017		7.5	7.0	6.8	7.0	8.5	9.0	8.7	9.0	57.4	58.2	57.5	58.6	159.3	159.8	158.1	160.01
	7	25.01.2017	4th	6.8	6.7	6.5	7.5	8.2	8.0	8.5	8.5	56.7	57.8	58.2	56.2	158.3	159.7	159.5	158.21
	8	30.01.2017		7.5	7.5	6.8	7.2	8.8	8.5	7.5	8.0	57.7	56.1	57.6	56.6	158.1	159.2	158.4	157.23
F E B R U A R Y	1	2.02.2017	1st	7.5	7.0	7.5	7.0	8.8	8.2	8.8	8.3	57.9	56.9	56.5	57.1	158.2	158.3	157.3	158.06
	2	6.02.2017		6.7	7.3	6.7	6.5	7.8	8.8	7.2	7.3	56.5	57.5	57.3	56.1	158.0	158.7	158.8	158.60
	3	9.02.2017	2nd	7.0	6.5	7.5	7.5	8.5	7.5	8.2	8.0	58.4	58.8	56.3	57.3	160.0	159.0	157.1	159.14
	4	13.02.2017		7.5	6.7	7.0	6.7	8.5	7.5	8.5	7.5	57.8	56.7	58.4	58.4	158.7	159.6	159.9	159.27
	5	16.02.2017	3rd	6.8	7.5	6.8	7.5	7.5	8.5	8.5	8.5	60.3	57.6	59.7	58.0	162.7	158.3	160.5	159.39
	6	20.02.2017		7.5	7.5	7.2	6.5	8.2	8.2	8.2	7.5	57.3	56.9	58.7	58.9	159.1	158.7	159.2	159.09
	7	23.02.2017	4th	7.5	6.5	6.7	7.5	8.2	7.5	7.8	8.5	56.5	57.5	57.1	56.5	159.4	159.9	158.9	158.55
	8	27.03.2017		6.7	7.5	7.5	7.5	7.5	8.5	8.2	8.2	58.8	58.9	58.9	57.7	159.1	159.8	160.3	158.28
M A R C H	1	2.03.2017	1st	7.3	7.2	7.2	7.1	8.9	8.0	8.5	8.2	58.4	57.5	58.4	57.5	159.2	158.2	159.3	158.49
	2	06.03.2017		7.7	7.2	6.8	6.8	7.6	8.1	7.2	7.2	57.5	57.0	57.5	56.0	159.5	152.3	159.0	158.90
	3	09.03.2017	2nd	7.0	6.7	7.2	7.5	8.3	7.3	8.0	8.1	58.9	58.4	58.8	57.6	159.5	160.0	159.8	159.90
	4	13.03.2017		7.4	7.3	7.1	6.7	8.7	7.3	8.2	7.7	57.2	57.9	59.7	58.5	158.5	159.0	160.6	159.48
	5	16.03.2017	3rd	7.0	7.1	6.9	7.3	7.6	8.1	7.9	8.6	52.2	56.5	59.9	58.4	153.9	162.1	160.2	159.92
	6	20.03.2017		7.5	7.4	7.5	6.4	8.2	8.1	8.2	7.6	55.7	56.7	59.7	59.6	157.6	157.7	160.3	159.80
	7	23.03.2017	4th	7.4	6.9	7.0	7.4	8.0	7.7	8.0	8.4	57.7	58.8	59.1	59.5	156.7	161.8	159.4	159.52
	8	27.03.2017		6.9	7.2	7.4	7.2	7.5	8.3	8.1	8.3	59.7	58.6	59.3	57.5	160.3	159.3	159.3	157.55
	9	30.03.2017		7.1	7.4	7.4	7.4	7.7	7.6	8.0	7.5	57.3	56.3	57.8	57.6	157.4	156.9	158.7	160.20
Yearly Avg.				6.3	6.3	6.3	6.3	7.2	7.2	7.3	7.3	57.8	57.6	57.7	57.7	157.2	158.3	157.7	159.0
Yearly Min.				5.2	5.0	5.0	5.2	5.8	6.2	6.0	6.2	52.2	52.8	53.6	54.5	32.0	95.0	45.0	156.0
Yearly Max.				7.7	7.5	7.5	7.5	9.0	9.0	9.2	9.0	65.6	60.8	60.4	62.0	166.7	168.1	161.7	164.5


Vani Patel
Monitored by


Dr. Saurabh Kumar
Mgr.(Env)

Muddapur Limestone Mines, (Karnataka)

(Unit of J.K. Cement Ltd.)

PM_{2.5} MONITORING REPORT FROM APRIL-2016 TO March-2017

Site	Month	Date	Monitoring Location	Parameter PM _{2.5} (µg/m ³)
MUDDAPUR MINE	Apr-16	13.4.2016	A	41.3
		15.4.2016	B	43.5
		16.4.2016	C	42.1
		18.4.2016	D	44.3
MUDDAPUR MINE	May-16	9.5.2016	A	34.2
		11.5.2016	B	41.5
		13.5.2016	C	38.6
		16.5.2016	D	42.6
MUDDAPUR MINE	Jun-16	13.6.2016	A	36.5
		15.6.2016	B	32.4
		17.6.2016	C	30.5
		20.6.2016	D	40.6
MUDDAPUR MINE	Jul-16	5.7.2016	A	36.5
		7.7.2016	B	40.2
		8.7.2016	C	36.4
		9.7.2016	D	40.4
MUDDAPUR MINE	Aug-16	2.8.2016	A	32.2
		4.8.2016	B	34.6
		8.8.2016	C	30.7
		11.8.2016	D	32.6
MUDDAPUR MINE	Sep-16	3.9.2016	A	30.5
		6.9.2016	B	31.6
		7.9.2016	C	30.2
		8.9.2016	D	32.1
MUDDAPUR MINE	Oct-16	3.10.2016	A	31.2
		5.10.2016	B	30.8
		6.10.2016	C	31
		8.10.2016	D	30.6
MUDDAPUR MINE	Nov-16	2.11.2016	A	32.6
		4.11.2016	B	40.5
		8.11.2016	C	36.5
		10.11.2016	D	34.6

MUDDAPUR MINE	Dec-16	2.12.2016	A	32.4
		5.12.2016	B	33.6
		7.12.2016	C	31.4
		9.12.2016	D	32.6
MUDDAPUR MINE	Jan-17	4.1.2017	A	31.5
		6.1.2017	B	32.4
		9.1.2017	C	30.8
		11.1.2017	D	31.6
MUDDAPUR MINE	Feb-17	2.2.2017	A	32.5
		4.2.2017	B	30.6
		6.2.2017	C	31.5
		9.2.2017	D	32.8
MUDDAPUR MINE	Mar-17	3.3.2017	A	31.8
		4.3.2017	B	30.4
		6.3.2017	C	31.9
		7.3.2017	D	33.1
Minimum				30.2
Maximum				44.3
Average				34.48


 Vani Patil
 Monitored by


 Dr. Saurabh Kumar
 Mgr.(Env)

MUDDAPUR LIME STONE MINES, (KARNATAKA)

(Unit : J.K. Cement Ltd.)

Fugitive Emission Monitoring Report of Muddapur mines for the month of April-2016 to March-2017

Sl. No.	Month/Year	SPM (µg/m ³)				
		Loading Area	Drilling Area	Haulage Area	Waste Dumping Site	Service Road
1	Apr-16	564.68	496.85	592.77	554.42	424.56
2	May-16	499.33	484.93	460.89	570.50	567.36
3	Jun-16	462.04	552.60	458.50	421.09	458.17
4	Jul-16	418.75	523.6	497.0	425.0	506.3
5	Aug-16	533.23	530.9	486.5	488.6	542.0
6	Sep-16	558.58	492.7	482.3	504.7	551.5
7	Oct-16	544.50	695.60	577.90	775.12	669.50
8	Nov-16	532.60	672.60	523.51	724.10	568.20
9	Dec-16	508.20	705.60	548.60	713.60	592.60
10	Jan-17	543.40	699.5	578.9	774.1	670.9
11	Feb-17	532.40	674.4	522.7	725.4	565.3
12	Mar-17	507.20	706.8	549.4	714.1	595.9
Minimum		418.7	484.9	458.5	421.1	424.6
Maximum		564.7	706.8	592.8	775.1	670.9
Average		517.1	603.0	523.2	615.9	559.4


 Vani Patil
 Monitored by


 Dr. Saurabh Kumar
 Mgr.(Env).

Muddapur Limestone Mines (Karnataka)

(Unit: J.K. Cement Ltd.)

Noise monitoring report of Muddapur mines (Core zone) for the month of April-2016 to March-2017

Sl.No.	Time	Month	Muddapur Mines boundary	Muddapur Mines Office	Muddapur mines Drilling Time	Muddapur mines Waste dumping site	Muddapur mines Service Road
1	Day	Apr-16	50.2	44.5	52.8	48.7	47.3
	Night		39.6	36.7	—	35.4	34.5
2	Day	May-16	50.2	46.2	55.4	49.5	46.5
	Night		41.6	36.8	—	35.4	35.5
3	Day	Jun-16	49.6	47.5	54.2	50.2	45.8
	Night		40.2	35.6	—	38.4	36.2
4	Day	Jul-16	50.2	46.5	52.4	48.6	44.6
	Night		39.6	35.2	—	36.2	35.8
5	Day	Aug-16	49.2	45.2	52.8	48.5	45.2
	Night		38.5	35.6	—	36.8	36.4
6	Day	Sep-16	50.2	47.6	51.6	49.5	46.4
	Night		40.7	36.5	—	35.2	35.4
7	Day	Oct-16	52.4	49.5	65.8	52.4	50.2
	Night		42.6	38.2	-	41.8	40.5
8	Day	Nov-16	50.4	50.6	62.3	51.7	56.8
	Night		40.5	38.5	-	41.6	44.3
9	Day	Dec-16	50.4	49.6	60.2	54.6	52.5
	Night		42.5	38.4	-	42.6	41.5
10	Day	Jan-17	48.5	44.7	47.5	46.2	45.8
	Night		35.4	34.8	-	33.8	32.5
11	Day	Feb-17	42.6	40.8	41.2	44.8	46.5
	Night		33.5	32.8	—	35.2	36.1
12	Day	Mar-17	54.2	54.3	61.5	45.8	52.1
	Night		40.6	41.5	—	38.4	40.7
Average		Day	49.84	47.25	54.81	49.21	48.31
		Night	39.61	36.72	#DIV/0!	37.57	37.45
Minimum		Day	42.60	40.80	41.20	44.80	44.60
		Night	33.50	32.80	0.00	33.80	32.50
Minimum		Day	54.20	54.30	65.80	54.60	56.80
		Night	42.60	41.50	0.00	42.60	44.30


Vani patil
Monitored by


Dr. Saurabh Kumar
Mgr. (Env.)