



Phone : +91-1477-220098, 220087
Fax : +91-1477-220027, 220049
E-mail : jkc.nbh@jkcement.com
Web : www.jkcement.com

J.K. Cement Works
Kailash Nagar - 312617, Nimbahera
Distt. Chittorgarh (Raj.) INDIA

CIN : L17229UP1994PLC017199

ISO 9001:2015 | ISO 14001:2015 | ISO 45001:2018 | ISO 50001:2011 CERTIFIED COMPANY

NBH/PC-14/C14/

Regd.AD.

Date: 26.11.2020

To,
The Director,
Indira Paryavaran Bhavan,
JOR Bagh Road,
Near JOR bagh Metro station
New Delhi 110003

Sub: Environmental Clearance Compliance report of Nimbahera-Ahirpura Limestone Mine.

Ref.: EC letter no. - J-11015/83/2004-IA.II dated. 30th May 2005

Dear Sir,

Kindly refer to the above subject matter and refer EC letter no., please find attached herewith compliance of EC for the period of **April'2020 to September'2020**.

As per MoEF & CC notification no. S.O. 5845 (E) 26.11.2018 the soft copy of same has been sent through email to rocz.lko-mef@nic.in, moef@nic.in, m_env@rediffmail.com, ccb.cpcb@nic.in, member-secretary@rpcb.nic.in, cpcb.bhopal@gmail.com monitoring-ec@nic.in.

We hope that the compliance is in order. Thanking you.

Yours Faithfully
For J.K. Cement Works, Nimbahera

Anil Kumar Jain
Sr. General Manager- Environment

Enclosed: as above

Copy to:

- 1.The Director,Ministry of Environment, Forests & Climate Change,Regional office (Central Region), Kendriya Bhawan, 5th Floor, Sector 'H' , Aliganj, lucknow-226020 (U.P.)
- 2.The Chairman, Central Pollution Control Board ,Parivesh Bhawan, CBD-CUM office complex, East Arjun Nagar, Maharaja Surajmal Marg, Vishwas Nagar Extension, Viswas nagar Shahdara- Behind Karkarduma high court New Delhi-11032
3. Member Secretary, Rajasthan State Pollution Control Board, 4, Institutional Area, Jhalana Doongri, Jaipur - 302004 (RAJASTHAN)

Corporate & Registered Office : Kamla Tower, Kanpur-208001, (U. P.) INDIA
Phone : +91-512-2371478 to 81 Fax : 2399854 E-mail : ho.grey@jkcement.com






J. K. Cement Works, Nimbahera
J. K. Cement Works Mangrol
J. K. Cement Works, Gotan
J. K. Cement Works, Jharli



J. K. Power, Bamania
J. K. Cement Works, Muddapur
J. K. White Cement Works, Gotan
J. K. White, Katni









Certification of Environmental Clearance Compliances

PROPONENT: J.K. CEMENT WORKS, NIMBAHERA (RAJ.)		Period from April' 2020 to September' 2020
PROJECT:	Expansion of Nimbahera-Ahirpura Lime Stone Mine (M.L. No.-2/97)- Limestone - 1.4 MTPA to 2.0 MTPA, Villages – Nimbahera & Ahirpura, Tehsil- Nimbahera, District- Chittorgarh, Rajasthan.	
Environment Clearance issued from MOEF, IA Division, New Delhi vide letter No. J-11015/83/2004-IA.II dated 30.05.2005		
S. No.	Condition	Status
	(A) Specific Conditions	
(I)	The environmental clearance is subject to approval of the State Land use Department, Government of Rajasthan for diversion of agricultural land for non-agricultural use.	Complying with. The lease was granted on 30.12.1967 in the favour of J.K. Cement Works. Mining lease was initially executed on 23.02.1968 and it was renewed (First renewal) from 26.04.1989. Private land is used only after diversion for non-agriculture use from state revenue department. Copy of Land acquired under section 7 of Land Revenue Rules 1955 for mining purpose is enclosed as Annexure-I
(II)	Topsoil and wastes, if any, should be stacked properly with proper slope at earmarked site(s) with adequate measures and should be used for reclamation and rehabilitation of mined out area.	Complying with. The Top soil generated during mining operation is being used for plantation. Photographs enclosed as Annexure-II  The quantity of overburden till 30 th Sept' 2020 total was 471511.61 MT and is stacked within ML area at earmarked site.  The quantity of subgrade mineral till 30 th Sept' 2020 was 413179.71.MTand is stacked within ML area at earmarked site. 
(III)	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil and mineral dumps. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted and maintained properly.	Complied with. Constructed garland drains and siltation ponds at the following locations: To collect run off water from subgrade dump and waste dump, garland drain and siltation pit has been constructed. Details are given below: -

Certification of Environmental Clearance Compliances

	<p>Garland drain (size, gradient & length) and sump capacity should be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material.</p>	<table><tr><td>Garland drain</td><td>Dimension</td></tr><tr><td>East side of Subgrade and waste dump</td><td>Length – 430 m Width – 1.0 m Depth -- 1.0 m</td></tr></table> <p>Total available rainwater in single day (considering maximum 50 mm rainfall)</p> <p>1. Overburden waste dump (area) X rainfall (m) X Runoff coefficient (20%)</p> <p>26140 m² X 0.05 M X 0.20 = 261.4 M³ and considering 50% safety margin then total capacity of siltation pond should be 522.8 m³.</p> <p>2. Subgrade stack (area) X rainfall (m) X Runoff coefficient (20%)</p> <p>24330 M² X 0.05 M X 0.20 = 243.3 M³ and considering 50% safety margin then total capacity of siltation pond should be 486.6 m³.</p> <p>3. Embankment dump (area) X rainfall (m) X Runoff coefficient (20%)</p> <p>37140 M² X 0.05 M X 0.20 = 371.4 M³ and considering 50% safety margin then total capacity of siltation pond should be 742.8 m³.</p> <p>Total rain water collection capacity of siltation pit requires = 1752.2 m³</p> <p>Constructed one siltation pit with dimension as given below: -</p> <table><tr><td>Sr. No.</td><td>Length (M)</td><td>Width (M)</td><td>Depth (M)</td><td>Capacity M³)</td></tr><tr><td>1.</td><td>17</td><td>17</td><td>3</td><td>867</td></tr><tr><td>2.</td><td>18</td><td>17</td><td>3</td><td>918</td></tr><tr><td colspan="4">Total</td><td>1785</td></tr></table> <p>The storm water is being collected to garland drain from the periphery of the subgrade and the waste dump area routed to siltation pond. The collected water is being used for plantation and water sprinkling on haul road. Photographs is enclosed as Annexure-III</p> <div></div>	Garland drain	Dimension	East side of Subgrade and waste dump	Length – 430 m Width – 1.0 m Depth -- 1.0 m	Sr. No.	Length (M)	Width (M)	Depth (M)	Capacity M ³)	1.	17	17	3	867	2.	18	17	3	918	Total				1785
Garland drain	Dimension																									
East side of Subgrade and waste dump	Length – 430 m Width – 1.0 m Depth -- 1.0 m																									
Sr. No.	Length (M)	Width (M)	Depth (M)	Capacity M ³)																						
1.	17	17	3	867																						
2.	18	17	3	918																						
Total				1785																						
(IV)	<p>Green belt should be raised within and out site lease area and also along the roads. In addition to the existing 30.81 ha area brought under plantation, an</p>	<p>Complied with</p> <ul style="list-style-type: none">• Total ML area 403.1875 ha.• Total used ML area till date is 102.27 ha• Required plantation in 33% of used ML area is 33.75 ha.																								

Certification of Environmental Clearance Compliances

	<p>additional area of 2.2 ha. should be brought under green belt development by planting the native plant species in consultation with local DFO/ Agriculture Department. The density of the trees should be around 2500 plants per ha.</p>	<ul style="list-style-type: none"> Plantation has been done in an area of 63.99 ha (includes 47.94 ha within ML and 16.05 ha outside the lease area) till 30.09.2020 and in 1.116 ha of 7.5 m wide safety zone of ML boundary with 300807 numbers of plantation. Total 7.5 m safety zone area is 1.84 ha, out of which 1.116 ha area has been planted and remaining 0.724 ha will be completed by Sept. 2021. Plantation density is 4700 numbers/ ha against the EC condition of 2500 saplings /ha. Geotag photographs are enclosed Annexure –IV. <div style="display: flex; flex-wrap: wrap;">     </div>												
(V)	<p>The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Control Ground Water Board.</p>	<p>Complied with</p> <p>Surface water during rainy season is collected in the lower bench of the mine to augment ground water resources.</p> <p>Recharge Pit measuring 160mx51mx3.5m has been constructed in south side of cement plant to collect rainy water to augment water resources of nearby area. Photographs is enclosed as Annexure-V.</p> <div style="display: flex;">   </div>												
(VI)	<p>Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year - pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central</p>	<p>Complied with.</p> <ul style="list-style-type: none"> Ground water monitoring has been carried out by third party M/s Mitra S.K. Private Limited who is NABL accredited Laboratory. Ground water level and quality report has been submitted regularly to MOEF&CC, Central Ground Water Authority and Regional Director Central Ground Water Board. <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Season</th><th>Date of Monitoring</th><th>Annexure-</th></tr> </thead> <tbody> <tr> <td>Pre- Monsoon, (April-May)</td><td>28.05.2020</td><td rowspan="4" style="text-align: center; vertical-align: middle;">VI</td></tr> <tr> <td>Monsoon, (August)</td><td>02.08.2020</td></tr> <tr> <td>Post Monsoon, (November)</td><td>14.11.2019</td></tr> <tr> <td>Winter, (January)</td><td>15.01.2020</td></tr> </tbody> </table>	Season	Date of Monitoring	Annexure-	Pre- Monsoon, (April-May)	28.05.2020	VI	Monsoon, (August)	02.08.2020	Post Monsoon, (November)	14.11.2019	Winter, (January)	15.01.2020
Season	Date of Monitoring	Annexure-												
Pre- Monsoon, (April-May)	28.05.2020	VI												
Monsoon, (August)	02.08.2020													
Post Monsoon, (November)	14.11.2019													
Winter, (January)	15.01.2020													

Certification of Environmental Clearance Compliances

Ground Water Authority and Regional Director Central Ground Water Board.

➤ The details of ground water level (m) during different seasons is given below:


S. No	Location of Piezometer	Pre-monsoon (28.05.2020)	Monsoon (02.08.2020)	Post Monsoon (14.11.2019)	Winter (15.01.2020)
1.	East of pit near Road	36.58	16.0	6.80	12.18
2.	North of pit	46.92	40.52	17.10	29.80
3.	North west of pit near Sharda well	37.18	29.0	7.80	18.95
4.	West of pit Devi Lal field	40.62	17.50	6.56	11.26

➤ Ground water monitoring report are as below


S. No.	Parameter	Results (Ahirpura Block)			
		Pre-monsoon (29.05.2020)	Monsoon (14.08.2020)	Post Monsoon (06.11.2019)	Winter (10.01.2020)
1	pH at 28 °C	7.41	7.85	6.81	7.6
2	Conductivity at 25° in umhos/cm	516	642	474	799
3	Colour in Hazen	Clear	<1.0	<1.0	<1.0
4	Turbidity in N.T.U.	1.2	3.6	3.0	<1.0
5	Total Dissolved Solid in mg/l	309	372	249	447
6	Total Suspended Solid in mg/l	44	7.2	3.5	<2.5
7	Total Hardness as CaCO ₃ in mg/l	150	184	192	352
8	Calcium as Ca in mg/l	120	33	52	152
9	Magnesium as Mg in mg/l	30	24	15	6.7
10	Total alkalinity as CaCO ₃ in mg/l	96	274	140	361
11	Chloride as Cl in mg/l	52	36	39	30.2
12	Oil & Grease in mg/l	1.0	<1.4	<3.0	<3.0
13	Fluoride as F in mg/l	0.34	0.44	0.19	0.22
14	Iron as Fe in mg/l	<0.05	0.07	0.28	<0.05

S. No.	Parameter	Results (Murlia Block)			
		Pre-monsoon (29.05.2020)	Monsoon (14.08.2020)	Post Monsoon (02.12.2019)	Winter (15.01.2020)
1	pH at 28 °C	7.3	7.72	6.59	7.1
2	Conductivity at 25° in umhos/cm	711	738	1006.0	805
3	Colour in Hazen	Clear	<1.0	<1.0	<1.0
4	Turbidity in N.T.U.	1.5	<1.0	2.0	1.2
5	Total Dissolved Solid in mg/l	426	442	584	451
6	Total Suspended Solid in mg/l	41	<2.5	<2.5	<2.5
7	Total Hardness as CaCO ₃ in mg/l	280	270	457	352
8	Calcium as Ca in mg/l	208	75	158	130
9	Magnesium as Mg in mg/l	74	20	15	6.7

Certification of Environmental Clearance Compliances

		10	Total alkalinity as CaCO ₃ in mg/l	204	175	301	254
		11	Chloride as Cl in mg/l	50	58	85	60.3
		12	Oil & Grease in mg/l	1.1	<1.4	<3.0	<3.0
		13	Fluoride as F in mg/l	0.46	0.30	0.56	0.54
		14	Iron as Fe in mg/l	0.03	<0.05	<0.05	0.09
(VII)	The project authorities should obtain prior approval of the competent authority for drawal of groundwater required for the project.	Complied with. NOC has been obtained for withdrawal of ground water from CGWA vide letter No 21-4(34)/WR/CGWA/2005-907 dated 14/05/2018 and amended dated 28/05/2018. Renewal of NOC has been applied on 12.02.2020. Copy enclosed as Annexure- VII					
(VIII)	Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with Regional Director, CGWB.	Complied with. Surface water during rainy season is collected in the lower bench of the mine to augment ground water resources. Recharge Pit measuring 160mx51mx3.5m has been constructed in south side of cement plant to collect rainy water to augment water resources of nearby area. Please refer Annexure-V.					
(IX)	The mineral handling plant should be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	Complied with. Regular water spraying arrangement on haul roads and on blast material before loading is done to control of fugitive emission. Photographs are enclosed as Annexure -VIII. 					
(X)	Consent to operate should be obtained from SPCB for the enhanced production.	Complied with. Obtained vide letter No. F (Mines)/Chittorgarh (Nimbahera)/1869(1)/2017-2018/ 2136 - 2140 dated 20.06.2017 (for five years) under air and water act. Copy enclosed as Annexure-IX.					
(XI)	Vehicular emission should be kept under control and regularly monitored.	Complying with. Vehicle emission is being monitored regularly. Copy of PUC is enclosed as Annexure-X					
(XII)	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.	Complied with. Mining is being done by controlled blasting technology. Use of sequential blasting Machine (SBM) Delay Detonator, Non Electric detonator, Regular monitoring of ground vibration is being practised. Maximum peak particle velocity result as given as below: - QTR 01 (April 20 to June 20) = 2.885 mm/sec QTR 02 (July 20 to Sep 20) = 3.245 mm/sec					
(XIII)	Drills should either be operated with dust extractors or should be equipped with water injection system.	Complied with. Arrangement of wet drilling in all drill M/C has been provided to suppress the dust. Photographs is enclosed as Annexure-XI.					


Certification of Environmental Clearance Compliances

			
(XIV)	Digital processing of the entire lease area using remote sensing technique should be done regularly once in three years for monitoring land use pattern and report submitted to MOEF and its regional office.	Complying with. Digital processing report of the entire lease area has been submitted on 02/03/2020 vide Letter No. - NBH/PC-14/C14/5907.	
(XV)	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Will be complied. Presently it is a working mine and will expire on 31.03.2030 and final closure plan will be submitted due course of time.	
	(B) General Conditions :-		
(I)	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forests.	Complying with. Mining is being done in accordance with approved Review of Mining Plan.	
(II)	No change in the calendar plan including excavation, quantum of mineral limestone and waste should be made.	Complying with. Mining is being done in accordance with approved Review of Mining Plan.	
(III)	Conservation measures for protection of flora and fauna in the core & buffer zone should be drawn up in consultation with the local forest department and experts.	Complying with. The Wildlife conservation plan has been prepared for six nos. of the following Schedule-I species found in the buffer area during the survey: - (a.) <i>Pavocristatus</i> (Indian Peafowl), (b.) <i>Pantherapadusfusca</i> (Indian Leopard), (c.) <i>Prionailurusrubiginosus</i> (Rusty-Spotted Cat), (d.) <i>Canis lupus pallipes</i> (Indian Wolf), (e.) <i>Varanusbengalensis</i> (Indian Monitor Lizard) & (f.) <i>Gyps indicus/Gyps bengalensis</i> (Indian Vulture) The DFO, Chittorgarh has approved and forwarded conservation plan to the Chief Conservator of Forest (Wildlife), Udaipur who has further approved and forwarded the same Wildlife Conservation Plan to the Additional Principal Conservator of Forest vide letter no. f 5(f)forest conservation/ Principal conservator of Forest/ 2020-21/ 5002 dated 24.09.2020 for final approval. Copy is enclosed as Annexure-XII.	
(IV)	At least four ambient air quality monitoring station should be	Complied with. Monitoring report is being sent to the concerned authority on six	

Certification of Environmental Clearance Compliances

	<p>established in the core zone as well as the buffer zone for RPM, SPM, SO₂, Nox, and CO monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Data on ambient air quality (RPM, SPM, SO₂, Nox, and CO) should be regularly submitted to the Ministry including its Regional Office at Lucknow and to the State Pollution Control Board / Central Pollution Control Board once in six months.</p>	<p>monthly basis.</p> <p>Rajasthan State Pollution Control Board has carried out Ambient air quality and Noise monitoring on dated 09.07.2020 and by M/s Mitra S.K. Pvt. Ltd. who is NABL accredited Laboratory on 14.09.2020 are enclosed as Annexure-XIII. Emission level area well within the norms.</p> <table><tr><th>Date</th><th>AAQ monitoring Location</th><th>PM 10</th><th>PM2.5</th><th>SO₂</th><th>NO_x</th><th>CO</th></tr><tr><td rowspan="8">14.09.2020 & 15.09.2020 (By M/s Mitra S.K. Pvt. Ltd)</td><td>Near Water pump house (ahirpura block)</td><td>42</td><td>28</td><td>7.4</td><td>31.2</td><td>0.72</td></tr><tr><td>Near Mine Office (Ahipura block)</td><td>51</td><td>32</td><td>11.4</td><td>22.9</td><td>0.62</td></tr><tr><td>Near Mine Office (Murlia bloack)</td><td>46</td><td>25</td><td>8.5</td><td>27</td><td>0.52</td></tr><tr><td>Near Ravana Office (Murlia bloack)</td><td>51</td><td>28</td><td>10.7</td><td>30.5</td><td>0.86</td></tr><tr><td>Murlia Village</td><td>48</td><td>25</td><td>9.7</td><td>26.1</td><td>0.57</td></tr><tr><td>Ahipura Village</td><td>49</td><td>20</td><td>11.9</td><td>18.1</td><td>0.42</td></tr><tr><td>Karunda Village</td><td>65</td><td>41</td><td>12.1</td><td>26.3</td><td>0.16</td></tr><tr><td>Charlia Gadia Village</td><td>49</td><td>33</td><td>21.2</td><td>23.2</td><td>0.38</td></tr></table>	Date	AAQ monitoring Location	PM 10	PM2.5	SO ₂	NO _x	CO	14.09.2020 & 15.09.2020 (By M/s Mitra S.K. Pvt. Ltd)	Near Water pump house (ahirpura block)	42	28	7.4	31.2	0.72	Near Mine Office (Ahipura block)	51	32	11.4	22.9	0.62	Near Mine Office (Murlia bloack)	46	25	8.5	27	0.52	Near Ravana Office (Murlia bloack)	51	28	10.7	30.5	0.86	Murlia Village	48	25	9.7	26.1	0.57	Ahipura Village	49	20	11.9	18.1	0.42	Karunda Village	65	41	12.1	26.3	0.16	Charlia Gadia Village	49	33	21.2	23.2	0.38
Date	AAQ monitoring Location	PM 10	PM2.5	SO ₂	NO _x	CO																																																				
14.09.2020 & 15.09.2020 (By M/s Mitra S.K. Pvt. Ltd)	Near Water pump house (ahirpura block)	42	28	7.4	31.2	0.72																																																				
	Near Mine Office (Ahipura block)	51	32	11.4	22.9	0.62																																																				
	Near Mine Office (Murlia bloack)	46	25	8.5	27	0.52																																																				
	Near Ravana Office (Murlia bloack)	51	28	10.7	30.5	0.86																																																				
	Murlia Village	48	25	9.7	26.1	0.57																																																				
	Ahipura Village	49	20	11.9	18.1	0.42																																																				
	Karunda Village	65	41	12.1	26.3	0.16																																																				
	Charlia Gadia Village	49	33	21.2	23.2	0.38																																																				
(V)	<p>The data on environmental quality should be collected and analysed either through an in-house environmental laboratory established with adequate number and type of pollution monitoring and analysis equipment or got analysed through an approved laboratory under the Environment (Protection) Rules, 1986 in consultation with the State Pollution Control Board.</p>	<p>Complying with.</p> <p>Environment quality monitoring through in-house well equipped Environment Laboratory is being carried out regularly.</p> <p>In addition, monitoring is also being done by M/s Mitra S.K. Pvt. Ltd. who is NABL accredited Laboratory on quarterly basis. Photographs of in house laboratory is enclosed as Annexure-XIV.</p>																																																								
(VI)	<p>Fugitive dust emissions from all the sources should be controlled regularly monitored and data recorded properly. Water spraying arrangements on haul</p>	<p>Complied with.</p> <p>Regular water spraying arrangement on haul roads and on blast material before loading is practiced to control of fugitive emission. For photographs please refer Annexure -VIII.</p>																																																								

Certification of Environmental Clearance Compliances

	roads, wagon loading, dumps, loading & unloading points should be provided and properly maintained.	
(VII)	Adequate measures should be taken for control of noise levels within prescribed standards. Workers engaged in blasting and drilling operations, operations of HEMM, etc. should be provided with ear plugs/muffs.	<p>Complying with.</p> <p>Regular maintenance (including cabin) of HEMM being done to keep noise level within the specified limits.</p> <p>Ear plugs has been provided to workers engaged in operation of HEMM etc.</p>
(VIII)	Industrial wastewater (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422(E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of effluents from workshop.	<p>Complied with.</p> <p>Water collected from washing of HEMM in pit is used for dust suppression in coal crusher after removal of oil and grease contents and trapped oil and grease is sent to authorized recycler.</p>
(IX)	<p>Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and healthy aspects.</p> <p>Occupational health surveillance programme of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.</p>	<p>Complying with.</p> <p>PPEs have been provided and used by the persons engaged in drilling, dozing and loading. VT is being provided as under required VT Rules. Regular periodic check-up of workers is being carried out. Till date no any abnormality is observed.</p> 
(X)	Environmental laboratory should be established with adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board.	<p>Complied with.</p> <p>Well-equipped environmental laboratory has been established.</p>
(XI)	A separate environmental management cell with suitable qualified personnel should be set up under the control of a senior Executive, who will report directly to the Head of the organisation.	<p>Complied.</p> <p>A separate environmental management cell with qualified personnel has been established & has sufficient monitoring equipment in environmental laboratory. The hierarchy structure of environmental cell is enclosed as Annexure- XV.</p>
(XII)	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year-wise expenditure should be reported to the Regional Office, Lucknow of the MOEF	<p>Complying with.</p> <p>A separate fund is kept for environment protection measures and report is being sent regularly to the concerned authority. Environment budget kept for FY 2020-21 is Rs. 53.366 lacs and expenditure during FY 2019-20 is Rs. 55,51,367/-, detail is enclosed as Annexure – XVI.</p>

Certification of Environmental Clearance Compliances

	and to the Ministry.	
(XIII)	The Regional Office of this Ministry located at Lucknow shall monitor compliance of the stipulated conditions. The Project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing requisite data/information/monitoring reports.	Noted and is/will be extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.
(XIV)	A copy of the clearance letter will be marked to the concerned Panchayat / local NGO, if any, from whom any suggestions / representation has been received while processing the proposal.	Complied.
(XV)	The project authorities should inform to the Regional Office located at Lucknow regarding date financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Complied.
(XVI)	State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's / Tehsildar's Office for 30 days.	Complied.
(XVII)	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at web site of the Ministry of Environment and Forest at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Lucknow.	Complied. Copy is enclosed as Annexure- XVII.

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक/रा.ले./2010-11/119

दिनांक 14.02.2011

15


न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 62/2010 रे.वि., निर्णय दिनांक 30.11.2010 एवं श्रीमान् तहसीलदार निम्बाहेडा के आदेश क्रमांक भू.अ./2010-11/9 दिनांक 7.01.2011 की पालना में निर्णयानुसार मौजा अहीरपुरा तहसील निम्बाहेडा की आराजी नं. 185/38 रकबा 1 बीघा 19 बिस्वा लगानी 1.69 रु. भूमि पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

राजस्थान लेखा मेन्यूअल के अनुच्छेद 29 के अनुसार सरफेसरेन्ट की राशी क्षेत्रफल 1 बीघा 19 बिस्वा लगानी 1.69 रु. पूर्णांक में 2.00 रुपया अक्षरे दो रुपया वर्ष 2010-11 से प्रतिवर्ष वसूल होंगे।


तहसीलदार, निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का बड़ोलीघाटा को भेजकर लेख है कि सरफेसरेन्ट की राशी 2/- रुपया अक्षरे दो रुपया की डिमाण्ड कायम कर वर्ष 2010-11 से वसूल किया जावे एवं राजस्व रेकॉर्ड में अमल करें।
2. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
3. कार्यालय प्रति।


तहसीलदार, निम्बाहेडा

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक/राजस्व लेखा/2006-07/54976551

दिनांक 21/9/06

कार्यालय श्रीमान जिला कलेक्टर महोदय चित्तीडगढ़ के पत्र क्रमांक/राजस्व/खनन अना./12-12(25)06/869 दिनांक 10/05/2006 के आदेश अनुसार मैसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को ग्राम निम्बाहेडा के खसरा नं.44 रकबा 4.18 बीघा लगानी 7.31 रु., खन. 1986/44 रकबा 0.14 बीघा लगानी 0.50 रु., खन.115 रकबा 2.08 बीघा लगानी 3.56 रु., खन. 108 रकबा 4.09 बीघा लगानी 4.44 रु., खन.1986/44 रकबा 0.14 बीघा लगानी 0.50 रु., एवं खन. 1987/50 रकबा 5.01 बीघा लगानी 2.25 रु. कुलकिता 5 रकबा 17.10 बीघा लगानी 18.06 रु. पर खनन कार्य हेतु स्वीकृत की गई है।

उक्त भूमि का सरफेस रेंट राजस्थान राजस्व लेखा मेन्सुअल 1972 के अनुच्छेद 29 के अनुसार सरफेसरेन्ट की दर एक रुपया प्रति बीघा से 18.06 रु. पूर्णक में 19/-रुपया अक्षरे उन्नीस रुपया प्रति वर्ष वसूल होंगे।

550
21/9/06

प्रतिनिधी:-

550
तहसीलदार निम्बाहेडा

1. पटवारी हल्का निम्बाहेडा को भेजकर लेख है कि वर्ष 2006-2007 से डिमांड कायम कर वसूली की जावे।
2. मैसर्स जे. के. सीमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
3. कार्यालय प्रति। *जे.के. सिमेन्ट वर्क्स*

[Signature]
तहसीलदार निम्बाहेडा

कार्यालय उपखण्ड अधिकारी, निम्बाहेडा

क्रमांक/राजस्व/आबादी/2002/2854-58

दिनांक 31 जुलाई, 2002

संशोधन - आदेश

इस कार्यालय के आदेश सम संख्या/क्रमांक/रीडर/आबादी/87/861 दिनांक 4. 9. 87 से कस्बा निम्बाहेडा में स्थित बिजानाम, रास्ता, च रेखा, नाली, मटवेड के निम्न नम्बरान को सहचन से नगरपालिका निम्बाहेडा के आबादी विस्तार हेतु प्रदान की गई थी, प्रकरण में तहसीलदार निम्बाहेडा ने उनके प्रकां रा. नं./2002/147 दिनांक 15/3/2002 से सूचित किया कि निम्न खसरा नम्बरान पर जे. के. सीमेन्ट वर्क्स की माइन्स कार्यरत है, तथा इन्हीं नम्बरान को सहायक अभियन्ता खनिज ने भी जे. के. सीमेन्ट वर्क्स निम्बाहेडा की माइन्स लीज होना प्रमाणित किया है।

अतः कार्यालय के आदेश/रीडर/आबादी/87/861 दिनांक 4. 9. 87 में निम्न प्रकार से संशोधन कर, जे. के. सीमेन्ट वर्क्स के माइन्स लीज परिया को आबादी से पृथक कर पुनः जे. के. सीमेन्ट वर्क्स निम्बाहेडा को माइनिंग लीज हेतु प्रदान की जाती है।

खसरा नम्बरान निम्न प्रकार से हैं:-

क्रम सं	खसरा नम्बर	कुल क्षेत्रफल		माइन्स लीज परिये में क्षेत्रफल	
		बिघा	बिस्वा	बिघा	बिस्वा
1.	34	25	17	18	17
2.	38	10	05	10	05
3.	43	04	04	04	04
4.	45	32	04	17	00
5.	47	10	13	09	05
6.	48	04	14	04	14
7.	49	00	06	00	06
8.	50	54	19	54	19
9.	55	01	00	01	00
10.	56	00	08	00	08
11.	57	00	03	00	03
12.	59	03	11	03	11
13.	60	03	01	03	01
14.	61	00	18	00	18
15.	62	02	02	02	02
16.	65 ग्री.	28	10	28	10
17.	67 ग्री.	16	16	16	16
18.	98	02	05 ✓	02	05 ✓
19.	101	03	12	03	12
20.	102	02	17	02	17
21.	103	04	18	04	18
22.	105	01	17	01	17
23.	107	02	12	02	12
24.	109	00	15	00	15
25.	110	04	03	04	03
26.	114	00	15	00	15
27.	121	02	13	02	13
28.	122	01	12	01	12
29.	133	03	02	03	02
30.	143	04	16	04	16
31.	152	00	17	00	17
32.	157	00	16	00	16
33.	योगफल 32	239	01	213	09

३५- '2'

उपखण्ड अधिकारी, निम्बाहेडा

कार्यालय तहसीलदार निम्बाहेडा जिला चित्तौडागढ {राज०}

क्रमांक/राजस्व/लेखा/99/295

दिनांक:- 19-8-99

न्यायालय श्रीमान जिला कलेक्टर म्होदय चित्तौडागढ के प्रकरण सं064/98 रे0वि0निर्णय दि0 25.2.99 तथा राजस्व लेखा शाखा तहसील निम्बाहेडा के आदेश क्रमांक/राजस्व/99/136/ दिनांक 8.3.99 की पालना में निर्णयानुसार भोजा निम्बाहेडा की आराजी नं0 39 रकबा 9 बिघा 5 बिस्वा भूमि मेसर्स जे0के0 सीमेन्ट वर्क्स निम्बाहेडा को खनन कार्य की स्वीकृति प्रदान की गई है 1

राजस्व लेखा मैनुअल के अनुच्छेद 29 के अनुसार सरपेसरेन्ट की राशि एक रुपया प्रतिबिघा की दर से उक्त 9 बिघा 5 बिस्वा भूमि के लिये सरपेस रेन्ट छ 9/-रु 25 पेसा पूर्णांक 10/-रु दस रुपया प्रतिवर्ष 1998-99 से वसूल होंगे 1

Sd/-
तहसीलदार निम्बाहेडा

प्रतिलिपि:-

1 {पटवारी हल्का निम्बाहेडा को भेज कर लेख है कि डिमाण्ड कायम कर वर्ष 98-99 से सरपेसरेन्ट 10/-रु दस रुपया वसूल किया जावे 1

✓ 2 {मेसर्स जे0के0सीमेन्ट वर्क्स निम्बाहेडा को पालनार्थ

3 {कार्यालय प्रति

तहसीलदार निम्बाहेडा

कार्यालय तहसीलदार, निम्बाहेड़ा, जिला- चित्तौड़गढ़ (राज.)

क्रमांक/राजस्व/2017-18/1120

दिनांक: 5/10/17

आदेश

न्यायालय श्रीमान् जिला कलक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 42/2016 रे.वि., निर्णय दिनांक 30.08.2016 एवं आदेश क्रमांक/सरिस्ता/प्र.सं./35/2017 (रे.वि.)/690 दिनांक 22 सितम्बर 2017 की पालना में निर्णयानुसार मीजा बांसा तहसील निम्बाहेड़ा की आ.नं. 241 रकबा 1.01 हेक्टर किस्म बारानी 4 लगान 5.05 रुपये पर मेसर्स जे.के. सीमेन्ट वर्क्स, निम्बाहेड़ा को खनन कार्य करने की स्वीकृति प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मीजा मांगरोल तहसील निम्बाहेड़ा की आ.नं. 241 रकबा 1.01 हे. किस्म बारानी 4 लगान 5.05 रुपये पर सरफेसरेन्ट की राशि पूर्णांक में 6/- रुपये अक्षरे छः रुपये वर्ष 2017-18 से प्रतिवर्ष वसूल किये जावें।


तहसीलदार निम्बाहेड़ा

प्रतिलिपि:

1. पटवारी हल्का फावरअहीरान को भेजकर लेख है कि सरफेसरेन्ट की राशि 6/- रुपया अक्षरे छः रुपये की डिमाण्ड कायम कर वर्ष 2017-18 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार, निम्बाहेड़ा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सीमेन्ट वर्क्स, निम्बाहेड़ा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार निम्बाहेड़ा

कार्पास विभा ओवर, पितोडगढ

प्रमाण/कार्पास/धान/सजाती/12-12 1 7 190/ 414 दिनांक 3/11/90

धान प्रयोजनाधी अनारपति प्रमाण पत्र

धान नियमावली द्वारा निर्धारित आवेदक के पक्ष में स्वीकृत धान पट्टे के औसत त आने वाली राजकीय भूमि पर धान कार्य करने के लिये इस कार्पास से अनारपति प्रमाण पत्र प्रदात गया है ।

उपरोक्त अधिकारी, निम्नादिष्ट के द्वारा अपने माघ प्रतिवेदन में भूमि पर धान करने के लिये अनारपति प्रस्ताव की है । अतः निम्न विवरण अनुसार प्रति आवेदक भूमि पर धान कार्य लिये जाने में निम्न शर्त के अनुसार इस कार्पास के ओर अनारपति नहीं है ।

क्र.सं.		ग्राम	विषय	अनारपति	शर्त
		आवेदक का पता	ग्राम	धान	प्रमाण
		सहयोग	भूमि	कार्य	
1	2	3	4	5	6
1.	मैतल के. के. ताली	निम्नादिष्ट	40	4.16 बीघर	धान
	मैतल, निम्नादिष्ट	निम्नादिष्ट	93	3.00 00	..
			2144/50	5.00
			2160/65	3.00
			कुल 4	17.16 बीघर	

शर्त :-

1. ताली रेत जमा करवाया जाना ।
2. मजदूर से 125 रू. की दूरी छोड़ कर धान कार्य करना ।
3. धान पट्टे की अपेक्षा बल्ले पर ।
4. अनारपति केवल धान प्रयोजनाधी दी गई अन्य किसी प्रयोजन हेतु यह लागू नहीं होगी ।

प्रमाणित :-

1. उपरोक्त अधिकारी, निम्नादिष्ट ।
2. महापौर कार्पास अधिकारी, निम्नादिष्ट ।
3. सहयोगी, निम्नादिष्ट ।
4. मैतल के. के. ताली वरुण निम्नादिष्ट ।
5. दिनांक प्रमाण

निम्ना ओवर
पितोडगढ

निम्ना ओवर
पितोडगढ

कार्यालय तहसीलदार, निम्बाहेड़ा (राज.)

क्रमांक/राजस्व/2016-17/1682

दिनांक: 18/07/2016

आदेश

न्यायालय श्रीमान् जिला कलक्टर महोदय चित्तीड़गढ़ के प्रकरण संख्या 67/2011 रे.वि., निर्णय दिनांक 02.08.2011 की पालना में मौजा फाचर अहिरान तहसील निम्बाहेड़ा की गत आ.नं. 1056/58 रकबा 1 बीघा 05 बिस्वा जिसके वर्तमान आ.नं. 59 रकबा 0.3200 हे. किस्म चाही 3 लगान 6.08 रुपये पर मेसर्स जे.के. सीमेन्ट वर्क्स, निम्बाहेड़ा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचर अहिरान तहसील निम्बाहेड़ा की गत आ.नं. 1056/58 रकबा 1 बीघा 05 बिस्वा जिसके वर्तमान आ.नं. 59 रकबा 0.3200 हे. किस्म चाही 3 लगान 6.08 रुपये पर सरफेसरेन्ट की राशि पूर्णांक में 7/- अक्षरे सात रुपये वर्ष 2016-17 से प्रतिवर्ष वसूल होगे।

14

तहसीलदार निम्बाहेड़ा

प्रतिलिपि:-

1. पटवारी हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशि 7/- रुपया अक्षरे सात रुपये की डिमाण्ड कायम कर वर्ष 2016-17 से वसूल किया जावे एवं राजस्व रिकॉर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेड़ा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सीमेन्ट वर्क्स, निम्बाहेड़ा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार निम्बाहेड़ा
जिला - चित्तीड़गढ़ (राज.)

कार्यालय तहसीलदार निम्बाहेडा (राज.)

क्रमांक/राजस्व/2015-16/17/6

दिनांक: 3/...07.2015

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय धित्तीडगढ़ के प्रकरण संख्या 20/2015 रे.वि., निर्णय दिनांक 24.06.2015 की पालना में निर्णयानुसार मौजा फाचर अहिरान तहसील निम्बाहेडा की आनं. 723 रकबा 1.07 हे. किस्म चाही 3 लगान 20.33 रुपये मे से 0.5350 हेक्टर लगान 10.17 रुपये पर मैसर्स जे.के. सीमेन्ट वर्क्स, निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचर अहिरान की आनं. 723 मे से 0.5350 हेक्टर लगान 10.17 रुपये पर सरफेसरेन्ट की राशि पूर्णांक 11/- रुपया अक्षरे ग्यारह रुपया वर्ष 2015-16 से प्रतिवर्ष वसूल होंगे।


तहसीलदार निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 11/- रुपया अक्षरे ग्यारह रुपया की डिमाण्ड कायम कर वर्ष 2015-16 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
3. मैसर्स जे. के. सीमेन्ट वर्क्स, निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार निम्बाहेडा
तहसीलदार, निम्बाहेडा

कार्यालय तहसीलदार, निम्बाहेड़ा, जिला- चित्तौड़गढ़ (राज.)

क्रमांक/राजस्व/2016-17/ 1478

दिनांक: 30/11/16

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 63/2016 रे.वि., निर्णय दिनांक 18.10.2016 की पालना में निर्णयानुसार मौजा फाचर अहिरान पटवार हल्का फाचर अहिरान तहसील निम्बाहेड़ा की आनं. 62 रकबा 0.3450 हेक्टर किस्म चाही 3 लगान 6.55 रुपये एवं आनं. 63 रकबा 0.32 हेक्टर किस्म चाही 3 लगान 6.08 रुपये, कुल किता 2 रकबा 0.665 हेक्टर किस्म चाही 3 लगान 12.63 रुपये पर मेसर्स जे.के. सीमेन्ट वर्क्स, निम्बाहेड़ा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचर अहिरान पटवार हल्का फाचर अहिरान तहसील निम्बाहेड़ा की आनं. 62 रकबा 0.3450 हेक्टर किस्म चाही 3 लगान 6.55 रुपये एवं आनं. 63 रकबा 0.32 हेक्टर किस्म चाही 3 लगान 6.08 रुपये, कुल किता 2 रकबा 0.665 हेक्टर किस्म चाही 3 लगान 12.63 रुपये पर सरफेसरेन्ट की राशि पूर्णांक 13/- रुपये अक्षरे तेरह रुपये वर्ष 2016-17 से प्रतिवर्ष वसूल *30/11/16*

— Sd/ —
तहसीलदार निम्बाहेड़ा

प्रतिलिपी:- *30/11/16*
30/11/16

1. पटवार हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशि 13/- रुपया अक्षरे तेरह रुपये की डिमाण्ड कायम कर वर्ष 2016-17 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेड़ा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सीमेन्ट वर्क्स, निम्बाहेड़ा को पालनार्थ।
4. कार्यालय प्रति।

30/11/16
तहसीलदार निम्बाहेड़ा

कार्यालय तहसीलदार निम्बाहेडा (राज.)

क्रमांक/राजस्व/2014-15/265

दिनांक: 10.02.2015

19.02.2015

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय, चित्तौड़गढ़ के प्रकरण संख्या 83/2014 रे.वि., निर्णय दिनांक 08.12.2014 की पालना में निर्णयानुसार मीजा फाचर अहिरान तहसील निम्बाहेडा की साबिक आराजी नं. 663 रकबा 0-36 हेक्टर में से 1/2 भाग यानि 0.18 हेक्टर भूमि लगान 15.12 रु. का 1/2 भाग यानि 7.56 रुपये पर मेसर्स जे.के. सीमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मीजा फाचर अहिरान की आराजी नं. 663 रकबा 0.36 हे0 में से 1/2 भाग यानि 0.18 हेक्टर भूमि लगान 15.12 रु0 का 1/2 भाग यानि 7.56 रुपये भूमि पर सरफेसरेन्ट की राशी पूर्णांक 8/- रुपया अक्षरे आठ रुपया वर्ष 2014-15 से प्रतिवर्ष वसूल होंगे।


तहसीलदार, निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 8/- रुपया अक्षरे आठ रुपया की डिमाण्ड कायम कर वर्ष 2014-15 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार, निम्बाहेडा

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक/राजस्व/2015-16/164

दिनांक: 02.02.2016

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तीडगढ़ के प्रकरण संख्या 65/2015 रे.वि., निर्णय दिनांक 19.01.2016 की पालना में निर्णयानुसार मौजा फाचर अहिरान तहसील निम्बाहेडा की आ.नं. 1159/723 रकबा 0.28 हे. किस्म चाही 3 लगान 5.32 रुपये एवं आ.नं. 1160/725 रकबा 0.10 हेक्टर किस्म चाही 3 लगान 1.90 रुपये कुल कित्ता 2 रकबा 0.38 हेक्टर लगान 7.22 रुपये पर मेसर्स जे.के. सीमेन्ट वर्क्स, निम्बाहेडा को खनन कार्य करने की स्वीकृति प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचर अहिरान तहसील निम्बाहेडा की आ.नं. 1159/723 रकबा 0.28 हे. किस्म चाही 3 लगान 5.32 रुपये एवं आ.नं. 1160/725 रकबा 0.10 हेक्टर किस्म चाही 3 लगान 1.90 रुपये कुल कित्ता 2 रकबा 0.38 हेक्टर लगान 7.22 रुपये पर सरफेसरेन्ट की राशि पूर्णांक 8/- रुपया अक्षरे आठ रुपये वर्ष 2015-16 से प्रतिवर्ष वसूल होंगे।

तहसीलदार निम्बाहेडा

प्रतिलिपि:-

1. पटवारी हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशि 8/- रुपया अक्षरे आठ रुपया की डिमाण्ड कायम कर वर्ष 2015-16 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सीमेन्ट वर्क्स, निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।

तहसीलदार निम्बाहेडा

राजस्थान सरकार
कार्यालय तहसीलदार निम्बाहेड़ा, जिला चित्तौड़गढ़ (राज.)

क्रमांक/राजस्व /2014/1323

दिनांक 25/03/2014

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 132/2011 रे.वि., निर्णय दिनांक 23.10.2012 की पालना में निर्णयानुसार मौजा बांसा तहसील निम्बाहेड़ा की साबिक आराजी नं. 106 रकबा 3 बीघा 5 बिस्वा एवं साबिक आराजी नं. 108/467 रकबा 1 बीघा 08 बिस्वा कुल किता दो रकाबा 4 बीघा 13 बिस्वा जिनके वर्तमान आराजी नं. 229 रकबा 0.82 हे. लगानी 2.87 रुपये एवं आराजी नं. 235 रकबा 0.35 हे0 लगान 1.22 हे0 कुल किता 1.17 हे0 भूमि पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेड़ा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मैनुअल 1972 के अनुच्छेद 29 के अनुसार मौजा बांसा तहसील निम्बाहेड़ा की आराजी नं. 229 रकबा 0.82 हे. लगानी 2.87 रुपये एवं आराजी नं. 235 रकबा 0.35 हे0 लगान 1.22 हे0 कुल किता 1.17 हे0 कुल लगान 4.09 रुपये भूमि पर सरफेसरेन्ट की राशी भू-राजस्व पूर्णांक में 5/- रुपया अक्षरे पांच रुपया वर्ष 2014 से प्रतिवर्ष वसूल होंगे।


तहसीलदार, निम्बाहेड़ा

प्रतिलिपी:-

1. पटवारी हल्का फाचर अहीरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 5/- रुपया अक्षरे पांच रुपया की डिमाण्ड कायम कर वर्ष 2014 से वसूल किया जावे एवं राजस्व रिकॉर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेड़ा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेड़ा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार, निम्बाहेड़ा

कार्यालय तहसीलदार निम्बाहेडा (राज.)

क्रमांक/राजस्व/2014-15/208

दिनांक: 10.02.2015

19.02.2015

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तीडगढ़ के प्रकरण संख्या 84/2014 रे.वि., निर्णय दिनांक 08.12.2014 की पालना में निर्णयानुसार मौजा फाचर अहिरान तहसील निम्बाहेडा की साबिक आराजी नं. 666 रकबा 0-20 हेक्टर लगान 08.40 रु. पर मेसर्स जे.के. सीमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचर अहिरान की आराजी नं. 666 रकबा 0.20 हे0 लगान 08.40 रु0 भूमि पर सरफेसरेन्ट की राशी पूर्णांक 9/- रुपया अक्षरे नो रुपया वर्ष 2014-15 से प्रतिवर्ष वसूल होगी।


तहसीलदार, निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 9/- रुपया अक्षरे नो रुपया की डिमाण्ड कायम कर वर्ष 2014-15 से वसूल किया जावे एवं राजस्व रेकॉर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
- ✓ 3. मेसर्स जे. के. सीमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार, निम्बाहेडा

कार्यालय तहसीलदार निम्बाहेडा (राज.)

क्रमांक/राजस्व/2011-12/634

दिनांक 4/6/2012

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तीडगढ़ के प्रकरण संख्या 73/2011 रे.वि., निर्णय दिनांक 16.06.2011 की पालना में निर्णयानुसार मौजा अहिरपुरा तहसील निम्बाहेडा की आराजी 53 रकबा 16 बिस्वा लगानी 0.80 रुपया, आ.नं. 234/49 रकबा 2 बीघा 15 बिस्वा लगानी 2.75 रुपया, एंव आ.नं. 204/85 रकबा 5 बीघा लगानी 2.19 रु., कुल कित्ता 3 रकबा 8 बीघा 11 बिस्वा पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचर अहिरान की आराजी 53 रकबा 16 बिस्वा लगानी 0.80 रुपया, आ.नं. 234/49 रकबा 2 बीघा 15 बिस्वा लगानी 2.75 रुपया, एंव आ.नं. 204/85 रकबा 5 बीघा लगानी 2.19 रु., कुल कित्ता 3 रकबा 8 बीघा 11 बिस्वा भूमि पर सरफेसरेन्ट की राशी पूर्णांक में 6/- रुपया अक्षरे छः रुपया वर्ष 2011-12 से प्रतिवर्ष वसूल होगे।

- 54 -

तहसीलदार, निम्बाहेडा
तहसीलदार निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का बहोली स्ट्रस्ट को भेजकर लेख है कि सरफेसरेन्ट की राशी 6/- रुपया अक्षरे छः रुपया की डिमाण्ड कायम कर वर्ष 2011-12 से वसूल किया जावे एवं राजस्व रेकॉर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचना एवं पालनार्थ।
- ✓ 3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।



तहसीलदार निम्बाहेडा

आ.नं.	नं. आ.नं.	रकबा
53	150	0.20
234/49	126	0.70
204/85	175	1.27
		<u>2.17</u>

कार्यालय तहसीलदार निम्बाहेड़ा (राज.)

क्रमांक/राजस्व/2014-15/206


दिनांक: 10.02.2015

19.02.2015

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय, चित्तीड़गढ़ के प्रकरण संख्या 82/2014 रे.वि., निर्णय दिनांक 08.12.2014 की पालना में निर्णयानुसार मौजा फाचर अहिरान तहसील निम्बाहेड़ा की साबिक आराजी नं. 685 रकबा 0-22 हेक्टर लगान 4.18 रु. पर मेसर्स जे.के. सीमेन्ट वर्क्स निम्बाहेड़ा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचर अहिरान की आराजी नं. 685 रकबा 0.22 हे0 लगान 4.18 रु0 भूमि पर सरफेसरेन्ट की राशी पूर्णांक 5/- रुपया अक्षरे पांच रुपया वर्ष 2014-15 से प्रतिवर्ष वसूल होगे।


तहसीलदार, निम्बाहेड़ा

प्रतिलिपी:-

1. पटवारी हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 5/- रुपया अक्षरे पांच रुपया की डिमाण्ड कायम कर वर्ष 2014-15 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेड़ा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सीमेन्ट वर्क्स निम्बाहेड़ा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार, निम्बाहेड़ा

कार्यालय तहसीलदार, (भू.अ.) निम्बाहेडा (राज.)

क्रमांक/भू.अ./2011-12/1264-66

दिनांक 05.09.2011

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तीडगढ़ के प्रकरण संख्या 69/2011 रे.वि., निर्णय दिनांक 02.08.2011 की पालना में निर्णयानुसार मौजा फाचर अहिरान तहसील निम्बाहेडा की आराजी 68 मीन रकबा 2 बीघा 5 बिस्वा लगानी 3.00 रुपया, आ.नं. 950/68 रकबा 2 बीघा 5 बिस्वा लगानी 2.94 रुपया कुल किता 2 कुल रकबा 4 बीघा 10 बिस्वा पर मेसर्स जे.के. सिमेन्ट वर्क्स मांगरोल/निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्डूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचर अहिरान की आराजी 68 मीन रकबा 2 बीघा 5 बिस्वा लगानी 3.00 रुपया, आ.नं. 950/68 रकबा 2 बीघा 5 बिस्वा लगानी 2.94 रुपया कुल किता 2 कुल रकबा 4 बीघा 10 बिस्वा भूमि पर सरफेसरेन्ट की राशी एक रुपया प्रतिबीघा से 5/- रुपया अक्षरे पांच रुपया वर्ष 2011-12 से प्रतिवर्ष वसूल होंगे।

59 -
तहसीलदार (भू.अ.) निम्बाहेडा
तहसीलदार (भू.अ.) निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 5/- रुपया अक्षरे पांच रुपया की डिमाण्ड कायम कर वर्ष 2011-12 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।

21
तहसीलदार (भू.अ.) निम्बाहेडा
तहसीलदार (भू.अ.) निम्बाहेडा

<u>क्रमांक</u>	<u>स.अ.नं.</u>	<u>रकबा (Hect)</u>
68man -	77	0.57
950/68 -	78	0.57
		1.14

कार्यालय तहसीलदार, (भू.अ.) निम्बाहेडा (राज.)

क्रमांक/भू.अ./2013-14/92

दिनांक 23.01.2014

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय धित्तौड़गढ़ के आदेश क्रमांक / राजस्व 61/2014 रे.वि., निर्णय दिनांक 2.07.2013 की पालना में निर्णयानुसार मीजा फाचरअहिरान तहसील निम्बाहेडा की आराजी नं. 727 रकबा 0.5100 हे० लगानी 9.69 पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मीजा फाचरअहिरान की आराजी नं. 727 रकबा 0.5100 हे० लगानी 9.69 भूमि पर सरफेसरेन्ट की राशी पूर्णांक में 10/- रु० रुपया अक्षरे दस रुपया वर्ष 2013-14 से प्रतिवर्ष वसूल होंगे।

तहसीलदार, निम्बाहेडा
(भू.अ.) निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 10/- रुपया अक्षरे दस रुपया की डिमाण्ड कायम कर वर्ष 2013-14 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।

तहसीलदार, निम्बाहेडा
(भू.अ.) निम्बाहेडा

727. 0.51

कार्यालय तहसीलदार, (भू.अ.) निम्बाहेडा (राज.)

क्रमांक/भू.अ./2011-12/1264-66

दिनांक 05.09.2011

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तीडगढ़ के प्रकरण संख्या 66/2011 रे.वि., निर्णय दिनांक 02.08.2011 की पालना में निर्णयानुसार मौजा फाचर अहिरान तहसील निम्बाहेडा की आराजी नं. 767/85 रकबा 3 बीघा 12 बिस्वा लगानी 1.75 रुपया, एवं आराजी 883/87 रकबा 7 बिस्वा लगानी 0.13 रुपया, आ.नं. 882/86 रकबा 5 बिस्वा लगानी 0.06, रुपया कुल आ.नं. 884/84 रकबा 10 बिस्वा लगानी 0.35 रुपया आ.नं. 885/85 रकबा 12 बिस्वा लगानी 0.44 रुपया आ.नं. 819/84 रकबा 13 बिस्वा लगानी 0.62 रुपया, आ.नं. 85 मीन रकबा 1 बीघा 03 बिस्वा लगानी 01.12 रुपया कित्ता 7 कुल रकबा 7 बीघा 2 बिस्वा पर मेसर्स जे.के. सिमेन्ट वर्क्स मांगरोल/निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचर अहिरान की आराजी नं. 767/85 रकबा 3 बीघा 12 बिस्वा लगानी 1.75 रुपया, एवं आराजी 883/87 रकबा 7 बिस्वा लगानी 0.13 रुपया, आ.नं. 882/86 रकबा 5 बिस्वा लगानी 0.06, रुपया कुल आ.नं. 884/84 रकबा 10 बिस्वा लगानी 0.35 रुपया आ.नं. 885/85 रकबा 12 बिस्वा लगानी 0.44 रुपया आ.नं. 819/84 रकबा 13 बिस्वा लगानी 0.62 रुपया, आ.नं. 85 मीन रकबा 1 बीघा 03 बिस्वा लगानी 01.12 रुपया कित्ता 7 कुल रकबा 7 बीघा 2 बिस्वा कुल लगानी 04.47 रुपया भूमि पर सरफेसरेन्ट की राशी एक रुपया प्रतिबीघा से 8/- रुपया अक्षरे आठ रुपया वर्ष 2011-12 से प्रतिवर्ष वसूल होंगे।

Sd/-
तहसीलदार (भू.अ.) निम्बाहेडा
जिला कलेक्टर (भू.अ.) निम्बाहेडा

प्रतिलिपि:-

1. पटवारी हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 8/- रुपया अक्षरे आठ रुपया की डिमाण्ड कायम कर वर्ष 2011-12 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।

2/
तहसीलदार (भू.अ.) निम्बाहेडा
जिला कलेक्टर (भू.अ.) निम्बाहेडा

क्र.सं.	नं.	रकबा
767/85	113	0.01
883/87	120	1.05
882/86		
884/84	114	0.01
	115	0.12
885/85	116	0.15
819/84	113	0.17
कुल	121	

85mlm - 121 - 0.01
122 - 0.01
123 - 0.27
1.80

कार्यालय तहसीलदार निम्बाहेडा (राज.)

क्रमांक/राजस्व/2011-12/635

दिनांक 4/1/2012

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तीडगढ़ के प्रकरण संख्या 33/2011 रे.वि., निर्णय दिनांक 16.06.2011 की पालना में निर्णयानुसार मीजा फाचर अहिरान तहसील निम्बाहेडा की आराजी 69 रकबा 17 बिस्वा लगानी 1.12 रुपया, आ.नं. 73 रकबा 2 बीघा 3 बिस्वा लगानी 2.81 रुपया, आ.नं. 74 रकबा 2 बीघा 07 बिस्वा लगानी 3.13 रु., आ.नं. 75 रकबा 1 बीघा 13 बिस्वा लगानी 2.13 रु., आ.नं. 58 मी रकबा 1 बीघा 05 बिस्वा लगानी 1.65 रु., आ.नं. 71 रकबा 3 बीघा 17 बिस्वा लगानी 5.06 रु. एवं आ.नं. 72 मीन रकबा 6 बिस्वा कुल कित्ता 7 रकबा 12 बीघा 8 बिस्वा पर मैसर्स जे.के. सिमेन्ट वर्क्स मांगरोल/निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मोजा फाचर अहिरान की आराजी 69 रकबा 17 बिस्वा लगानी 1.12 रुपया, आ.नं. 73 रकबा 2 बीघा 3 बिस्वा लगानी 2.81 रुपया, आ.नं. 74 रकबा 2 बीघा 07 बिस्वा लगानी 3.13 रु., आ.नं. 75 रकबा 1 बीघा 13 बिस्वा लगानी 2.13 रु., आ.नं. 58 मी रकबा 1 बीघा 05 बिस्वा लगानी 1.65 रु., आ.नं. 71 रकबा 3 बीघा 17 बिस्वा लगानी 5.06 रु. एवं आ.नं. 72 मीन रकबा 6 बिस्वा कुल कित्ता 7 रकबा 12 बीघा 8 बिस्वा भूमि पर सरफेसरेन्ट की राशी पूर्वक में 17/- रुपया अक्षरे सतरा रुपया वर्ष 2011-12 से प्रतिवर्ष वसूल होंगे।

— 58 —

तहसीलदार, निम्बाहेडा
तहसीलदार निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 17/- रुपया अक्षरे सतरा रुपया की डिमाण्ड कायम कर वर्ष 2011-12 से वसूल किया जावे एवं राजस्व रेकॉर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
3. मैसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।

तहसीलदार निम्बाहेडा

सं.नं.	अ.नं.	रकबा
69	73	0.21
73	84	1.55
74		
75	59	0.32
58 मीन		
71	83	1.05
72 मीन		3.13

कार्यालय तहसीलदार, (भू.अ.) निम्बाहेडा (राज.)

क्रमांक/भू.अ./2010-11/

दिनांक 17.06.2011

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तीडगढ के प्रकरण संख्या 101/2009 रे.वि., निर्णय दिनांक 22.03.2011 की पालना में निर्णयानुसार मौजा फाचरअहिरान तहसील निम्बाहेडा की आराजी नं. 780/477[✓] रकबा 4 बीघा लगानी 2.50, आ.नं. 811/475[✓] रकबा 5 बीघा लगानी 4.37, आ.नं. 869/477[✓] रकबा 4 बीघा 10 बिस्वा लगानी 3.90, आ.नं. 901/477[✓] रकबा 3 बीघा लगानी 2.12, आ.नं. 902/476[✓] रकबा 5 बीघा लगानी 3.44 कुल कीता 5 कुल रकबा 21 बीघा 10 बिस्वा कुल लगानी 16.33 पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचरअहिरान की आराजी नं. 780/477 रकबा 4 बीघा लगानी 2.50, आ.नं. 811/475 रकबा 5 बीघा लगानी 4.37, आ.नं. 869/477 रकबा 4 बीघा 10 बिस्वा लगानी 3.90, आ.नं. 901/477 रकबा 3 बीघा लगानी 2.12, आ.नं. 902/476 रकबा 5 बीघा लगानी 3.44 कुल कीता 5 कुल रकबा 21 बीघा 10 बिस्वा कुल लगानी 16.33 भूमि पर सरफेसरेन्ट की राशी एक रुपया प्रतिबीघा से 21 बीघा 10 बिस्वा भूमि पर पूर्णांक में 22/- रुपया अक्षरे बाईस रुपया वर्ष 2011-12 से प्रतिवर्ष वसूल होंगे।

L.R. No. 669-71

Sd/-
तहसीलदार (भू.अ.) निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 22/- रुपया अक्षरे बाईस रुपया की डिमाण्ड कायम कर वर्ष 2011-12 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ
- ✓ 3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।

Sd/-
तहसीलदार (भू.अ.) निम्बाहेडा

आ.नं.	नशीन नं.	रकबा
780/477	710	1.37
901/477		
811/475	694	1.26
869/477	708	0.01
	709	1.31
901/477	740	1.37 (1.37)

आ.नं.	नशीन नं.	रकबा
902/476	701	1.26
		5.43

कार्यालय तहसीलदार, (भू.अ.) निम्बाहेडा (राज.)

दिनांक 05.09.2011

क्रमांक/भू.अ./2011-12/1264-66

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 68/2011 रे.वि., निर्णय दिनांक 02.08.2011 की पालना में निर्णयानुसार मौजा फाचर अहिरान तहसील निम्बाहेडा की आराजी 57 रकबा 3 बीघा 13 बिस्वा लगानी 4.57 रुपया, कुल किता 1 कुल रकबा 3 बीघा 13 बिस्वा पर मेसर्स जे.के. सिमेन्ट वर्क्स मांगरोल/निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचर अहिरान की आराजी 57 रकबा 3 बीघा 13 बिस्वा कुल किता 1 कुल रकबा 3 बीघा 13 बिस्वा भूमि पर सरफेसरेन्ट की राशी एक रुपया प्रतिबीघा से 4/- रुपया अक्षरे चार रुपया वर्ष 2011-12 से प्रतिवर्ष वसूल होंगे।

50/-
तहसीलदार (भू.अ.) निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचर अहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 4/- रुपया अक्षरे चार रुपया की डिमाण्ड कायम कर वर्ष 2011-12 से वसूल किया जावे एवं राजस्व रेकॉर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।

21
तहसीलदार (भू.अ.) निम्बाहेडा

मौजा	रकबा	अक्षर
57	58	0.92
		0.92

कार्यालय तहसीलदार, (भू.अ.) निम्बाहेडा (राज.)

क्रमांक/भू.अ./2010-11/

दिनांक 17.06.2011

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 81/2008 रे.वि., निर्णय दिनांक 22.03.2011 की पालना में निर्णयानुसार मौजा फाचरअहिरान तहसील निम्बाहेडा की आराजी नं. 1089/870/78 रकबा 2 बीघा 4 बिस्वा लगानी 1.93, आ.नं. 1090/787/473 रकबा 2 बीघा 4 बिस्वा लगानी 1.93, आ.नं. 1091/787/473 रकबा 2 बीघा 4 बिस्वा लगानी 1.93, आ.नं. 870/78 भीन रकबा 1 बीघा 16 बिस्वा लगानी 1.57, आ.नं. 787/473 रकबा 8 बिस्वा लगानी 0.35 कुल कीता 5 कुल रकबा 8 बीघा 16 बिस्वा कुल लगानी 7.91 पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचरअहिरान की आराजी नं. 1089/870/78 रकबा 2 बीघा 4 बिस्वा लगानी 1.93, आ.नं. 1090/787/473 रकबा 2 बीघा 4 बिस्वा लगानी 1.93, आ.नं. 1091/787/473 रकबा 2 बीघा 4 बिस्वा लगानी 1.93, आ.नं. 870/78 भीन 1 बीघा 16 बिस्वा लगानी 1.57, आ.नं. 787/473 रकबा 8 बिस्वा लगानी 0.35 कुल कीता 5 कुल रकबा 8 बीघा 16 बिस्वा कुल लगानी 7.91 भूमि पर सरफेसरेन्ट की राशी एक रुपया प्रतिबीघा से 8 बीघा 16 बिस्वा भूमि पर पूर्णांक में 8/- रुपया अक्षरे आठ रुपया वर्ष 2011-12 से प्रतिवर्ष वसूल होंगे।

L.R. No 663-665

तहसीलदार (भू.अ.) निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 8/- रुपया अक्षरे आठ रुपया की डिमाण्ड कायम कर वर्ष 2011-12 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
- ✓ 3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।

सं. अ. अ.	सं. अ. अ.	रकबा
1089/870/78 -	1170/93 -	0.55
1090/787/473 -	1171/689 -	0.55
1091/787/473 -	1171/689 -	0.56
870/78 -	93 -	0.45
787/473 -	689 -	0.10
		2.21

तहसीलदार (भू.अ.) निम्बाहेडा

कार्यालय तहसीलदार (भू.अ.) निम्बाहेडा (राज.)


दिनांक 17.06.2011

क्रमांक/भू.अ./2010-11/

आदेश


न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 117/2010 रे.वि., निर्णय दिनांक 22.02.2011 की पालना में निर्णयानुसार मौजा फाचरअहिरान तहसील निम्बाहेडा की आराजी नं. 795/78 रकबा 2 बीघा 15 बिस्वा लगानी 2.40 पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचरअहिरान की आराजी नं. 795/78 रकबा 2 बीघा 15 बिस्वा लगानी 2.40 भूमि पर सरफेसरेन्ट की राशी एक रुपया प्रतिबीघा से 2 बीघा 15 बिस्वा भूमि पर पूर्णांक में 3/- रुपया अक्षरे तीन रुपया वर्ष 2011-12 से प्रतिवर्ष वसूल होंगे।


तहसीलदार (भू.अ.) निम्बाहेडा

प्रतिलिपी:-
L.P. No 666-68
17-6-11

1. पटवारी हल्का फाचरअहिरान को भेजकर लेख है सरफेसरेन्ट की राशी 3/- रुपया अक्षरे तीन रुपया डिमाण्ड कायम कर वर्ष 2011-12 से वसूल किया जावे राजस्व रेकॉर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पाल
3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार (भू.अ.) निम्बाहेडा

29. भा.न	गणित भा	रकबा
795/78	94	0.70
		0.70

कार्यालय तहसीलदार, (भू.अ.) निम्बाहेड़ा (राज.)

क्रमांक/भू.अ./2010-11/21

दिनांक 22.03.2011


न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 74/2008 रे.वि., संशोधित निर्णय दिनांक 16.11.2010 की पालना में निर्णयानुसार मौजा फाचरअहीरान तहसील निम्बाहेड़ा की आराजी नं. 801/76 रकबा 5 बीघा 00 बिस्वा लगानी 4.37 रु. एवं आराजी नं0 957/476 रकबा 1 बीघा 03 बिस्वा लगानी 1.15 रु. कुल कित्ता दो रकबा 6 बीघा 03 बिस्वा भूमि पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेड़ा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचरअहीरान की आराजी नं. 801/76 रकबा 5 बीघा 00 बिस्वा एवं आराजी नं0 957/476 रकबा 1 बीघा 03 बिस्वा कुल कित्ता दो रकबा 6 बीघा 03 बिस्वा भूमि पर सरफेसरेन्ट की राशी एक रुपया प्रतिबीघा से 6 बीघा 03 बिस्वा भूमि पर 7/- रुपया अक्षरे सात रुपया वर्ष 2010-11 से प्रतिवर्ष वसूल होंगे।


तहसीलदार (भू.अ.) निम्बाहेड़ा

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहीरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 7/- रुपया अक्षरे सात रुपया की डिमाण्ड कायम कर वर्ष 2010-11 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेड़ा को सूचनार्थ एवं पालनार्थ।
3. ✓ मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेड़ा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार (भू.अ.) निम्बाहेड़ा

क्र.नं. न.अ.नं. रकबा
801/76 = 702 - 0.01
957/476 = 703 - 1.57
1.58

कार्यालय तहसीलदार, (भू.अ.) निम्बाहेडा (राज.)

क्रमांक/भू.अ./2010-11/

दिनांक 17.06.2011

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 100/2009 रे.वि., निर्णय दिनांक 22.03.2011 की पालना में निर्णयानुसार मौजा फाचरअहिरान तहसील निम्बाहेडा की आराजी नं. 766/85 रकबा 10 बीघा 7 बिस्वा लगानी 6.87, आ.नं. 806/477 रकबा 4 बीघा लगानी 3.50, आ.नं. 866/72 रकबा 1 बीघा 15 बिस्वा लगानी 1.22, कुल कीता 3 कुल रकबा 15 बीघा 15 बिस्वा कुल लगानी 11.59 पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचरअहिरान की आराजी नं. 766/85 रकबा 10 बीघा 7 बिस्वा लगानी 6.87, आ.नं. 806/477 रकबा 4 बीघा लगानी 3.50, आ.नं. 866/72 रकबा 1 बीघा 15 बिस्वा लगानी 1.22, कुल कीता 3 कुल रकबा 15 बीघा 15 बिस्वा कुल लगानी 11.59 भूमि पर सरफेसरेन्ट की राशी एक रुपया प्रतिबीघा से 15 बीघा 15 बिस्वा भूमि पर पूर्णांक में 16/- रुपया अक्षरे सोलह रुपय वर्ष 2011-12 से प्रतिवर्ष वसूल होंगे।

SD

तहसीलदार (भू.अ.) निम्बाहेडा

L-2 No 674-76
17-6-11

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 16/- रुपया अक्षरे सोलह रुपया की डिमाण्ड काय कर वर्ष 2011-12 से वसूल किया जावे एवं राजस्व रेकर्ड अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ
3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार (भू.अ.) निम्बाहेडा

रा.ग.	ग.आ.नं.	रकबा
766/85	117	0.01
	118	1.52
866/72	81	0.44
806/477	704	1.01
		<u>3.98</u>

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक/रा.ले./2010-11/121

दिनांक 14.02.2011

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तीडगढ़ के प्रकरण संख्या 82/2008 रे.वि., निर्णय दिनांक 30.11.2010 एवं श्रीमान् तहसीलदार निम्बाहेडा के आदेश क्रमांक भू.अ./2010-11/10 दिनांक 7.01.2011 की पालना में निर्णयानुसार मौजा फाचरअहीरान तहसील निम्बाहेडा की आराजी नं. 922/477 रकबा 2 बीघा 00 बिस्वा लगानी 2.00 रु. भूमि पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

राजस्थान लेखा मेन्यूअल के अनुच्छेद 29 के अनुसार सरफेसरेन्ट की राशी क्षेत्रफल 2 बीघा 00 बिस्वा लगानी 2.00 रुपया अक्षरे दो रुपया वर्ष 2010-11 से प्रतिवर्ष वसूल होंगे।

55

तहसीलदार निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहीरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 2/- रुपया अक्षरे दो रुपया की डिमाण्ड कायम कर वर्ष 2010-11 से वसूल किया जावे एवं राजस्व रेकॉर्ड में अमल करें।
2. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
3. कार्यालय प्रति।

प्राप्त
16.9.11

तहसीलदार निम्बाहेडा
%C

क्र.नं.	मौजा क्र.नं.	रकबा
922/477	713	0.03
	714	0.48
		0.51

कार्यालय तहसीलदार, (भू.अ.) निम्बाहेडा (राज.)

दिनांक 17.06.2011

क्रमांक/भू.अ./2010-11/

आदेश

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 77/2008 रे.वि., निर्णय दिनांक 22.02.2011 की पालना में निर्णयानुसार मीजा फाचरअहिरान तहसील निम्बाहेडा की आराजी नं. 76 रकबा 4 बीघा 7 बिस्वा लगानी 5.06, आ.नं. 77 रकबा 4 बीघा लगानी 2.75, आ.नं. 865/476 रकबा 3 बीघा लगानी 2.62, कुल कीता 3 कुल रकबा 11 बीघा 7 बिस्वा कुल लगानी 10.43 पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मोजा फाचरअहिरान की आराजी नं. 76 रकबा 4 बीघा 7 बिस्वा लगानी 5.06, आ.नं. 77 रकबा 4 बीघा लगानी 2.75, आ.नं. 865/476 रकबा 3 बीघा लगानी 2.62, कुल कीता 3 कुल रकबा 11 बीघा 7 बिस्वा कुल लगानी 10.43 भूमि पर सरफेसरेन्ट की राशी एक रुपया प्रतिबीघा से 11 बीघा 7 बिस्वा भूमि पर पूर्णांक में 12/- रुपया अक्षरे बारह रुपया वर्ष 2011-12 से प्रतिवर्ष वसूल होंगे।

sd-
तहसीलदार (भू.अ.) निम्बाहेडा

Lr- No 671-73
17-6-11

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहिरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 12/- रुपया अक्षरे बारह, रुपया की डिमाण्ड कायम कर वर्ष 2011-12 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेडा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
4. कार्यालय प्रति।

sd-
तहसीलदार (भू.अ.) निम्बाहेडा

सं.अ.	न.अ.नं.	रकबा
76	86	0.017
	87	2.099
77	85-	0.017
476/865-	698	0.01
	699	0.75
		<u>2.87</u>

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक/रा.ले./2010-11/२१

दिनांक 14.02.2011

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 75/2008 रे.वि., निर्णय दिनांक 30.11.2010 एवं श्रीमान् तहसीलदार निम्बाहेडा के आदेश क्रमांक भू.अ./2010-11/10 दिनांक 7.01.2011 की पालना में निर्णयानुसार मीजा फाचरअहीरान तहसील निम्बाहेडा की आराजी नं. 874/79 रकबा 1 बीघा 06 बिस्वा लगानी 0.94 एवं आराजी नं. 920/80 रकबा 5 बीघा 07 बिस्वा लगानी 5.35 रु. कुल 6 बिघा 13 बिस्वा 6.29 रु. भूमि पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

राजस्थान लेखा मेन्यूअल के अनुच्छेद 29 के अनुसार सरफेसरेन्ट की राशी क्षेत्रफल 6 बीघा 13 बिस्वा लगानी 6.29 रु. पूर्णांक में 7.00 रुपया अक्षरे सात रुपया वर्ष 2010-11 से प्रतिवर्ष वसूल होंगे।

तहसीलदार निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहीरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 7/- रुपया अक्षरे सात रुपया की डिमाण्ड कायम कर वर्ष 2010-11 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. मैसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
3. कार्यालय प्रति।


16-2-11


तहसीलदार निम्बाहेडा
१८

आ. नं.	नया आ. नं.	रकबा
874/79	100	0.33
920/80	101	1.35
		<hr/> 1.68

कार्यालय तहसीलदार, (भू.अ.) निम्बाहेड़ा (राज.)

क्रमांक/भू.अ./2010-11/ २६७

दिनांक 22.03.2011

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तीड़गढ़ के प्रकरण संख्या 68/2008 रे.वि., निर्णय दिनांक 26.10.2010 की पालना में निर्णयानुसार मौजा फाचरअहीरान तहसील निम्बाहेड़ा की आराजी नं. 79 रकबा 3 बीघा 00 बिस्वा लगानी 2.00 रु. भूमि पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेड़ा को खनन कार्य करने की स्वीकृती प्रदान की गई है।


जिसका सरफेसरेन्ट राजस्थान लेखा मेन्यूअल 1972 के अनुच्छेद 29 के अनुसार मौजा फाचरअहीरान की आराजी नं० 79 रकबा 3 बीघा भूमि पर सरफेसरेन्ट की राशी एक रुपया प्रतिबीघा से 3 बीघा भूमि पर 3/- रुपया अक्षरे तीन रुपया वर्ष 2010-11 से प्रतिवर्ष वसूल होंगे।

SD

तहसीलदार (भू.अ.) निम्बाहेड़ा

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहीरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 3/- रुपया अक्षरे तीन रुपया की डिमाण्ड कायम कर वर्ष 2010-11 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. तहसील राजस्व लेखाकार निम्बाहेड़ा को सूचनार्थ एवं पालनार्थ।
3. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेड़ा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार (भू.अ.) निम्बाहेड़ा

सं.नं. जमा. क्रमांक २०५५

११ १७ ०.७८
०.७८

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक/रा.ले./2010-11/121

दिनांक 14.02.2011
१५

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 71/2008 रे.वि., निर्णय दिनांक 26.10.2010 एवं श्रीमान् तहसीलदार निम्बाहेडा के आदेश क्रमांक भू.अ./2010-11/10 दिनांक 7.01.2011 की पालना में निर्णयानुसार मौजा फाचरअहीरान तहसील निम्बाहेडा की आराजी नं. 793/78 रकबा 2 बीघा 10 बिस्वा लगानी 1.81 व. भूमि पर मेसर्स जे.के. सिमेंट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

राजस्थान लेखा मेन्यूअल के अनुच्छेद 29 के अनुसार सरफेसरेन्ट की राशी क्षेत्रफल 2 बीघा 10 बिस्वा लगानी 1.81 व. पूर्णांक में 2.00 रुपया अक्षरे दो रुपया वर्ष 2010-11 से प्रतिवर्ष वसूल होंगे।

तहसीलदार निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहीरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 2/- रुपया अक्षरे दो रुपया की डिमाण्ड कायम कर वर्ष 2010-11 से वसूल किया जावे एवं राजस्व रेकॉर्ड में अमल करें।
2. मेसर्स जे. के. सिमेंट वर्क्स निम्बाहेडा को पालनार्थ।
3. कार्यालय प्रति।

प्रति
16.2.11

सा.नं. २. ज.प. आ.नं. २००९।
793/78 211 95 0.01
 96 0.62
 0.63

तहसीलदार निम्बाहेडा
१५

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक/रा.ले./2010-11/121

दिनांक 14.02.2011
15

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 78/2008 रे.वि., निर्णय दिनांक 30.11.2010 एवं श्रीमान् तहसीलदार निम्बाहेडा के आदेश क्रमांक भू.अ./2010-11/10 दिनांक 7.01.2011 की पालना में निर्णयानुसार मौजा फाचरअहीरान तहसील निम्बाहेडा की आराजी नं. 872/79 रकबा 5 बीघा 00 बिस्वा लगानी 3.44 रु. भूमि पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

राजस्थान लेखा मेन्यूअल के अनुच्छेद 29 के अनुसार सरफेसरेन्ट की राशी क्षेत्रफल 5 बीघा 00 बिस्वा लगानी 3.44 रु. पूर्णांक में 4.00 रुपया अक्षरे चार रुपया वर्ष 2010-11 से प्रतिवर्ष वसूल होंगे।

तहसीलदार निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहीरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 4/- रुपया अक्षरे चार रुपया की डिमाण्ड कायम कर वर्ष 2010-11 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
3. कार्यालय प्रति।

तहसीलदार, निम्बाहेडा
%L

प्राप्त
14.2.11

रा.ले.	पञ्चा.रा.ले.	रकबा
872/79	99	1.27
		1.27

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक/रा.ले./2010-11/11९

दिनांक 14.02.2011

15

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तीडगढ़ के प्रकरण संख्या 62/2010 रे.वि., निर्णय दिनांक 30.11.2010 एवं श्रीमान् तहसीलदार निम्बाहेडा के आदेश क्रमांक भू.अ./2010-11/9 दिनांक 7.01.2011 की पालना में निर्णयानुसार मौजा अहीरपुरा तहसील निम्बाहेडा की आराजी नं. 185/38 रकबा 1 बीघा 19 बिस्वा लगानी 1.69 रु. भूमि पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

राजस्थान लेखा मेन्यूअल के अनुच्छेद 29 के अनुसार सरफेसरेन्ट की राशी क्षेत्रफल 1 बीघा 19 बिस्वा लगानी 1.69 रु. पूर्णांक में 2.00 रुपया अक्षरे दो रुपया वर्ष 2010-11 से प्रतिवर्ष वसूल होंगे।


तहसीलदार, निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का बड़ोलीघाटा को भेजकर लेख है कि सरफेसरेन्ट की राशी 2/- रुपया अक्षरे दो रुपया की डिमाण्ड कायम कर वर्ष 2010-11 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
3. कार्यालय प्रति।


तहसीलदार, निम्बाहेडा

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक/रा.ले./2010-11/12

दिनांक 14.02.2011

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 72/2008 रे.वि., निर्णय दिनांक 30.11.2010 एवं श्रीमान् तहसीलदार निम्बाहेडा के आदेश क्रमांक भू.अ./2010-11/10 दिनांक 7.01.2011 की पालना में निर्णयानुसार मौजा फाचरअहीरान तहसील निम्बाहेडा की आराजी नं. 921/477 रकबा 4 बीघा 00 बिस्वा लगानी 4.00 रु. भूमि पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

राजस्थान लेखा मेन्यूअल के अनुच्छेद 29 के अनुसार सरफेसरेन्ट की राशी क्षेत्रफल 4 बीघा 00 बिस्वा लगानी 4.00 रु. पूर्णांक में 4.00 रुपया अक्षरे चार रुपया वर्ष 2010-11 से प्रतिवर्ष वसूल होंगे।

तहसीलदार-निम्बाहेडा

प्रतिलिपि:-

1. पटवारी हल्का फाचरअहीरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 4/- रुपया अक्षरे चार रुपया की डिमाण्ड कायम कर वर्ष 2010-11 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
3. कार्यालय प्रति।

श्री
तहसीलदार-निम्बाहेडा

प्रप्त
16-2-11

रा. ले.	नम्बाहेडा	2011
921/477-8)	711	0.01
	712	1.00
		<hr/> 1.01

राजस्थान सरकार

कार्यालय तहसीलदार निम्बाहेड़ा, जिला चित्तौड़गढ़ (राज.)

क्रमांक/राजस्व लेखा/2007-08/1840

दिनांक 5.12.2007

11.12.07

विषय:- सरफेस रेन्ट की मांग कायम कर वसूल करने के सम्बन्ध में।

सन्दर्भित विषयान्तर्गत लेख है कि श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ द्वारा आदेश क्रमांक/राजस्व/खनन/एनओसी/12-12(51)06/2334 दिनांक 17.11.2007 के द्वारा मेसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेड़ा को स्वीकृत खनन क्षेत्र निम्बाहेड़ा के ब्लॉक मुरलिया में ग्राम फाचर अहीरान की निम्नांकित चरागाह खसरा नम्बर 80 मीन रकबा 6 बीघा 12 बिस्वा, ख.नं. 81 रकबा 13 बीघा 19 बिस्वा ख.नं. 82 रकबा 17 बीघा 16 बिस्वा, ख.नं. 84 रकबा 12 बीघा 07 बिस्वा, ख.नं. 473 रकबा 19 बीघा 02 बिस्वा ख.नं. 474 रकबा 16 बीघा ख.नं. 482 रकबा 14 बीघा 19 बिस्वा, ख.नं. 483 रकबा 6 बीघा ख.नं. 476 रकबा 5 बीघा 12 बिस्वा एवं ख.नं. 477 रकबा 3 बीघा 09 बिस्वा कुल कित्ता 10 क्षेत्रफल 115 बीघा 16 बिस्वा में खनन प्रयोजनार्थ अनापत्ति प्रमाण पत्र जारी कर राजस्थान काश्तकारी (सरकारी) नियम 1955 की धारा 7 के प्रावधानों के अन्तर्गत चरागाह से खारीज कर खनन प्रयोजनार्थ उपयोग हेतु अनापत्ति प्रमाण-पत्र निम्नांकित शर्तों के अधीन प्रदत्त किया गया है-

1. उक्त अनापत्ति केवल खनन प्रयोजनार्थ दी गई है, अन्य किसी प्रयोजनार्थ यह लागू नहीं होगी।
2. उक्त अनापत्ति राज्य सरकार के परिपत्र दिनांक 29.12.1994 एवं खनिज विभाग के प्रचलित नियमों वर्णित शर्तों के अधीन होगी।

श्रीमान्, 2. नं. 104-1.67

2

80 611/2 104-1.67

81 1311/8 105-3.53

82 1711/1 1167/107-4.45

84 121/2 1168/112 3.10

473 191/24 687 0.01

474 16 690 4.01

482 1111/8 691 4.05

483 8 726 3.78

476 511/2 733 1.52

477 33/6 700 0.01

29.12.1994

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक./रा.ले./2010-11/121

दिनांक 14.02.2011
२२

न्यायालय श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़ के प्रकरण संख्या 70/2008 रे.वि., निर्णय दिनांक 26.10.2010 एवं श्रीमान् तहसीलदार निम्बाहेडा के आदेश क्रमांक भू.अ./2010-11/10 दिनांक 7.01.2011 की पालना में निर्णयानुसार मीजा फाचरअहीरान तहसील निम्बाहेडा की आराजी नं. 907/78 रकबा 5 बीघा 00 बिस्वा लगानी 3.50 रु. भूमि पर मेसर्स जे.के. सिमेन्ट वर्क्स निम्बाहेडा को खनन कार्य करने की स्वीकृती प्रदान की गई है।

राजस्थान लेखा मेन्यूअल के अनुच्छेद 29 के अनुसार सरफेसरेन्ट की राशी क्षेत्रफल 5 बीघा 00 बिस्वा लगानी 3.50 रु. पूर्णांक में 4.00 रुपया अक्षरे चार रुपया वर्ष 2010-11 से प्रतिवर्ष वसूल होंगे।

तहसीलदार निम्बाहेडा

प्रतिलिपी:-

1. पटवारी हल्का फाचरअहीरान को भेजकर लेख है कि सरफेसरेन्ट की राशी 4/- रुपया अक्षरे चार रुपया की डिमाण्ड कायम कर वर्ष 2010-11 से वसूल किया जावे एवं राजस्व रेकर्ड में अमल करें।
2. मैसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को पालनार्थ।
3. कार्यालय प्रति।

प्राप्त

16-2-11

श्रीमान् जिला कलेक्टर महोदय चित्तौड़गढ़
907/78 5 90 0.01
91 1.26
1.27

तहसीलदार निम्बाहेडा
%

राजस्थान-सरकार
कार्यालय जिला कलेक्टर, चित्तौड़गढ़
ब्रमांक/राजस्व/खनन/एनओसी/12-12 (51) 06/2334 दिनांक 7 नवम्बर, 2007

खनन प्रयोजनार्थ अनापत्ति प्रमाण-पत्र

मै. जे. के. सीमेन्ट वर्क्स, निम्बाहेड़ा द्वारा कंपनी के पक्ष में स्वीकृत खनन क्षेत्र वास्ते खनिज लाईम स्टोन, निम्बाहेड़ा के ब्लाक मुरलिया में ग्राम फाचर अहीरान तहसील, निम्बाहेड़ा की निम्नांकित चारागाह भूमियों पर खनन प्रयोजनार्थ अनापत्ति प्रमाण-पत्र जारी किये जाने का अनुरोध किया जाने पर प्रस्तावित भूमियों की उपयुक्तता एवं मौके की स्थिति की जांच उपखंड अधिकारी एवं सहायक खनि अभियन्ता, निम्बाहेड़ा से करवाई गई। उक्त दोनों अधिकारियों द्वारा प्रस्तावित भूमियों को खनन प्रयोजनार्थ उपयुक्त मानते हुए कंपनी के पक्ष में खनन अनापत्ति जारी किये जाने की अभिशप्ता के साथ प्रस्ताव प्राप्त होने पर प्रस्तावित चारागाह भूमियां 4 हैक्टेयर से अधिक होने तथा चारागाह की क्षतिपूर्ति हेतु इसी ग्राम में अन्य राजकीय विलानाम भूमि उपलब्ध नहीं होने से प्रकरण वास्ते स्वीकृति राज्य सरकार को प्रेषित किया गया।

उप शासन सचिव, राजस्व (ग्रुप-3) विभाग, राजस्थान जयपुर के पत्रांक प. 2 (558) राज/ग्रुप-3/07 दिनांक 23.10.2007 से ग्राम फाचर अहीरान की निम्नांकित 10 खसरो की कुल 115.16 बीघा चारागाह भूमि जो मै. जे. के. सीमेन्ट वर्क्स, निम्बाहेड़ा के स्वीकृत खनन क्षेत्र में स्थित है, राजकीय परिपत्र दिनांक 29.12.1994 के अन्तर्गत मै. जे. के. सीमेन्ट वर्क्स, निम्बाहेड़ा को चारागाह भूमि पर खनन कार्य किये जाने की राजकीय अनापत्ति इस शर्त के साथ प्रदान की गई कि कंपनी द्वारा निकटतम आबादी एवं राजकीय कार्यालयों से नियमानुसार दूरी छोड़ कर ही खनन कार्य किया जायेगा।

अतः राज्य सरकार की उक्त स्वीकृति के अनुरूप निम्नांकित चारागाह भूमियों को राजस्थान काश्तकारी (सरकारी) नियम, 1955 की धारा 7 के प्रावधानों के अन्तर्गत चारागाह से खारिज कर खनन प्रयोजनार्थ उपयोग किये जाने हेतु अनापत्ति प्रमाण-पत्र निम्नांकित शर्तों के अधीन प्रदत्त किया जाता है।

नाम ग्राम	आराजी नंबर	क्षेत्रफल (बीघा--बिस्वा)
फाचर अहीरान तहसील निम्बाहेड़ा जिला चित्तौड़गढ़	80 मी.	6.12
	81	13.19
	82	17.16
	84	12.07
	473	19.02
	474	16.00
	482	14.19
	483	6.00
	476	5.12
	477	3.09
	कुल किता-10	115.16

कार्यालय तहसीलदार, निम्बाहेडा (राज.)

क्रमांक/राजस्व लेखा/2008-09/316-ने 318 तब

दिनांक 2.0.5.08.

आदेश

मैसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा को स्वीकृत शुद्ध माइनिंग लीज निम्बाहेडा-अहीरपुरा के ब्लॉक मुरलिया में ग्राम फाचर अहीरान की निम्न आराजियात बिलानाम भूमि जो माइनिंग लीज खनन आरक्षित है। पर खनन कार्य करने व सरफेस रेन्ट पर स्वीकृती चाहने हेतु प्रार्थना पत्र प्रस्तुत किया। पटवारी हल्का फाचर अहीरान से मौके की जांच अनुसार ग्राम फाचर अहीरान की आराजीन. 78 मीन रकबा 2 बीघा 7 बिस्वा, आराजीन. 782/80 रकबा 3 बीघा 13 बिस्वा एवं आराजीन नं. 475 रकबा 3 बीघा 13 बिस्वा कुल कित्ता 3 कुल क्षेत्रफल 9 बिघा 13 बिस्वा (नौबीघा तेरह बिस्वा) भूमि बिलानाम दर्ज रेकॉर्ड होकर खनन आरक्षित माइनिंग लीज दर्ज है। उक्त भूमि मैसर्स जे. के. सिमेन्ट वर्क्स निम्बाहेडा की चूना-पत्थर खदान निम्बाहेडा-अहीरपुरा के ब्लॉक मुरलिया की लीज सीमा में स्थित है। उक्त भूमि मौके पर पड़त होकर पथरीली है।

अतः खनन प्रयोजनार्थ निम्नलिखित शर्तों पर स्वीकृती प्रदान की जाती है।

1. उक्त भूमि में केवल खनन प्रयोजनार्थ स्वीकृती दी गई है अन्य प्रयोजनार्थ लागू नहीं होगी।
2. राज्य सरकार के परिपत्र दिनांक 29.12.94 एवं खनिज विभाग के प्रचलित नियमों में वर्णित शर्तों के अधिन होगी।
3. निकटतम आबादी, विध्यालय, धार्मिक स्थान, राजकीय कार्यालय एवं अन्य सार्वजनिक स्थानों से नियमों के अन्तर्गत निर्धारित दूरीयां छोड़कर खनन कार्य करना होगा।
4. नियमानुसार सुरक्षा के पुरस्ता प्रबन्ध कर खनन एवं ब्लास्टिंग करना होगा।

उपर्युक्त वर्णित भूमि के विवरण के अनुसार सरफेसरेन्ट की मांग कायम कर वसुली करें। मांग वर्ष 2008-09 से कायम होकर प्रतिवर्ष कायम कर वसूलकी जावेगी। सरफेसरेन्ट का निधारण समीपवर्ती भूमि के भू-राजस्व के बराबर किया जावे।

— 30 —
तहसीलदार निम्बाहेडा

सं. नं. 1 का. प्रतिलिपी:-

- | | | | |
|---------|-----|------|--|
| 78 3/4 | 89 | 0.59 | 1. पटवारी हल्का फाचर अहीरान को भेजकर लेख है कि वर्ष 2008-2009 से डिमांड कायम कर वसुली की जावे। |
| 782 3/4 | 102 | 0.01 | 2. राजस्व लेखाकार, तहसील निम्बाहेडा को पालनार्थ। |
| 80 3/4 | 103 | 0.91 | 3. मैसर्स जे. के. सीमेन्ट वर्क्स निम्बाहेडा को पालनार्थ। |
| 475 3/4 | 693 | 0.92 | 4. कार्यालय प्रति। |

2.73

तहसीलदार निम्बाहेडा

3. निकटतम आबादी, विद्यालय, धार्मिक स्थल, राजकीय कार्यालयों एवं अन्य सार्वजनिक स्थानों से स्थितियों के अन्तर्गत निर्धारित दूरियां छोड़ कर खनन कार्य करना होगा।

4. नियमानुसार सुरक्षा के पुख्ता प्रबंध कर खनन एवं ब्लास्टिंग करना होगा।

अतः वर्णित भूमि के विवरण के अनुसार सरफेसरेन्ट की मांग कायम कर वसूली करे। मांग वर्ष 2007-08 से कायम होकर प्रतिवर्ष वसूल की जावेगी। सरफेसरेन्ट का निर्धारण समीपवर्ती भूमि के भूराजस्व के बराबर किया जावे।

- 80 -
तहसीलदार निम्बाहेड़ा


प्रतिलिपी:-

1. पटवारी हल्का फाचरअहीरान को भेजकर लेख है कि राजस्व रेकर्ड में अंकन के साथ-साथ नक्शे में आवश्यक तस्वीरें करें तथा वर्ष 2007-2008 से डिमांड कायम कर वसूली की जावे।
- ✓ 2. मैसर्स जे. के. सीमेन्ट वर्क्स निम्बाहेड़ा को पालनार्थ।
3. राजस्व लेखाकार, तहसील निम्बाहेड़ा को पालनार्थ।
4. कार्यालय प्रति।


तहसीलदार निम्बाहेड़ा


शर्तें:

1. उक्त अनापत्ति केवल खनन प्रयोजनार्थ दी गई है, अन्य किसी प्रयोजनार्थ यह लागू नहीं होगी।
2. उक्त अनापत्ति राज्य सरकार के परिपत्र दिनांक 29.12.1994 एवं खनिज विभाग के प्रचलित नियमों में वर्णित शर्तों के अधीन होगी।
3. निकटतम आबादी, विद्यालय, धार्मिक स्थल, राजकीय कार्यालयों एवं अन्य सार्वजनिक स्थानों से नियमों के अन्तर्गत निर्धारित दूरियां छोड़ कर खनन कार्य करना होगा।
4. नियमानुसार सुरक्षा के पुख्ता प्रबंध कर खनन एवं ब्लास्टिंग कार्य करना होगा।
5. तहसीलदार, निम्बाहेड़ा नियमानुसार राजस्व रिकार्ड में अंकन के साथ-साथ नक्शे में भी आवश्यक तरमीम करें।


जिला कलेक्टर,
चित्तौड़गढ़

प्रतिलिपि सूचनार्थ, पालनार्थ एवं आवश्यक कार्यवाही हेतु:

1. उप शासन सचिव, राजस्व (ग्रुप-3) विभाग, राजस्थान जयपुर
2. उपखंड अधिकारी, निम्बाहेड़ा
3. तहसीलदार, निम्बाहेड़ा
4. सहायक खनि अभियन्ता, निम्बाहेड़ा
- ✓ 5. मै. जे. कें. सीमेन्ट वर्क्स, कैलाश नगर, निम्बाहेड़ा


प्रभारी अधिकारी, राजस्व
(अतिरिक्त कलेक्टर(प्रशा.))
चित्तौड़गढ़

Plantation on Top Soil



Overburden




Subgrade Mineral




Garland Drain





Water spray through water tanker on haulage road



GEO-TAGGING OF PLANTATION




GEO-TAGGING OF PLANTATION CONT.



GEO-TAGGING OF PLANTATION Cont.




GEO-TAGGING OF PLANTATION Cont.





GEO-TAGGING OF PLANTATION CONT.




GEO-TAGGING OF PLANTATION Cont.









JK Cement LTD.

CIN : L17229UP1994PLC017199

ISO 9001:2008, ISO 14001:2004 & OHSAS 18001 : 2007 CERTIFIED COMPANY

Phone : +91-1477-220098, 220087
 Fax : +91-1477-220027, 220049
 E-mail : jkc.nbh@jkcement.com
 Web : www.jkcement.com

J.K. Cement Works
 Kailash Nagar - 312617, Nimbahera
 Distt. Chittorgarh (Raj.) INDIA

NBH/PC/14/C14/ 643

Regd. AD.

Date: 07.10.2020

To,
The Additional Director (M)
 Indira Paryavaran Bhavan,
 JOR Bagh Road,
 Near JOR bagh Metro station
 New Delhi 110003

Subject: Compliance to Specific condition no. A (VI) of Environmental Clearance.

Dear Sir,

Kindly refer Environmental Clearance letter no. J - 110115 /83/2004/IA.II dated. 30th May 2005 of our Nimbahera - Ahirpura Limestone Mine. We are enclosing herewith ground water level & water quality data of Monsoon season (August' 2020) with respect to specific Condition No. A (VI) of above referred letter. This is for your reference & record.

Thanking you.

Yours faithfully
 For J.K. Cement Works, Nimbahera

Encl: as above

Anil Kumar Jain
 Sr. General Manager- Environment

Copy to:

- 1) The Director, Ministry of Environment and Forest,
 Regional Office (Central Region),
 Kendriya Bhawan, 5th Floor, Sector 'H', ALIGANJ,
 LUCKNOW-226020 (U.P.)
- 2) The Member Secretary,
 Central Ground Water Authority,
 Ministry of Water Resources (G.O.I.),
 16/11, Jam Nagar House, Mansingh Road
 NEW DELHI- 110011
- 3) The Regional Director,
 Central Ground Water Board (Western Region),
 Jhalana Dungri Institutional Area,
 Jaipur - 302004 (Rajasthan)

Corporate & Registered Office : Kamla Tower, Kanpur-208001, (U. P.) INDIA
 Phone : +91-512-2371478 to 81 Fax : 2399854 E-mail : ho.grey@jkcement.com



J. K. Cement Works, Nimbahera
 J. K. Cement Works Mangrol
 J. K. Cement Works, Gotan
 J. K. Cement Works, Jharli

J. K. Power, Bomania
 J. K. Cement Works, Muddapur
 J. K. White Cement Works, Gotan
 J. K. White, Katni



Hydrological Studies.

Details of the Peizometric Level During August 2020

Nimbahera-Ahirpura Limestone Mine

S. No.	Location	Hole No.	Depth of Hole (in Mts.)	Depth of the water column from surface as on 02.08.2020
1.	East of pit near Road	N/PZ1	75.00	16.0 m
2.	North of pit	N/PZ2	75.00	40.52 m
3.	North West of pit near Sharda well	N/PZ3	79.27	29.0 m
4.	West of pit Devi Lal field	N/PZ4	76.22	17.50 m



Hydrological data of representative wells of J.K. Cement Limestone Mine, Nimbahera (During Monsoon, Aug. 2020)

S. No.	Village	Owner	Coordinates		Depth of well (M)	Dia. Of well (M)	Depth of water (during Monsoon) (M)	Type of Aquifer	Mode of Pumping	Yield Cu.M. / Day	Use
			NORTHING	EASTING							
1	Aharpura	Sh. Gahari Lal	24°38' 36.9"	74°40' 42.1"	13.1	5.20	11.54	Limestone	Manual	-	Irrigation
2	Laxmipura	Sh. Ghisu Lal	24°40' 15.0"	74°39' 48.6"	15.0	2.30	12.45	Limestone	-	-	Irrigation
3	Fachar	Sh. Chaman Lal	24°40' 29.3"	74°39' 30.2"	30.0	3.10	25.07	Shales	Manual	-	Irrigation
4	Murliya	Sh. Punam Chand	24°41' 11.3"	74°38' 51.1"	15.0	3.00	10.11	Limestone	Manual	-	Irrigation
5	Ravliya	Sh. Moti Gurjar	24°43' 03.7"	74°38' 34.4"	12.0	3.00	9.47	Limestone	DE	180	Irrigation
6	Bhavliya	Sh. Devi Lal	24°42' 47.1"	74°38' 54.9"	13.0	5.52	8.83	Limestone	DE	180	Irrigation
7	Mangrol	Sh. Malaji Gayari	24°41' 43.4"	74°39' 04.7"	12.2	3.08	10.47	Limestone	DE	180	Irrigation
8	Tilakhara	Sh. Kailash Singh	24°42' 41.1"	74°42' 01.1"	14.2	2.84	10.49	Limestone	EM	200	Irrigation
9	Unkhliya	Sh. Bheru Lal	24°43' 53.4"	74°40' 42.1"	18.0	3.32	15.05	Limestone	EM	180	Irrigation
10	Facher Solanki	Sh. Bhagwat Singh	24°45' 32.2"	74°40' 55.0"	12.0	3.71	10.48	Limestone	-	-	Irrigation
11	Mayra	Sh. Ramchandra	24°46' 10.7"	74°40' 35.8"	12.4	2.82	10.28	Limestone	-	-	Irrigation
12	Barniya	Sh. Unkar Gurjar	24°45' 59.4"	74°39' 41.3"	15.0	3.00	11.84	Limestone	EM	-	Irrigation
13	Tai Khara	Sh. Bheru Lal	24°43' 40.9"	74°41' 49.9"	22.0	2.46	16.27	Limestone	EM	160	Irrigation
14	Motha	Sh. Jagannath	24°41' 54.8"	74°42' 28.1"	13.5	5.22	11.18	Limestone	-	-	Irrigation
15	Amiya Joshi	Sh. Nathu Lal Charan	24°42' 23.8"	74°42' 32.3"	15.0	3.20	8.75	Limestone	DE	180	Irrigation
16	Tal	Sh. Prabhu Lal	24°43' 56.9"	74°43' 11.3"	15.0	2.52	10.67	Limestone	DE	160	Irrigation
17	Mohamadpura	Sh. Keshar Singh	24°44' 16.5"	74°43' 28.4"	15.2	5.24	11.46	Limestone	Manual	-	Irrigation
18	Sarthal	Bhalla Ba	24°44' 53.2"	74°43' 18.1"	12.2	2.82	9.54	Limestone	Manual	-	Irrigation
19	Kriparam Khert	Sh. Nana Lal Jetpal	24°43' 01.3"	74°43' 39.6"	15.8	3.06	11.9	Limestone	DE	180	Irrigation
20	Charliya	Tara Chand	24°42' 24.4"	74°46' 11.4"	20.0	3.30	14.28	Limestone	EM	200	Irrigation
21	Amoda	Sh. Bholi Ram	24°42' 19.4"	74°44' 47.7"	18.0	3.20	15.25	Shales	DE	180	Irrigation
22	Shahbad	Sh. Champa Lal	24°41' 26.4"	74°41' 42.0"	22.0	3.02	16.82	Limestone	-	-	Irrigation
23	Sankhlon Ka Khara	Sh. Ram Chandra Jat	24°40' 40.7"	74°41' 47.1"	25.0	2.80	22.16	Limestone	-	-	Irrigation
24	Bedoli Ghata	Sh. Chalarbhuji	24°40' 04.8"	74°42' 10.3"	20.0	3.82	15.68	Limestone	Manual	-	Irrigation
25	Karhana	Sh. Uma Shanker	24°39' 13.8"	74°42' 00.5"	15.0	5.12	12.80	Limestone	-	-	Irrigation
26	Nimbahera	Sh. Bedri Lal	24°37' 57.1"	74°41' 40.3"	19.0	4.15	16.01	Limestone	EM	-	Irrigation
27	Kalyanpura	Sh. Nanu Ramji	24°36' 42.0"	74°42' 54.5"	25.2	4.92	16.78	Limestone	EM	60	Irrigation
28	Gadola	Sh. Ganesh Lal	24°37' 34.0"	74°44' 14.2"	25.0	5.60	16.82	Limestone	Manual	-	Irrigation
29	Borekheri	Sh. Mohan Lal	24°38' 34.1"	74°44' 03.2"	20.0	3.95	15.69	Limestone	EM	180	Irrigation
30	Rathajana	Sh. Megh Raj	24°38' 48.2"	74°45' 22.1"	25.2	3.72	16.69	Shales	Manual	-	Irrigation

(Signature)



JK Cement LTD.

CIN : L17229UP1994PLC017199

ISO 9001:2015 | ISO 14001:2015 | ISO 45001:2018 | ISO 50001:2011 CERTIFIED COMPANY

P/c
Phone : +91-1477-220098, 220087
Fax : +91-1477-220027, 220049
E-mail : jkc.nbh@jkcement.com
Web : www.jkcement.com

J.K. Cement Works
Kailash Nagar - 312617, Nimbahera
Distt. Chittorgarh (Raj.) INDIA

Ref. No.: NBH/PC/14/C14/

Regd. AD,

Date: 10.06.2020

To,
The Additional Director (M)
Indira Paryavaran Bhavan,
JOR Bagh Road,
Near JOR bagh Metro station
New Delhi 110003

Subject: Compliance to Specific condition no. A (VI) of Environmental Clearance.

Dear Sir,

Kindly refer Environmental Clearance letter no. J - 110115 /83/2004/LA.II dated. 30th May 2005 of our Nimbahera - Ahirpura Mine. We are enclosing herewith ground water level & water quality data of Pre Monsoon (April-May' 2020) in response to the Clearance specific Condition No. A (VI) of above referred letter for your reference & record.

Thanking you.

Yours faithfully
For J.K. Cement Works, Nimbahera

S.K. Acharya
Head (Environment & Power management)

Encl: u/a

Copy to:

The Director, Ministry of Environment and Forest,
Regional Office (Central Region),
Kendriya Bhawan, 5th Floor, Sector 'H', ALIGANJ,
LUCKNOW-226020 (U.P.)

The Member Secretary,
Central Ground Water Authority,
Ministry of Water Resources (G.O.I.),
16/11, Jam Nagar House, Mansingh Road
NEW DELHI- 110011

The Regional Director,
Central Ground Water Board (Western Region),
Jhalana Dungri Institutional Area,
Jaipur - 302004 (Rajasthan)

Corporate & Registered Office : Kamla Tower, Kanpur-208001, (U. P.) INDIA
Phone : +91-512-2371478 to 81 Fax : 2399854 E-mail : ho.grey@jkcement.com



J. K. Cement Works, Nimbahera
J. K. Cement Works Mangrol
J. K. Cement Works, Golan
J. K. Cement Works, Jhalil

J. K. Power, Baramia
J. K. Cement Works, Muddapur
J. K. White Cement Works, Golan
J. K. White, Kalni



Hydrological data of representative wells of J.K. Cement Limestone Mine, Nimbahera (During Pre-Monsoon, April - May 2020)

S. No.	Village	Owner	Coordinates		Depth of well (M)	Dia. Of well (M)	Depth of water during Pre-Monsoon (M)	Type of Aquifer	Mode of Pumping	Yield Cu.M. / Day	Use
			NORTHING	EASTING							
1	Ahripura	Sh. Gaheri Lal	24° 39' 36.8"	74° 40' 42.1"	13.1	5.20	12.97	Limestone	Manual	-	Irrigation
2	Laxmipura	Sh. Ghisu Lal	24° 40' 15.0"	74° 39' 48.6"	15.0	2.30	14.71	Limestone	-	-	Irrigation
3	Fachar	Sh. Chaman Lal	24° 40' 28.3"	74° 39' 30.2"	30.0	3.10	24.54	Shales	Manual	-	Irrigation
4	Muriya	Sh. Punam Chand	24° 41' 11.3"	74° 38' 51.1"	15.0	3.00	12.97	Limestone	Manual	-	Irrigation
5	Ravliya	Sh. Moti Gurjar	24° 43' 03.7"	74° 38' 34.4"	12.0	3.00	10.21	Limestone	-	-	Irrigation
6	Bhavliya	Sh. Devi Lal	24° 42' 47.1"	74° 38' 54.9"	13.0	5.52	11.28	Limestone	DE	180	Irrigation
7	Mangrol	Sh. Malaji Gayari	24° 41' 43.4"	74° 39' 04.7"	12.2	3.08	10.71	Limestone	-	-	Irrigation
8	Tilakhara	Sh. Kailash Singh	24° 42' 41.1"	74° 42' 01.1"	14.2	2.84	12.24	Limestone	EM	200	Irrigation
9	Unkhliya	Sh. Bheru Lal	24° 43' 53.4"	74° 40' 42.1"	18.0	3.32	14.90	Limestone	EM	180	Irrigation
10	Facher	Sh. Bhagwat Singh	24° 45' 32.2"	74° 40' 55.0"	12.0	3.71	11.61	Limestone	-	-	Irrigation
11	Solanki	Sh. Ramchandra	24° 46' 10.7"	74° 40' 35.8"	12.4	2.62	10.18	Limestone	-	-	Irrigation
12	Mayra	Sh. Unkar Gurjar	24° 45' 58.4"	74° 39' 41.3"	15.0	3.00	14.55	Limestone	EM	180	Irrigation
13	Tai Khara	Sh. Bheru Lal	24° 43' 40.9"	74° 41' 49.9"	22.0	2.46	16.88	Limestone	EM	160	Irrigation
14	Motha	Sh. Jaganath	24° 41' 54.8"	74° 42' 28.1"	13.5	5.22	12.94	Limestone	-	-	Irrigation
15	Amiya Joshi	Sh. Nathu Lal Charan	24° 42' 23.8"	74° 42' 32.3"	15.0	3.20	11.95	Limestone	DE	180	Irrigation
16	Tal	Sh. Prabhu Lal	24° 43' 56.9"	74° 43' 11.3"	15.0	2.52	13.70	Limestone	DE	160	Irrigation
17	Mohamadpura	Sh. Keshar Singh	24° 44' 16.5"	74° 43' 28.4"	15.2	5.24	14.14	Limestone	Manual	-	Irrigation
18	Sarthal	Bhaji Ba	24° 44' 53.2"	74° 43' 18.1"	12.2	2.62	11.66	Limestone	-	-	Irrigation
19	Kiparam Khari	Sh. Nana Lal Jetpal	24° 43' 01.3"	74° 43' 39.6"	15.8	3.08	12.11	Limestone	DE	180	Irrigation
20	Charliya	Tara Chand	24° 42' 24.4"	74° 46' 11.4"	20.0	3.30	15.55	Limestone	EM	200	Irrigation
21	Arnoda	Sh. Bholi Ram	24° 42' 19.4"	74° 44' 47.7"	18.0	3.20	14.85	Shales	DE	180	Irrigation
22	Shahbad	Sh. Champa Lal	24° 41' 26.4"	74° 41' 42.0"	22.0	3.02	20.43	Limestone	-	-	Irrigation
23	Sankhlon Ka Khara	Sh. Ram Chandra Jat	24° 40' 40.7"	74° 41' 47.1"	25.0	2.80	23.91	Limestone	-	-	Irrigation
24	Badoi Ghata	Sh. Chatarbhuji	24° 40' 04.8"	74° 42' 10.3"	20.0	3.82	18.93	Limestone	Manual	-	Irrigation
25	Karhana	Sh. Uma Shanker	24° 39' 13.8"	74° 42' 00.5"	15.0	5.12	14.29	Limestone	-	-	Irrigation
26	Nimbahera	Sh. Badri Lal	24° 37' 57.1"	74° 41' 40.3"	19.0	4.15	17.27	Limestone	EM	-	Irrigation
27	Kalyanpura	Sh. Nanu Ramji	24° 36' 42.0"	74° 42' 54.5"	25.2	4.92	19.58	Limestone	EM	60	Irrigation
28	Gadola	Sh. Ganesh Lal	24° 37' 34.0"	74° 44' 14.2"	25.0	5.60	19.85	Limestone	Manual	-	Irrigation
29	Borekheri	Sh. Mohan Lal	24° 38' 34.1"	74° 44' 03.2"	20.0	3.95	16.04	Limestone	EM	180	Irrigation
30	Rathajana	Sh. Megh Raj	24° 38' 48.2"	74° 45' 22.1"	25.2	3.72	20.02	Shales	Manual	-	Irrigation

**J.K CEMENT WORKKS,NIMBAHERA(RAJ)
THERMAX LIMITED(O&M)
WATER ANALYSIS REPORT**



Date of sampling :29.05.2020

Sample Collected By: J.K.Cement Works,Nimbahera

Sample from :- J.K. Cement Limestone Mine, Nimbahera

Sample No.	Ahipura Block			Murlia Block		
Sample No.	Pit	Crusher Tube Well	Sharda Tube Well	Hand pump (near Hut)	Tube well (near Mangrol Chauraha)	Pit
Particulars	(Surface Water)	(Underground Water)	(Underground Water)	(Underground Water)	(Underground Water)	(Surface Water)
Colour	Clear	Clear	Clear	Clear	Clear	Clear
Odour	Natural	Natural	Natural	Natural	Natural	Natural
PH	7.2	7.4	7.41	7.3	7.2	7.34
Total Hardness (PPM)	180	256	150	280	332	300
Ca++ Hardness (PPM)	114	178	120	208	292	232
Mg++ Hardness (PPM)	66	78	30	74	40	68
Conductivity (µ/cm)	456	606	516	711	910	1162
T.D.S. (PPM)	273	399	309	426	550	697
S.S. (PPM)	41	43	44	41	40	44
Chlorides (PPM)	42	62	62	50	55	76
Turbidity (NTU)	1	0.8	1.2	1.5	0.9	0.68
M-alk (PPM)	96	168	96	204	280	298
Iron (Fe) (PPM)	ND	ND	< 0.05	0.03	ND	< 0.05
Flouride (F) (PPM)	0.34	0.28	0.34	0.46	0.15	0.45
Oil & Grease (PPM)	0.9	ND	1.00	1.1	ND	1.1

(Sr. Chemist)

(Srn. Manager)

Hydrological Studies.

Details of the Peizometric Level During Apri-May 2020

Nimbahera-Ahlpura Limestone Mine

S. No.	Location	Hole No.	Depth of Hole (in Mts.)	Depth of the water column from surface as on 28.05.2020
1.	East of pit near Road	N/PZ1	75.00	36.58 m
2.	North of pit	N/PZ2	75.00	46.92 m
3.	North West of pit near Sharda well	N/PZ3	79.27	37.18 m
4.	West of pit Devi lal field	N/PZ4	76.22	40.62 m





JK Cement LTD.

CIN : L17220UP1994PLC017199

ISO 9001:2008, ISO 14001:2004 & OHSAS 18001 : 2007 CERTIFIED COMPANY

Phone : +91-1477-220088, 220087
Fax : +91-1477-220027, 220049
E-mail : jkc.nbh@jkcement.com
Web : www.jkcement.com

J.K. Cement Works
Kailash Nagar - 312017, Nimbahera
Distt. Chittorgarh (Raj.) INDIA

Ref. No.: NBH/PC/14/C14/ 5379

Regd. AD.

Date: 01.02.2020

To,
The Additional Director (M)
Indira Paryavaran Bhavan,
JOR Bagh Road,
Near JOR bagh Metro station
New Delhi 110003

Subject: Compliance to Specific condition no. A (VI) of Environmental Clearance.

Dear Sir,

Kindly refer Environmental Clearance letter no. J - 110115 /83/2004/IA.II dated. 30th May 2005 of our Nimbahera - Ahirpura Mine. We are enclosing herewith ground water level & water quality data of winter (January* 2020) in response to the Clearance specific Condition No. A (VI) of above referred letter for your reference & record.

Thanking you.

Yours faithfully
For J.K. Cement Works, Nimbahera

Encl: a/a

S.K. Acharya
Head (Environment & Power management)

Copy to:

The Director, Ministry of Environment and Forest,
Regional Office (Central Region),
Kendriya Bhawan, 5th Floor, Sector 'H', ALIGANJ,
LUCKNOW-226020 (U.P.)

The Member Secretary,
Central Ground Water Authority,
Ministry of Water Resources (G.O.I.),
16/11, Jam Nagar House, Mansingh Road
NEW DELHI- 110011

The Regional Director,
Central Ground Water Board (Western Region),
Jhalana Dungri Institutional Area,
Jaipur - 302004 (Rajasthan)

Corporate & Registered Office : Kamia Tower, Kanpur-208001, (U. P.) INDIA
Phone : +91-512-2371478 to 81 Fax : 2398654 E-mail : ho.grey@jkcement.com



J. K. Cement Works, Nimbahera
J. K. Cement Works Mangrol
J. K. Cement Works, Golan
J. K. Cement Works, Jhadi

J. K. Power, Bamania
J. K. Cement Works, Muddapur
J. K. White Cement Works, Golan
J. K. White, Kalri



Hydrological Studies.

Details of the Piezometric Level During January 2020

Nimbahera-Ahirpura Limestone Mine

S. No.	Location	Hole No.	Depth of Hole (in Mts.)	Depth of the water column from surface as on 15.01.2020
1.	East of pit near Road	N/PZ1	75.00	12.18 m
2.	North of pit	N/PZ2	75.00	29.80 m
3.	North West of pit near Sharda well	N/PZ3	79.27	18.95 m
4.	West of pit Devi lai field	N/PZ4	76.22	11.26 m

(Signature)

Mitra S.K. Private Limited

Sirachi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 014, West Bengal India
CIN: U51009WB1956PTC023037



TESTING • INSPECTION

T: 91 33 22172249 / 40143000 / 22650006 / 22650007
F: 91 33 22050008
E: info@msk.com
W: www.msk.com

TEST REPORT

Name & Address of the Customer :
J.K. Cement Works, Nimbahera
C/o Kailash Nagar - 312617
Nimbahera - Dist. Chittorgarh (Raj.)

Reference No. & Date : e-mail dtd: 23.04.2019

Report No. : MSK/UDR/2019-20/1554
Date : 28.01.2020
Sample No. : MSKGL/ED/2019-20/01/00337
Sample Description : Ground Water (Sharda's Tube well water sample)
Sample Mark : Ahirpura Lime Stone Mine
Date of Sampling : 19.01.2020

ANALYSIS RESULT OF WATER AS PER IS : 10500 - 2012

Sl No.	Parameter	Desirable Limit	Permissible Limit	Method	Result
1	pH at 25°C	6.5-8.5	No Relaxation	IS 3025 (Part 11)-1983; Rfim: 2012	7.6
2	Conductivity at 25°C in $\mu\text{mhos/cm}$	---	---	IS 3025 (Part 14)- 2013	799.0
3	Colour in Hazen	5	15	IS 3025 (Part 4)-1983; Rfim:2002	<1.0
4	Odour	Agreeable	Agreeable	IS 3025 (Part 5)-1983 Rfim:2012	Unobjectionable
5	Turbidity in N.T.U	1	5	IS 3025 (Part 10)-1984 Rfim: 2012	<1.0
6	Total Dissolved Solids in mg/l	500	2000	IS 3025 (Part 16)-1984; Rfim:2002	447.0
7	Total Suspended Solids in mg/l	---	---	IS 3025 (Part 24)-1986; Rfim:2009	<2.3
8	Total Hardness as CaCO_3 in mg/l	200	600	IS 3025 (Part 21)-2013	352.0
9	Calcium as Ca in mg/l	75	200	IS 3025 (Part 40)- 1991 Rfim: 2009	152.0
10	Magnesium as Mg in mg/l	30	100	IS 3025 (Part 46)-1994 Rfim: 2009	6.7
11	Total Alkalinity as CaCO_3 in mg/l	200	600	IS 3025 (Part 23)- 1986 Rfim: 2009	361.0
12	Chloride as Cl in mg/l	250	1000	IS 3025 (Part 32)-1988 Rfim: 2009	30.2
13	Oil & Grease in mg/l	---	---	IS 3025(Part 39)-Rfim 2009	<1.0
14	Fluoride as F in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 Rfim: 2013	0.22
15	Iron as Fe in mg/l	0.3	No relaxation	IS 3025 (Part 53)-1988 Rfim: 2009	<0.05

Checked By:

For Mitra S.K. Pvt. Ltd.

Authorized Signatory

J.K. CEMENT WORKS, NIMBAHERA (RAJ)
THERMAX LIMITED (O&M)
WATER ANALYSIS REPORT



Date of sampling: 06.01.2020

Sample collected by: J.K. Cement works, Nimbahera

Sample Location: A. J.K. Cement Limestone Mine, Nimbahera

Location		Ahipura Block		Murlia Block	
Sample name :->		Pit water	Crusher tube well water sample	Tube well (near mangrol chauraha) water sample	Pit water sample
Parameters	Unit				
Colour		Clear	Clear	Clear	Clear
Odour		Natural	Natural	Natural	Natural
pH		7.9	7.38	7.35	7.58
Total hardness	ppm	200	364	552	290
Ca++ hardness	ppm	140	328	308	248
Mg++ hardness	ppm	60	36	244	42
Conductivity	µs/cm	477	827	1070	614
TDS	ppm	286.2	496.2	642	368.4
S.S.	ppm	16	10	18	21
Chlorides	ppm	56	138	82	54
Turbidity	NTU	2.66	0.59	0.78	0.95
M - Alk.	ppm	108	196	270	180

(Sr. Chemist)

(Srn. Manager)

Hydrological data of representative wells of J.K. Cement Limestone Mine, Nimbahera (During Winter, Jan. 2020)

S. No.	Village	Owner	Coordinates		Depth of well (M)	Dia. Of well (M)	Depth of water During Winter (M)	Type of Aquifer	Mode of Pumping	Yield Cu.M. / Day	Use
			NORTHING	EASTING							
1	Aharpura	Sh. Gahan Lal	24° 38' 36.9"	74° 40' 42.1"	13.1	5.20	12.42	Limestone	Manual	-	Irrigation
2	Laxmipura	Sh. Ghisu Lal	24° 40' 15.0"	74° 38' 48.6"	15.0	2.30	14.78	Limestone	-	-	Irrigation
3	Fachar	Sh. Chaman Lal	24° 40' 29.3"	74° 38' 30.2"	30.0	3.10	23.36	Shales	Manual	-	Irrigation
4	Murliya	Sh. Punam Chand	24° 41' 11.3"	74° 38' 51.1"	15.0	3.00	11.36	Limestone	Manual	-	Irrigation
5	Ravliya	Sh. Moti Gurjar	24° 43' 03.7"	74° 38' 34.4"	12.0	3.00	8.31	Limestone	DE	180	Irrigation
6	Bhavliya	Sh. Devi Lal	24° 42' 47.1"	74° 38' 54.9"	13.0	5.52	7.77	Limestone	DE	180	Irrigation
7	Mangrol	Sh. Malaji Gayari	24° 41' 43.4"	74° 39' 04.7"	12.2	3.08	9.60	Limestone	DE	160	Irrigation
8	Tilakhera	Sh. Kailash Singh	24° 42' 41.1"	74° 42' 01.1"	14.2	2.84	10.97	Limestone	EM	200	Irrigation
9	Unkhiya	Sh. Bheru Lal	24° 43' 53.4"	74° 40' 42.1"	18.0	3.32	12.37	Limestone	EM	180	Irrigation
10	Facher	Sh. Bhagwat Singh	24° 45' 32.2"	74° 40' 55.0"	12.0	3.71	11.90	Limestone	-	-	Irrigation
11	Solanki	Sh. Ramchandra	24° 46' 10.7"	74° 40' 35.8"	12.4	2.82	8.27	Limestone	-	-	Irrigation
12	Mayra	Sh. Unkar Gurjar	24° 45' 59.4"	74° 39' 41.3"	15.0	3.00	12.75	Limestone	EM	180	Irrigation
13	Barniya	Sh. Bheru Lal	24° 43' 40.9"	74° 41' 49.9"	22.0	2.46	13.58	Limestone	EM	180	Irrigation
14	Motha	Sh. Jaganath	24° 41' 54.8"	74° 42' 28.1"	13.5	5.22	12.57	Limestone	-	-	Irrigation
15	Amiya Joshi	Sh. Nathu Lal Charan	24° 42' 23.8"	74° 42' 32.3"	15.0	3.20	8.47	Limestone	DE	180	Irrigation
16	Tai	Sh. Prabhu Lal	24° 43' 56.9"	74° 43' 11.3"	15.0	2.52	8.74	Limestone	DE	160	Irrigation
17	Mohamadpura	Sh. Keshar Singh	24° 44' 16.5"	74° 43' 28.4"	15.2	5.24	7.92	Limestone	Manual	-	Irrigation
18	Sarthal	Bhaji Ba	24° 44' 53.2"	74° 43' 18.1"	12.2	2.62	7.49	Limestone	Manual	-	Irrigation
19	Kripaem Kheri	Sh. Nana Lal Jetpal	24° 43' 01.3"	74° 43' 39.6"	15.8	3.06	9.03	Limestone	DE	180	Irrigation
20	Charliya	Tara Chand	24° 42' 24.4"	74° 46' 11.4"	20.0	3.30	12.58	Limestone	EM	200	Irrigation
21	Amoda	Sh. Bholi Ram	24° 42' 19.4"	74° 44' 47.7"	18.0	3.20	12.61	Shales	DE	180	Irrigation
22	Shahbed	Sh. Champa Lal	24° 41' 26.4"	74° 41' 42.0"	22.0	3.02	19.77	Limestone	-	-	Irrigation
23	Sankhlon Ka Khara	Sh. Ram Chandra Jet	24° 40' 40.7"	74° 41' 47.1"	25.0	2.80	22.41	Limestone	-	-	Irrigation
24	Badoli Ghata	Sh. Chatarbhuji	24° 40' 04.8"	74° 42' 10.3"	20.0	3.82	16.69	Limestone	Manual	-	Irrigation
25	Karthana	Sh. Uma Shanker	24° 39' 13.8"	74° 42' 00.5"	15.0	5.12	12.10	Limestone	-	-	Irrigation
26	Nimbahera	Sh. Bedri Lal	24° 37' 57.1"	74° 41' 40.3"	19.0	4.15	14.83	Limestone	EM	60	Irrigation
27	Kalyanpura	Sh. Nanu Ramji	24° 36' 42.0"	74° 42' 54.5"	25.2	4.92	15.79	Limestone	EM	-	Irrigation
28	Gadola	Sh. Ganesh Lal	24° 37' 34.0"	74° 44' 14.2"	25.0	5.60	15.47	Limestone	Manual	-	Irrigation
29	Borekheri	Sh. Mohan Lal	24° 36' 34.1"	74° 44' 03.2"	20.0	3.95	13.44	Limestone	EM	180	Irrigation
30	Rathajana	Sh. Megh Raj	24° 38' 48.2"	74° 45' 22.1"	25.2	3.72	16.28	Shales	Manual	-	Irrigation

(Signature)



JK Cement LTD.

CIN : L17229UP1994PLC017199

ISO 9001:2008, ISO 14001:2004 & OHSAS 18001 : 2007 CERTIFIED COMPANY

Phone : +91-1477-220098, 220087
Fax : +91-1477-220027, 220049
E-mail : jkcnbh@jkcement.com
Web : www.jkcement.com

J.K. Cement Works
Kallash Nagar - 312617, Nimbahera
Distt. Chittorgarh (Raj.) INDIA

Ref. No.: NBH/PC/14/C14/ 1170

Regd. AD.

Date: 02.12.2019

To,
The Additional Director (H)
Indira Paryavaran Bhavan,
JOR Bagh Road,
Near JOR bagh Metro station
New Delhi 110003

Subject: Compliance to Specific condition no. A (VI) of Environmental Clearance.

Dear Sir,

Kindly refer Environmental Clearance letter no. J - 110115 /83/2004/IA.II dated. 30th May 2005 of our Nimbahera - Ahirpura Mine. We are enclosing herewith ground water level & water quality data of Post Monsoon (November' 2019) in response to the Clearance specific Condition No. A (VI) of above referred letter for your reference & record.

Thanking you.

[Signature]

Encl: a/a

Copy to:

The Director, Ministry of Environment and Forest,
Regional Office (Central Region),
Kendriya Bhawan, 5th Floor, Sector 'H', ALIGANI,
LUCKNOW-226020 (U.P.)

The Member Secretary,
Central Ground Water Authority,
Ministry of Water Resources (G.O.I.),
16/11, Jam Nagar House, Mansingh Road
NEW DELHI- 110011

The Regional Director,
Central Ground Water Board (Western Region),
Jhalana Dungri Institutional Area,
Jaipur - 302004 (Rajasthan)

Yours faithfully
For J.K. Cement Works, Nimbahera

[Signature]

S.K. Acharya

Head (Environment & Power management)

Corporate & Registered Office : Kamla Tower, Kanpur-208001, (U. P.) INDIA
Phone : +91-512-2371478 to 81 Fax : 2399854 E-mail : ho.gray@jkcement.com



J. K. Cement Works, Nimbahera
J. K. Cement Works Mangrol
J. K. Cement Works, Golan
J. K. Cement Works, Jherli

J. K. Power, Bameria
J. K. Cement Works, Muddepur
J. K. White Cement Works, Golan
J. K. White, Katni




Hydrological Studies.

Details of the Peizometric Level During November 2019

Nimbahera-Ahirpura Limestone Mine

S. No.	Location	Hole No.	Depth of Hole (in Mts.)	Depth of the water column from surface as on 14.11.2019
1.	East of pit near Road	N/PZ1	75.00	6.80 m
2.	North of pit	N/PZ2	75.00	17.10 m
3.	North West of pit near Sharda well	N/PZ3	79.27	7.80 m
4.	West of pit Devi lal field	N/PZ4	76.22	6.56 m



Mitra S.K. Private Limited

Shradha Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51909WB1968PTC023037

T: 91 33 22172249 / 40143000 / 22650008 / 22650007
F: 91 33 22650006
E: info@mitrask.com
W: www.mitrask.com



TESTING • INSPECTION

TEST REPORT

Name & Address of the Customer :

J.K. Cement Works, Nimnahera

C/o Kailash Nagar - 312617

Nimnahera - Dist. Chittorgarh (Raj.)

Reference No. & Date : e-mail dtd: 23.04.2019

Report No. : MSK-UIOR/2019-20/1290

Date : 26.11.2019

Sample No. : MSKGLFD/2019-20/11/00698

Sample Description : Ground Water (Sharda's Tube well water sample)

Sample Mark : Ashirpura Line Stone Mine

Date of Sampling : 06.11.2019

ANALYSIS RESULT OF WATER AS PER IS : 10500 - 2012

Sl No.	Parameter	Desirable Limit	Permissible Limit	Method	Result
1.	pH at 25°C	6.5-8.5	No Relaxation	IS 3025 (Part 11)-1983; RfIm: 2012	8.81
2.	Conductivity at 25°C in $\mu\text{mhos/cm}$	---	---	IS 3025 (Part 11)- 2013	474.0
3.	Colour in Hazen	5	15	IS 3025 (Part 4)-1983; RfIm: 2002	<1.0
4.	Odour	Agreeable	Agreeable	IS 3025 (Part 5)-1983 RfIm: 2012	Unobjectionable
5.	Turbidity in N.T.U.	1	5	IS 3025 (Part 10)-1984 RfIm: 2012	3.0
6.	Total Dissolved Solids in mg/l	500	2000	IS 3025 (Part 16)-1984; RfIm: 2002	249.0
7.	Total Suspended Solids in mg/l	---	---	IS 3025 (Part 24)-1986; RfIm: 2009	3.5
8.	Total Hardness as CaCO_3 in mg/l	200	600	IS 3025 (Part 21)-2013	192.0
9.	Calcium as Ca in mg/l	75	200	IS 3025 (Part 40)- 1991 RfIm: 2009	52.0
10.	Magnesium as Mg in mg/l	30	100	IS 3025 (Part 46)-1994 RfIm: 2009	15.0
11.	Total Alkalinity as CaCO_3 in mg/l	200	600	IS 3025 (Part 23)- 1986 RfIm: 2009	140.0
12.	Chloride as Cl in mg/l	250	1000	IS 3025 (Part 32)-1988 RfIm: 2009	39.0
13.	Oil & Grease in mg/l	---	---	IS 3025 (Part 39)-RfIm: 2009	<3.0
14.	Fluoride as F in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 RfIm: 2013	0.19
15.	Iron as Fe in mg/l	0.3	No relaxation	IS 3025 (Part 53)-1988 RfIm: 2009	0.28

Analyst



Mitra S.K. Private Limited

Shreeji Center (8th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51209WB1996PTC022037



TESTING • INSPECTION

T: 91 33 22172248 / 40143000 / 22650006 / 22650007
F: 91 33 22650008
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :
J.K. Cement Works, Nimbuhera
C/o Kailash Nagar - 712617
Nimbuhera - Dist. Chittorgarh (Raj.)

Reference No. & Date : e-mail dt: 24.01.2019

Report No. : MSK/DR/2019-20/1271

Date : 26.11.2019

Sample No. : MSKGL-ED/2019-20/11-00699

Sample Description : Ground Water from Hand Pump (Near Hall)

Sample Mark : Marble Block

Date of Sampling : 06.11.2019

ANALYSIS RESULT OF WATER AS PER IS : 10500 - 2012

Sl No.	Parameter	Desirable Limit	Permissible Limit	Method	Result
1.	pH at 25°C	6.5-8.5	No Relaxation	IS 3025 (Part 11)-1983; Rfim: 2012	6.59
2.	Conductivity at 25°C in $\mu\text{mhos/cm}$	---	---	IS 3025 (Part 14)- 2013	1006.0
3.	Colour in Hazen	5	15	IS 3025 (Part 4)-1983; Rfim: 2002	<1.0
4.	Odour	Agreeable	Agreeable	IS 3025 (Part 5)-1983; Rfim: 2012	Unobjectionable
5.	Turbidity in N.T.U	1	5	IS 3025 (Part 10)-1984; Rfim: 2012	2.0
6.	Total Dissolved Solids in mg/l	500	2000	IS 3025 (Part 16)-1984; Rfim: 2012	584.0
7.	Total Suspended Solids in mg/l	---	---	IS 3025 (Part 21)-1986; Rfim: 2009	<2.5
8.	Total Hardness as CaCO_3 in mg/l	300	600	IS 3025 (Part 21)-2013	457.0
9.	Calcium as Ca in mg/l	75	200	IS 3025 (Part 40)- 1991; Rfim: 2009	158.0
10.	Magnesium as Mg in mg/l	30	100	IS 3025 (Part 46)-1991; Rfim: 2009	18.0
11.	Total Alkalinity as CaCO_3 in mg/l	200	600	IS 3025 (Part 23)- 1986; Rfim: 2009	301.0
12.	Chloride as Cl in mg/l	250	1000	IS 3025 (Part 32)-1988; Rfim: 2009	85.0
13.	Oil & Grease in mg/l	---	---	IS 3025 (Part 39)-Rfim: 2009	<3.0
14.	Fluoride as F in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008; Rfim: 2013	0.56
15.	Iron as Fe in mg/l	0.3	No relaxation	IS 3025 (Part 57)-1988; Rfim: 2009	<0.05

(Signature)



J.K. CEMENT WORKS, NIMBAHERA (RAJ)
THERMAX LIMITED (O&M)
WATER ANALYSIS REPORT



Date of sampling: 04.11.2019

Sample collected by: J.K. Cement works, Nimbahera

Sample Location: A. J.K. Cement Limestone Mine, Nimbahera

Location		Ahirpura Block		Murlia Block	
Sample name :->		Pit water	Crusher tube well water sample	Tube well(near mangrol chauraha) water sample	Pit water sample
Parameters	Unit				
Colour		Clear	Clear	Clear	Clear
Odour		Natural	Natural	Natural	Natural
pH		8.1	7.58	7.5	7.4
Total hardness	ppm	192	376	480	296
Ca++ hardness	ppm	128	352	352	240
Mg++ hardness	ppm	64	24	128	56
Conductivity	µs/cm	486	906	1129	585
TDS	ppm	291.6	543.6	677.4	351
S.S.	ppm	12	11	10	14
Chlorides	ppm	99	88	70	48
Turbidity	NTU	1.81	0.53	0.57	1.89
M - Alk.	ppm	116	208	300	180

(Sr. Chemist)

(Stn. Manager)

Hydrological data of representative wells of J.K. Cement Limestone Mine, Nimbahera (During Post Monsoon, Nov. 2019)

S. No.	Village	Owner	Coordinates		Depth of well (M)	Dia. Of well (M)	Depth of water (during Post-Monsoon) (M)	Type of Aquifer	Mode of Pumping	Yield Cu.M. / Day	Use
			NORTHING	EASTING							
1	Aharpura	Sh. Gahani Lal	24°39' 36.9"	74°40' 42.1"	13.1	5.20	10.28	Limestone	Manual	-	Irrigation
2	Laxmipura	Sh. Ghisu Lal	24°40' 15.0"	74°39' 48.6"	15.0	2.30	14.45	Limestone	-	-	Irrigation
3	Fachar	Sh. Chaman Lal	24°40' 29.3"	74°39' 30.2"	30.0	3.10	18.87	Shales	Manual	-	Irrigation
4	Murliya	Sh. Punam Chand	24°41' 11.3"	74°38' 51.1"	15.0	3.00	8.38	Limestone	Manual	-	Irrigation
5	Ravliya	Sh. Mofi Gurjar	24°43' 03.7"	74°38' 34.4"	12.0	3.00	5.10	Limestone	DE	180	Irrigation
6	Bhaviya	Sh. Devi Lal	24°42' 47.1"	74°38' 54.9"	13.0	5.52	5.17	Limestone	DE	180	Irrigation
7	Mangrol	Sh. Malaji Gayari	24°41' 43.4"	74°39' 04.7"	12.2	3.08	6.37	Limestone	DE	160	Irrigation
8	Tilakhara	Sh. Kailash Singh	24°42' 41.1"	74°42' 01.1"	14.2	2.84	7.71	Limestone	EM	200	Irrigation
9	Unkhliya	Sh. Bheru Lal	24°43' 53.4"	74°40' 42.1"	18.0	3.32	8.03	Limestone	EM	180	Irrigation
10	Facher	Sh. Bhagwat Singh	24°45' 32.2"	74°40' 55.0"	12.0	3.71	10.62	Limestone	-	-	Irrigation
11	Meyra	Sh. Ramchandra	24°46' 10.7"	74°40' 35.8"	12.4	2.82	5.24	Limestone	-	-	Irrigation
12	Barnliya	Sh. Unkar Gurjar	24°45' 59.4"	74°39' 41.3"	15.0	3.00	10.45	Limestone	EM	180	Irrigation
13	Tai Khara	Sh. Bheru Lal	24°43' 40.9"	74°41' 49.9"	22.0	2.46	8.81	Limestone	EM	160	Irrigation
14	Molha	Sh. Jagannath	24°41' 54.8"	74°42' 28.1"	13.5	5.22	10.29	Limestone	-	-	Irrigation
15	Amliya Joshi	Sh. Nathu Lal Charan	24°42' 23.8"	74°42' 32.3"	15.0	3.20	4.44	Limestone	DE	180	Irrigation
16	Tai	Sh. Prabhu Lal	24°43' 56.9"	74°43' 11.3"	15.0	2.52	4.55	Limestone	DE	160	Irrigation
17	Mohamadpura	Sh. Keshar Singh	24°44' 16.5"	74°43' 28.4"	15.2	5.24	3.44	Limestone	Manual	-	Irrigation
18	Sarthal	Bhaja Ba	24°44' 53.2"	74°43' 18.1"	12.2	2.62	3.21	Limestone	Manual	-	Irrigation
19	Kiparam Khari	Sh. Nana Lal Jelpal	24°43' 01.3"	74°43' 39.6"	15.8	3.06	3.88	Limestone	DE	180	Irrigation
20	Charliya	Tara Chand	24°42' 24.4"	74°46' 11.4"	20.0	3.30	8.17	Limestone	EM	200	Irrigation
21	Armoda	Sh. Bholi Ram	24°42' 19.4"	74°44' 47.7"	18.0	3.20	8.88	Shales	DE	180	Irrigation
22	Shahbad	Sh. Champa Lal	24°41' 26.4"	74°41' 42.0"	22.0	3.02	17.23	Limestone	-	-	Irrigation
23	Sankhlon Ka Khara	Sh. Ram Chandra Jat	24°40' 40.7"	74°41' 47.1"	25.0	2.80	20.58	Limestone	-	-	Irrigation
24	Badoli Ghata	Sh. Chatarbhuji	24°40' 04.8"	74°42' 10.3"	20.0	3.82	13.68	Limestone	Manual	-	Irrigation
25	Karthana	Sh. Uma Shanker	24°39' 13.8"	74°42' 00.5"	15.0	5.12	10.97	Limestone	-	-	Irrigation
26	Nimbahera	Sh. Bedri Lal	24°37' 57.1"	74°41' 40.3"	19.0	4.15	10.80	Limestone	EM	-	Irrigation
27	Kalyanpura	Sh. Naru Ramji	24°36' 42.0"	74°42' 54.5"	25.2	4.92	10.44	Limestone	EM	60	Irrigation
28	Gadola	Sh. Ganeshilal	24°37' 34.0"	74°44' 14.2"	25.0	5.60	10.11	Limestone	Manual	-	Irrigation
29	Borekheri	Sh. Mohanlal	24°38' 34.1"	74°44' 03.2"	20.0	3.95	9.35	Limestone	EM	180	Irrigation
30	Rathajana	Sh. Megh Raj	24°38' 48.2"	74°45' 22.1"	25.2	3.72	11.32	Shales	Manual	-	Irrigation

Member Secretary



भारत सरकार
केन्द्रीय भूमि जल प्राधिकरण
जल संसाधन, नदी विकास
और गंगा संरक्षण मंत्रालय

Government of India
Central Ground Water Authority
Ministry of Water Resources,
River Development & Ganga Rejuvenation

CGWA/IND/Proj/2018-292-R

No.21-4(34)/WR/CGWA/2005- 907

Dated:- 14 MAY 2018

To

M/s J. K. Cement Works,
Kailash Nagar, Nimbahera
Chittorgarh, Rajasthan - 312617

Sub:- Renewal of NOC for ground water withdrawal to M/s J. K. Cement Works, in respect of their existing Cement Plant located at Nimbahera and Limestone mining at Tilakhera & Nimbahera-Ahirpura Villages, Block Nimbahera, District Chittorgarh, Rajasthan - reg.

Refer to your application dated 18/04/2015 on the above cited subject. Based on recommendations of Regional Director, Central Ground Water Board, Western Region, Jaipur vide their office letter dated 18/04/2016, and further deliberations on the subject, the renewal of NOC issued vide this office letter of even no. dated 28/10/2015 is hereby accorded to M/s J. K. Cement Works, in respect of their existing Cement Plant located at Nimbahera and Limestone mining at Tilakhera & Nimbahera-Ahirpura Villages, Block Nimbahera, District Chittorgarh, Rajasthan, for a period of five (5) years from the date of issue of this letter. The renewal is however subject to the following conditions:-

1. The firm may continue to abstract 2,427 cu.m/day (not exceeding 8,00,910 cu.m/year) ground water through existing twenty five (25) tube wells and 320 cu.m/day (not exceeding 1,05,600 cu.m/year) through dewatering the mine seepage on account of mining intersecting the water table. The total withdrawal should not exceed 2,747 cu.m/day (not exceeding 9,06,510 cu.m/year). No additional dewatering and ground water abstraction structures shall be constructed for this purpose without prior approval of the CGWA. Any unexpected variation in inflow of ground water into the mine pit should be reported to the concerned Regional Director, Central Ground Water Board, Western Region, Jaipur.
2. The dewatering structures as well as borewells shall be fitted with digital water meters by the firm at its own cost and monitoring of monthly ground water abstraction data shall be recorded in a log book. Compliance to this condition shall be reported within one month from the date of issue of this letter.
3. M/s J. K. Cement Works, shall, continue to implement ground water recharge measures to the tune of 18,85,460 m³/year for augmenting the ground water resources of the area. Firm shall also undertake periodic maintenance of recharge structures at its own cost.

18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone : (011) 23383561 Fax : 23382051, 23386743

Website: www.cgwa.noc.gov.in

स्वच्छ सुरक्षित जल - शुद्ध सुरक्षित कल

CONSERVE WATER - SAVE LIFE

4. The firm shall continue to execute ground water level monitoring during January, May, August & November in and around the project area by establishing key wells in core and buffer zone. The firm shall construct four (4) observation wells (piezometers) along the periphery of mine pit and install digital water level recorders having telemetry system in one of the piezometers for monthly monitoring and firm shall share the user ID and password of the telemetry system with the Regional Director, Central Ground Water Board, Western Region, Jaipur. Firm shall also take up impact assessment studies on the ambient ground water regime due to ground water abstraction and mine dewatering.
5. The ground water quality shall be monitored once in a year during pre monsoon period.
6. The ground water monitoring data in respect of S. No. 2, 4 & 5 shall be submitted to the Regional Director, Central Ground Water Board, Western Region, Jaipur on regular basis at least once in a year.
7. The firm shall ensure proper recycling and reuse of waste water after adequate treatment.
8. Action taken report in respect of S.N o. 1 to 7 shall be submitted to CGWA within one year period.
9. The NOC is liable to be cancelled in case of non-compliance of any of the conditions as mentioned in S. No. 1 to 8.
10. This NOC is subject to prevailing Central/State Government rules/laws or Court orders related to construction of tubewell/ground water withdrawal/construction of recharge or conservation structures/discharge of effluents or any such matter as applicable.
11. This NOC does not absolve the applicant / proponent of his obligation / requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
12. The NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and be taking decisions independently of the NOC.

KNC

Member Secretary

Copy to:

1. The Member Secretary, Rajasthan State Pollution Control Board, 4, Institutional Area, Jhalana Doongri, Jaipur, Rajasthan - 302004 with a request to ensure that the conditions mentioned in the NOC are complied by the firm in consultation with the District Collector, District Chittorgarh, Rajasthan.
2. The District Collector, District Chittorgarh, Rajasthan for necessary action.
3. The Regional Director, Central Ground Water Board, Western Region, Jaipur. This has reference to your recommendation dated 13/04/2016.
4. Guard File 2018-19.

Member Secretary



Sn' Sk Acharya



Regional Director

File No:- 21-4(34)/WR/CGWA/2016 - 1054

भारत सरकार
केन्द्रीय भूमि जल प्राधिकरण
जल संसाधन, नदी विकास
और गंगा संरक्षण मंत्रालय

Government of India
Central Ground Water Authority
Ministry of Water Resources,
River Development & Ganga Rejuvenation

Dated:- 28 MAY 2018


To

M/s J. K. Cement Works,
Kailash Nagar, Nimbahera,
Chittorgarh, Rajasthan - 312617

Sub:- Corrigendum of NOC for ground water withdrawal to M/s J. K. Cement Works, in respect of their existing Cement Plant located at Nimbahera and Limestone mining at Tilakhera & Nimbahera - Ahirpura Village, Block Nimbahera, District Chittorgarh, Rajasthan - reg.


In partial modification of the Renewal of NOC for ground water withdrawal issued vide letter no. 21-4(34)/WR/CGWA/2016 - 907 dated 14.05.2018, the NOC issued by this office for a period of five (5) years may be read as 'two (2) years' from the date of issue of NOC. The NOC will therefore be, valid till 13.05.2020.

All other items, terms and conditions mentioned in the NOC issued vide letter No. 21-4(34)/WR/CGWA/2016 - 907 dated 14.05.2018 shall remain unchanged.


Regional Director

Copy to:

1. The Member Secretary, Rajasthan State Pollution Control Board, 4, Institutional Area, Jhalana Doongri, Jaipur, Rajasthan - 302004 with a request to ensure that the conditions mentioned in the NOC are complied by the firm in consultation with the District Collector, District Chittorgarh, Rajasthan.
2. The District Collector, District Chittorgarh, Rajasthan for necessary action.
3. The Regional Director, Central Ground Water Board, Western Region, Jaipur.
4. Guard File 2018-19.


Regional Director

18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone : (011) 23383561 Fax : 23382051, 23386743

Website: www.cgwa.noc.gov.in

स्वच्छ सुरक्षित जल - सुन्दर खुशहाल कल

CONSERVE WATER - SAVE LIFE



JK Cement LTD.

CIN : L17229UP1994PLC017199

ISO 9001:2008, ISO 14001:2004 & OHSAS 18001 : 2007 CERTIFIED COMPANY

Phone : +91-1477-220098, 220087
Fax : +91-1477-220027, 220049
E-mail : jkc.nbh@jkcement.com
Web : www.jkcement.com

J.K. Cement Works, Mangrol
C/o. Kallash Nagar-312617, Nimbahera
Distt. Chittorgarh (Raj.) INDIA

NBH/PC/A/CGWA/15/ 5826

Date: 12.02.2020

To,
The Regional Director
Central Ground Water Board
Western Region
6-A, Jhalana Doongri, Jaipur, Rajasthan

Subject- Regarding for Renewal of NOC for Ground Water withdrawal of M/s J.K. Cement Works, in respect of the existing Cement Plant located at Nimbahera and Limestone Mining at Nimbahera- Ahirpura and Tilakhera, Block Nimbahera, District Chittorgarh, Rajasthan.

Reference - File No.: 21-4(34)/WR/CGWA/2005-907 dated 14.05.2018 and amended by 21-4(34)/WR/CGWA/2016-1054 dated 28.05.2018.


Sir,

In the connection with above cited subject, we are herewith submitting the renewal application along with all relevant documents for obtaining NOC for Ground Water withdrawal, 2747 m³/day for your kind consideration. We request you to kindly accept and grant renewal application at earliest and oblige.


Thanking You.

Yours faithfully,

M/s. J.K. Cement Works


D. S. MISHRA
President & Unit Head
(Authorized Signatory) J.K. Cement works, NIMBAHERA





- Encl: Annexure - I CTO of Plant, Mine & Colony
Annexure - II Borewells with photographs
Annexure - III Mine cross-sections showing benches and present working depth
Annexure - IV Surface Plan
Annexure - V Water sample analysis of mine area and water level data from April 2017 to January 2020
Annexure - VI Piezometers and RWH Structures
Annexure - VII Chemical analysis of tubewell water January 2017 to January 2020
Annexure - VIII STP
Annexure - IX Location Plan of Borewell and RWH
Annexure - X Mining Plan


Corporate & Registered Office : Kamla Tower, Kanpur-208001, (U. P.) INDIA
Phone : +91-512-2371478 to 81 Fax : 2399854 E-mail : ho.grey@jkcement.com



J. K. Cement Works, Nimbahera
J. K. Cement Works Mangrol
J. K. Cement Works, Gotan

J. K. Power, Baramia
J. K. Cement Works, Muddapur
J. K. White Cement Works, Gotan







Head Office (Mines)

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695 Fax: 0141-5159697



Registered

File No F(Mines)/Chittorgarh(Nimbahera)/1869(1)/2017-2018/2136-2140

Order No 2017-2018/Mines/9305

Date: 20/06/2017

Unit Id : 190

M/s J.K.Cement Works

Kailash Nagar, Nimbahera

Tehsil : Nimbahera District : Chittorgarh

E-Mail : vk.gangwar@jkcement.com , Phone :220087

Sub: Grant of Consent to Operate under section 21(4) of Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for your **Major Mineral Mine** at near Village-Ahirpura, Tehsil-Nimbahera, District- Chittorgarh (M.L.No-2/97).

Ref: (i) Your applications dated 05/01/2017
(ii) Received on 24/01/2017

Sir,

In view of the details submitted vide your above referred applications/ documents, the **Consent to Operate** under section 21(4) of Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 is hereby granted for carrying mining activities. This consent is subject to the following stipulations:-

- 1 That this consent is being granted in favour of M/s. J.K.Cement Works, a Mine of **Major Mineral** having **M.L.No.- 2/97** in an area measuring **403.1875 Hectares** at/near Village-Ahirpura, Tehsil-Nimbahera, District-Chittorgarh.
- 2 That this consent is valid for a period from **01/06/2017** to **31/05/2022**
- 3 That this consent is valid for following mining activities :-

Mineral	Permitted Mining Capacity
1 LIME STONE	2.0000 MMTPA

Validity unknown





Head Office (Mines)

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695 Fax: 0141-5159697

Registered

File No F(Mines)/Chittorgarh(Nimbahera)/1869(1)/2017-2018/2136-2140

Order No 2017-2018/Mines/9305

Date: 20/06/2017

Unit Id : 190

- 4 That you shall achieve following standards in ambient air in mine area / mining activities,

Pollutant	Standards for Ambient Air	Standards for mining activity
SPM	500 $\mu\text{g}/\text{M}^3$	SPM = 600 $\mu\text{g}/\text{M}^3$ (To be measured between 3 to 10 meters from mining activity)
SO ₂	120 $\mu\text{g}/\text{M}^3$	
NO _x	120 $\mu\text{g}/\text{M}^3$	
CO	5000 $\mu\text{g}/\text{M}^3$	

- 5 That the Mining unit shall maintain zero discharge status of waste water from the premises. No trade effluent shall be discharged inside/outside mine premises.
- 6 That your mining will not intersect the Ground Water Table during the consent period and the permission from the Central Ground Water Authority shall be obtained for intersection of Ground Water Table/ abstraction of ground water, if any and submit a copy of the same to the Board.
- 7 That this **Consent to Operate** is for mining / processing / beneficiation of product as mentioned above in M.L.No.-2/97 and a separate **Consent to Operate** is required to be obtained for any other Mineral mining/ processing/ beneficiation Plant/process if any and for any addition/ modification/ alteration or change in process.
- 8 That the occupier/operator of mine shall ensure that all the conditions imposed in the Environmental Clearance granted by the Ministry of Environment & Forest, Government of India vide letter no. J-11015/83/2004-IA.II dated 30/05/2005 are strictly complied with.
- 9 That this consent to operate is subject to the post audit of pollution control measures and consent conditions. In case the lessee is found to have flouted consent conditions or not having adequate pollution control measures during inspection, the consent will be revoked and directions shall be issued under section 31A of the Air Act/33A of the Water Act.
- 10 That the Environmental Clearance shall be got amended for reduction in lease area within six months, failing which the consent to operate shall be deemed to have been revoked automatically.
- 11 That plantation shall be developed so as to cover at least 33% of the total land use for mining and allied activities as given in Approved Mine Plan and shall be maintained at all the time to maintain ambient air quality around the mine.





Head Office (Mines)

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695 Fax: 0141-5159697

Registered

File No F(Mines)/Chittorgarh(Nimbahera)/1869(1)/2017-2018/2136-2140

Order No 2017-2018/Mines/9305

Date: 20/06/2017

Unit Id : 190

- 12 That mining operations shall be restricted to above ground water table and should not intersect ground water table. In case of working below the ground water table, prior approval of the Ministry of Environment, Forest & Climate Change and Central Ground Water Authority shall be obtained.
- 13 That ground water shall not be extracted without prior permission of the Central Ground Water Authority (CGWA).
- 14 That haul roads should be regularly graded and compacted. Regular water sprinkling should be carried out on haul roads to minimise dust generations.
- 15 That adequate measures shall be taken for control of fugitive emissions from the areas prone to air pollution.
- 16 That no discharge of effluent shall be made within or outside the premises.
- 17 That mine will comply with the standards as prescribed vide Ministry of Environment, Forest and Climate Change notification no. GSR 826 (E) dated 16th November, 2009 with respect to National Ambient Air Quality standards.
- 18 Notwithstanding any other condition contained in this letter of consent to operate, separate consent to establish and consent to operate shall be taken for any stone crusher or screening/processing/beneficiation plant within the mine lease area.
- 19 That all other general conditions enclosed as Annexure shall be strictly complied with.
- 20 That this Consent is subject to the conditions as stated above and general conditions as stated in Annexure. Further, the mining unit will comply with the provisions of the Air (Prevention & Control of Pollution) Act, 1981 & Water (Prevention & Control of Pollution) Act, 1974 and any such conditions as may be specified from time to time by the State Board under the provisions of the aforesaid Acts.
- 21 That the grant of this **Consent to Operate** is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.
- 22 That the grant of this **Consent to Operate** shall not, in any way, adversely affect or jeopardize the legal proceedings, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made thereunder.



Head Office (Mines)

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongari, Jaipur-302 004
Phone: 0141-5159600,5159695 Fax: 0141-5159697

Registered

File No F(Mines)/Chittorgarh(Nimbahera)/1869(1)/2017-2018/2136-2140

Order No 2017-2018/Mines/9305

Date: 20/06/2017

Unit Id : 190

This bears approval of the competent authority.

Encl: As Above

Yours Sincerely

Group Incharge-Mines

Copy To:-

- 1 Director, Department of Mines & Geology, Government of Rajasthan, Shastri Circle, Udaipur.
- 2 Regional Officer, Regional Office, Rajasthan State Pollution Control Board, Chittorgarh - please conduct inspection and monitoring & report within three months
- 3 Mining Engineer, Department of Mines & Geology, Government of Rajasthan, Chittorgarh
- 4 Master File .

Validly signed
Digitally signed by
Group Incharge-Mines
Date: 20/06/2017
10:10:00
Group Incharge-Mines

J.K. Cement Limestone Mine (Murlia Mines)

Tipplers PUCC Details

Date- 19/7/2020

S.No.	Tipper No.	Date of Test	Validity	Model	Year of Manufacturing
1	RJ09 GB 8428	17-Jun-20	16-Dec-20	2518	2016
2	RJ09 GB 4828	14-Jun-20	13-Dec-20	2518	2016
5	RJ 09 GB 8528	17-Jun-20	16-Dec-20	2518	2016
6	RJ 09 GB 8728	16-Jun-20	15-Dec-20	2518	2016
3	RJ09 GC0328	14-Jun-20	13-Dec-20	3718	2018
4	RJ09 GC 2528	14-Jun-20	13-Dec-20	3718	2018
7	RJ 09 GC 1128	16-Jun-20	15-Dec-20	3718	2018
8	RJ 09 GC 1228	14-Jun-20	13-Dec-20	3718	2018
9	RJ 09 GC 1328	17-Jun-20	16-Dec-20	3718	2018
10	RJ 09 GC 1428	16-Jun-20	15-Dec-20	3718	2018
11	RJ 09 GC 2328	16-Jun-20	15-Dec-20	3718	2018

S.D.Vairagi
Sr. Manager(Mines)

Annexure - EX



राजस्थान सरकार

वन विभाग

कार्यालय संभागीय मुख्य वन संरक्षक, उदयपुर

वन भवन, मोहता पार्क के सामने, चेतक सर्किल, उदयपुर-313001

Email: scf.ulpwr.for@rajasthan.gov.in; Tel: 9294-24217/18; Fax: 9294-24181/37

क्रमांक एफ 5 () वसु/मुवसं/2020-21/5002
निमित्त

दिनांक :- 24.09.2020

अतिरिक्त प्रधान मुख्य वन संरक्षक,
प्रोटेक्शन एवं नोडल अधिकारी एफसीए,
राजस्थान, जयपुर।

विषय:- Request for approval of combined Wildlife Conservation Plan for six Scheduled I species Viz. Indian peafowl (Pavo cristatus) and Panther (Panthera pardus fusca), Rusty-spotted cat (Prionailurus rubiginosus), Indian wolf (Canis lupus pallipes) Indian Monitor Lizard (Varanus bengalensis) and Indian Vulture (Gyps indicus/Gyps bengalensis) proposed by J.K. Cement Works Nimbahera, J.K. Cement Works Mangrol Ahirpura Limestone Mine, Karunda Limestone Mine, Maliakhera Limestone Mine, Mangrol Limestone mine and Mangrol-Tilakhera Limestone Mine) Tehsil- Nimbahera, Dist- Chittorgarh (Rajasthan).

संदर्भ :- उप वन संरक्षक, चित्तौड़गढ़ का पत्र क्रमांक एफ() सर्वे/उवस/ 2020-21/4172 दिनांक 29.6.2020 तथा 6048 दिनांक 23.09.2020 के क्रम में।

महोदय,

उपरोक्त विषयान्तर्गत संदर्भित पत्र से उप वन संरक्षक, चित्तौड़गढ़ ने उनके पत्र क्रमांक एफ () सर्वे / उवस/ 2020-21/4172 दिनांक 29.6.2020 एवं 6048 दिनांक 23.09.2020 से आलोच्य प्रकरण में वांछित Sch-I वन्यजीवों के संरक्षण के उद्देश्य से इस सम्मागधीन उप वन संरक्षक, चित्तौड़गढ़ के मार्गदर्शन में तैयार किया गया Wildlife Conservation Plan (WCP) इस कार्यालय को प्रेषित किया गया है।

अतः प्राप्त प्रस्ताव Wildlife Conservation Plan (WCP) को इस कार्यालय के सहमति के साथ मूल ही दो प्रतियों में सक्षम स्तर से अनुमोदित कराने हेतु संलग्न प्रेषित है।

संलग्न:- उपरोक्तानुसार। (मूल ही दो प्रतियों में)

भवदीय,



(आर.के.एस.)

संभागीय मुख्य वन संरक्षक
उदयपुर।

दिनांक :-

क्रमांक पत्रा 5 () वसु/मुवसं/2020-21/
प्रतिलिपि:- निम्न को सूचनार्थ प्रेषित है:-

1- उप वन संरक्षक, चित्तौड़गढ़ को उनके पत्रांक 4172 दिनांक 29.06.2020 तथा 6048 दिनांक 23.09.2020 के क्रम में।

2- Unit Head, J.K. Cement Works (J.K. Cement Nimbahera).

— 84 —


संभागीय मुख्य वन संरक्षक
उदयपुर।

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
(See Rule - 10)
Final Report

Report No. : 708

Report On : 23/07/2020

I hereby certify that I D S Nagar, State Board Analyst duly appointed under sub Section(2) of Section 29 of the Air (Prevention & Control of Pollution) Act, 1981 received on the 10/07/2020 from Dr Giriraj Kumar Songara, JSO, Chittorgarh ,RSPCB Chittorgarh a sample of Ambient Air Quality of M/S J. K. Cement Works (Ahirpura Mine) , Plant - , , City- Ahirpura Tehsil- Nimbahera , District- Chittorgarh M.L No- 02/97 Collected from Ambient Air monitoring near Mine office. Collected on 09/07/2020. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 23/07/2020 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	Particulate Matter (PM10) $\mu\text{g}/\text{m}^3$	88
2	Sulphur Dioxide as SO2 $\mu\text{g}/\text{m}^3$	8.8
3	NO2 $\mu\text{g}/\text{m}^3$	21.4

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On 23/07/2020


BOARD ANALYST

Rajasthan State Pollution Control Board
Regional Office Chittorgarh
Near FCI Godown, Chanderia, Chittorgarh
Phone:01472-255077

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
(See Rule - 10)
Final Report

Report No. : 709

Report On : 23/07/2020

I hereby certify that I D S Nagar, State Board Analyst duly appointed under sub Section(2) of Section 29 of the Air (Prevention & Control of Pollution) Act, 1981 received on the 10/07/2020 from Dr Giriraj Kumar Songara, JSO, Chittorgarh, RSPCB Chittorgarh a sample of Ambient Air Quality of M/S J. K. Cement Works (Ahipura Mine), Plant - , , City- Ahipura Tehsil- Nimbahera, District- Chittorgarh M.L No- 02/97 Collected from Ambient Air monitoring near Rawana office. Collected on 09/07/2020. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 23/07/2020 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	Particulate Matter (PM10) $\mu\text{g}/\text{m}^3$	83
2	Sulphur Dioxide as SO_2 $\mu\text{g}/\text{m}^3$	8.3
3	NO_2 $\mu\text{g}/\text{m}^3$	17.8

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On 23/07/2020


BOARD ANALYST

Rajasthan State Pollution Control Board
Regional Office Chittorgarh
Near FCI Godown, Chanderia, Chittorgarh
Phone:01472-255077

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongri, Jaipur (Raj.) - 302 004
Result of Ambient Noise Level Monitoring

DATE OF RECEIPT : 10/07/2020

MONITORED BY : Dr Giriraj Kumar Songara, JSO, Chittorgarh

S.No.	Lab Sample No	Name of Industry / Place	Point of Collection / Location	Date of Monitoring	Noise Level In Day Time (Leq dB(A))	Noise Level In Night Time (Leq dB(A))
1	691	J. K. Cement Works (Ahipura Mine), RIICO INDUSTRIAL AREA , Ahipura Tehsil:Nimbahera District:Chittorgarh	Ambient Noise monitoring near Mine office.	09/07/2020	62.9	ND


BOARD ANALYST

Rajasthan State Pollution Control Board

* ND = Not Done

Rajasthan State Pollution Control Board
4, Institutional Area, Jhalana Doongri, Jaipur (Raj.) - 302 004
Result of Ambient Noise Level Monitoring

DATE OF RECEIPT : 10/07/2020

MONITORED BY : Dr Giriraj Kumar Songara, JSO, Chittorgarh

S.No.	Lab Sample No	Name of Industry / Place	Point of Collection / Location	Date of Monitoring	Noise Level In Day Time(Leq dB(A))	Noise Level In Night Time(Leq dB(A))
1	692	J. K. Cement Works (Ahipura Mine), RIICO INDUSTRIAL AREA , Ahipura Tehsil:Nimbahera District:Chittorgarh	Ambient Noise monitoring near Rawana office.	09/07/2020	64	ND


BOARD ANALYST

Rajasthan State Pollution Control Board

+ ND = Not Done

Mitra S.K. Private Limited

Shuchi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 010, West Bengal India
CIN: U51809WB1956PTC023037



T: 91 33 22172249 / 40143000 / 22860006 / 22650007
F: 91 33 22650008
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbahera
Dist. Chittorgarh (Raj.)

Report No. : MSK/JDR/2020-21/844

Date : 14.10.2020

Sample No. : MSKGL/ED/2020-21/1000560

Sample Description : Ambient Air

Sampling Location : Near Water Pump House & Abhpura
Mine)

Date of Sampling : 14.09.2020

Reference No.& Date : e-mail dtd:23.04.2019

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	42	IS: 5182:(Part-23)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	28	TPM/MSK/ENV (AP)-01/03
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	7.4	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	31.2	IS: 5182 (Part- 6)-2006
5	Carbon monoxide (CO) in mg/m^3	3	0.72	IS 5182 (Part-10) ,1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Report Prepared By

For
Authorized Signatory

Mitra S.K. Private Limited

Shrachi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51909WB1956PTC023007



T: 91 33 22172249 / 40143000 / 22650000 / 22650007
F: 91 33 22650008
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimubhera
Dist. Chitragarh (Raj.)

Report No. : MSK/UDR/2020/31845

Date : 14.10.2020

Sample No. : MSKGL/ED/2020-21/10/00561

Sample Description : Ambient Air

Sampling Location : Near Mine Office Ahirpura Block
(Ahirpura Mine)

Date of Sampling : 14.09.2020

Reference No. & Date : e-mail dtd:23.04.2019

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in µg/m ³	100	51	IS: 5182 (Part-33)-2006
2	Particulate matter (PM _{2.5}) in µg/m ³	60	32	IPM/MSK/ENV (AP)-01/03
3	Sulphur dioxide (SO ₂) in µg/m ³	80	11.4	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in µg/m ³	80	22.9	IS: 5182 (Part-6)-2006
5	Carbon monoxide (CO) in mg/m ³	2	0.62	IS 5182 (Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Report Prepared By



Mitra S.K. Private Limited

Shrachi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51909WB1956PTC023037



TESTING • INSPECTION

T: 91 33 22172289 / 40143000 / 22650006 / 22650007
F: 91 33 22650000
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbalera
Dist. Chittorgarh (Raj.)

Report No. : MSK/UDR/2020-21/846

Date : 14.10.2020

Sample No. : MSKGL/ED/2020-21/10/00562

Sample Description : Ambient Air

Sampling Location : Near Mine Office, Muria Block
(Ahirpura Mine)

Date of Sampling : 15.09.2020

Reference No. & Date : e-mail dtd:23.04.2019

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	46	IS: 5182 (Part-23)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	25	TPM/MSK/ENV (AP) /01-03
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	8.5	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	27.0	IS: 5182 (Part-6)-2006
5	Carbon monoxide (CO) in mg/m^3	2	0.52	IS 5182 (Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Report prepared by



Mitra S.K. Private Limited

Shrachi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51500WB1996PTC023037



T: 91 33 22172240 / 40143000 / 22650006 / 22650007
F: 91 33 22650006
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K. Cement Works, Nimbahera
Dist. Chhatargadh (Raj.)

Report No. : MSK/UDR/2020-21/847

Date : 14.10.2020

Sample No. : MSKGL/ED/2020-21/10/00563

Sample Description : Ambient Air

Sampling Location : Near Ravana Office (Murda Block,
Abhiyuta Mines)

Date of Sampling : 15.09.2020

Reference No. & Date : e-mail dtd:23.04.2019

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	51	IS: 5182 (Part-3)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	28	TPM/MSK/ENV (AP) 01/03
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	10.7	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	30.5	IS: 5182 (Part-6)-2006
5	Carbon monoxide (CO) in mg/m^3	2	0.86	IS 5182-4 (Part-10)-1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Report Prepared By



Mitra S.K. Private Limited

Shrachi Center (5th Floor)
24B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51968WB1950PTC023037

T: 91 33 22172249 / 40143000 / 22650006 / 22650007
F: 91 33 22650006
E: info@mitrask.com
W: www.mitrask.com



TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbahera
(Dist. Chittorgarh (Raj.)

Report No. : MSK/UDR/2020-21-848

Date : 14.10.2020

Sample No. : MSKGL/ED/CR20-21/10-00564

Sample Description : Ambient Air

Sampling Location : Murlia Village (Abirpura Mines)

Date of Sampling : 15.09.2020

Reference No. & Date : e-mail dtd:23.04.2019

ANALYSIS RESULT

SL. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	48	IS: 5182 (Part-23)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	25	TPM/MSK/ENV (APY/01-03)
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	9.7	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	36.1	IS: 5182 (Part-6)-2006
5	Carbon monoxide (CO) in mg/m^3	2	0.57	IS 5182 (Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Report Prepared By



Mitra S.K. Private Limited

Shrachi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51509WB1956PTC023037



T: 91 33 22172249 / 40143000 / 22650006 / 22650007
F: 91 33 22650006
E: msk@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimahera
Dist. Chittoregarh (Raj.)

Report No. : MSK/UDR/2020-21/849

Date : 14.10.2020

Sample No. : MSKGL/ED/2020-21/00565

Sample Description : Ambient Air

Sampling Location : Ahirpura Village (Ahirpura Mine)

Date of Sampling : 14.09.2020

Reference No. & Date : e-mail dsk23.04.2019

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	49	IS: 5182 (Part-23)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	20	IPM/MSK-ENV (AP) 01/03
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	11.90	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	18.1	IS: 5182 (Part-6)-2006
5	Carbon monoxide (CO) in mg/m^3	2	0.42	IS 5182 (Part-10) :1999

Note : Limit as per C PCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Report Prepared by



Mitra S.K. Private Limited

Shreeji Center (5th Floor)
740, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51909WB1956PTC023037

T: 91 33 22172249 / 40143000 / 22650006 / 22650007
F: 91 33 22650006
E: info@mitrask.com
W: www.mitrask.com



TEST REPORT

Name & Address of the Customer :

J.K. Cement Works, Nimbahera
Dist. Chittorgarh (Raj.)

Report No. : MSK/UIDR/2020-21/852

Date : 14.10.2020

Sample No. : MSKGL/ED/2020-21/10/00568

Sample Description : Ambient Air

Sampling Location : Charlia gadia Village (Karunda Mine)

Date of Sampling : 17.09.2020

Reference No. & Date : e-mail dtd:23.04.2019.

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	49	IS: 5182 (Part-23)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	33	IPM/MSK/ENV (AP) 401-03
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	21.2	IS: 5182 (Part-2)-2004
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	23.2	IS: 5182 (Part-6)-2006
5	Carbon monoxide (CO) in mg/m^3	2	0.38	IS: 5182 (Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Report Prepared By



Mitra S.K. Private Limited

Shrachi Center (5th Floor)
74B, Acharyas Jagadish Chandra Bose Road
Kolkata - 700 018, West Bengal India
CIN: U51909WB1906PTC023037



T: 01 33 22172249 / 40143000 / 22650006 / 22650007
F: 01 33 22650000
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimahera
Dist. Chitragurh (Raj.)

Report No. : MSK/UDR/2020-21.853

Date : 14.10.2020

Sample No. : MSKGL/ED/2020-21/10/00569

Sample Description : Ambient Air

Sampling Location : Karanda Village (Karanda Mine)

Date of Sampling : 17.09.2020

Reference No.& Date : e-mail did:23.04.2019

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in µg/m ³	100	65	IS: 5182 (Part-23)-2006
2	Particulate matter (PM _{2.5}) in µg/m ³	60	41	TPM/MSK/ENV (AP) 301/03
3	Sulphur dioxide (SO ₂) in µg/m ³	80	12.1	IS: 5182 (Part-2)-2004
4	Nitrogen dioxide (NO ₂) in µg/m ³	30	26.3	IS: 5182 (Part-6)-2006
5	Carbon monoxide (CO) in mg/m ³	2	0.46	IS 5182-3 (Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Report Prepared By

For MSK
Authorized Signatory

Mitra S.K. Private Limited

Shrachi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51801WB1958PTC0023037

T: 91 33 22172249 / 40143000 / 22650000 / 22650007

F: 91 33 22650008

E: info@mitrask.com

W: www.mitrask.com



TESTING • INSPECTION

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimhahera

Dist. Chitragarh (Raj.)

Report No. : MSK/UDR/2020-21/860

Date : 14.10.2020

Sample No. : MSKGL/ED/2020-21/10/00578 to 00583

Sample Description : Noise Monitoring

Reference No.& Date : e-mail dtd: 23.04.2019

ANALYSIS RESULT

Sl. No.	Sampling Date	Sampling Location	Results Leq dB(A)	
			Day Time	Night Time
1.	14/15.09.2020	Near Water Pump House (Ahirpura Mine)	54.1	43.2
2.		Near Mine Office, Murlia Block (Ahirpura Mine)	60.3	47.4
3.		Near Ravana Office Murlia Block (Ahirpura Mine)	65.1	51.1
4.		Near Mine Office (Ahirpura Mine)	63.8	54.2
Limit As per CPCII (Environment Protection Rules, 1986)		in Industrial Area Leq dB(A)	75	70

Report Prepared by:

For Mitra S.K. Private Limited

Author's Signatory

Mitra S.K. Private Limited

Ghrachi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51909WB1956PTC023037



TESTING & INSPECTION

T: 91 33 22172249 / 40143000 / 22650006 / 22650007
F: 91 33 22650008
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbahera
Dist. Chittorgarh (Raj.)

Report No. : MSK/UDR/2020-21/194

Date : 06.07.2020

Sample No. : MSKCL/ED/2020-21/06/01/19

Sample Description : Ambient Air

Sampling Location : Near Water Pump House (Nimbahera-
Abirpura Mine)

Date of Sampling : 15/16.06.2020

Reference No.& Date : e-mail dt:23.04.2019

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	79	IS: 5182-(Part-23)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	42	TPM/MSK/ENV (AP) /01/03
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	8.2	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	24.2	IS: 5182 (Part- 6)-2006
5	Carbon monoxide(CO) in mg/m^3	2	0.68	IS 5182 -(Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Checked By

For Mitra S.K. Pvt. Ltd.
(Authorized Signatory)

Mitra S.K. Private Limited

Shrachi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51909WB1956PTC023037



T: 91 33 22172249 / 40143000 / 22650006 / 22650007
F: 91 33 22650006
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbahera
Distt. Chittorgarh (Raj.)

Report No. : MSK/UDR/2020-21/195

Date : 06.07.2020

Sample No. : MSKGL/ED/2020-21/06/01120

Sample Description : Ambient Air

Sampling Location : Near Mine Office Ahirpura Block
(Nimbahera- Ahirpura Mine)

Date of Sampling : 15/16.06.2020

Reference No. & Date : e-mail dtd:23.04.2019

ANALYSIS RESULT

SL. NO.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	85	IS: 5182-(Part-23)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	47	TPM/MSK/ENV (AP) /01/03
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	7.4	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	29.4	IS: 5182 (Part- 6)-2006
5	Carbon monoxide (CO) in mg/m^3	2	0.62	IS 5182 (Part-10)-1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Checked By

For Mitra S. K. PVT. Ltd.
(Authorized Signatory)

Mitra S.K. Private Limited

Shrachi Center (8th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51909WB1956PTC023037



T: 91 33 22172249 / 40143000 / 22650006 / 22650007
F: 91 33 22650006
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbahera
Distt. Chitorgarh (Raj.)

Report No. : MSK/UDR/2020-21/196

Date : 06.07.2020

Sample No. : MSKGL/ED/2020-21/06/01121

Sample Description : Ambient Air

Sampling Location : Near Mine Office, Murdia Block
(Nimbahera-Aharpura Mine)

Date of Sampling : 16/17.06.2020

Reference No.& Date : e-mail dtid:23.04.2019

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	72	IS: 5182:(Part-23)-2006
2	Particulate matter(PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	44	TPM/MSK/ENV (AP)/01/03
3	Sulphur dioxide(SO ₂) in $\mu\text{g}/\text{m}^3$	80	8.3	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	28.4	IS: 5182 (Part- 6)-2006
5	Carbon monoxide(CO) in mg/m^3	2	0.50	IS 5182 : (Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Checked By

Mitra S. K. Pvt. Ltd.
(Authorized Signatory)

Mitra S.K. Private Limited

Shirachi Center (9th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51909WB1958PTC023037



T: 91 33 22172249 / 40143000 / 22650005 / 22650007
F: 91 33 22650000
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbahera
Distt. Chittorgarh (Raj.)

Report No. : MSK/UDR/2020-21/197

Date : 06.07.2020

Sample No. : MSKGL/ED/2020-21/06/01122

Sample Description : Ambient Air

Sampling Location : Near Ravana Office (Murli Block)
Nimbahera-Aharpura Mine)

Date of Sampling : 16/17.06.2020

Reference No.& Date : e-mail dtid:23.04.2019

ANALYSIS RESULT

SL. NO.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	84	IS: 5182-(Part-23)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	56	TPM/MSK/ENV (AP)/01/03
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	7.9	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	27.7	IS: 5182 (Part- 6)-2006
5	Carbon monoxide (CO) in mg/m^3	2	0.48	IS 5182 : (Part-10) : 1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Checked By

For Mitra S. K. Pvt. Ltd.
(Authorized Signatory)

Mitra S.K. Private Limited

Sirachi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51900WB1066PTC023037



T: 91 33 22172249 / 40143000 / 22650006 / 22650007
F: 91 33 22650008
E: info@mitrask.com
w: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbahera
Distt. Chittorgarh (Raj.)

Report No. : MSK/UDR/2020-21/198

Date : 06.07.2020

Sample No. : MSKGL/ED/2020-21/06/01123

Sample Description : Ambient Air

Sampling Location : Murlia Village (Nimbahera- Ahirpura
Mine)

Date of Sampling : 16/17.06.2020

Reference No.& Date : e-mail dtd:23.04.2019

ANALYSIS RESULT

SL. NO.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	76	IS: 5182 (Part-23)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	44	TPM/MSK/ENV (AP) /01/03
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	7.2	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	24.2	IS: 5182 (Part- 6)-2006
5	Carbon monoxide (CO) in mg/m^3	2	0.57	IS 5182 : (Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Checked By



Mitra S.K. Private Limited

Shreeji Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51900WB1956PTC023037



T: 91 33 22172249 / 40143000 / 22850006 / 22850007
F: 91 33 22650008
E: info@mitsk.com
W: www.mitsk.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbahera
Distt. Chitorgarh (Raj.)

Report No. : MSK/UDR/2020-21/199

Date : 06.07.2020

Sample No. : MSKGL/ED/2020-21/06/01124

Sample Description : Ambient Air

Sampling Location : Ahirpura Village (Nimbahera-
Ahirpura Mine)

Date of Sampling : 15/16.06.2020

Reference No.& Date : e-mail dt:23.04.2019

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	72	IS: 5182:(Part-23)-2006
2	Particulate matter(PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	40	TPM/MSK/ENV (AP) /01/03
3	Sulphur dioxide(SO ₂) in $\mu\text{g}/\text{m}^3$	80	7.0	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	23.4	IS: 5182 (Part- 6)-2006
5	Carbon monoxide(CO) in mg/m^3	2	0.46	IS 5182 :(Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Checked By

Mitra S.K. PVT. Ltd.
Authorized Signatory

Mitra S.K. Private Limited

Shreechi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51909WB1996PTC023037



T: 91 33 22172249 / 40143000 / 22650006 / 22650007
F: 91 33 22650008
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbahera
Distt. Chittorgarh (Raj.)

Report No. : MSK/UDR/2020-21/202

Date : 06.07.2020

Sample No. : MSKGL/ED/2020-21/06/01127

Sample Description : Ambient Air

Sampling Location : Charlia gadia Village (Karanda Mine)

Date of Sampling : 18/19.06.2020

Reference No.& Date : e-mail did:23.04.2019

ANALYSIS RESULT

Sl. No.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	74	IS: 5182:(Part-23)-2006
2	Particulate matter (PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	41	TPM/MSK/ENV (AP) /01/03
3	Sulphur dioxide (SO ₂) in $\mu\text{g}/\text{m}^3$	80	6.4	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	23.8	IS: 5182 (Part- 6)-2006
5	Carbon monoxide (CO) in mg/m^3	2	0.40	IS 5182 :(Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Checked By

For Mitra S.K. Pvt. Ltd.
(Authorized Signatory)

Mitra S.K. Private Limited

Shirachi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51909WB1956PTG023037



T: 91 33 22172249 / 40143000 / 22650005 / 22650007
F: 91 33 22650008
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :

J.K.Cement Works, Nimbuhara
Dist. Chittoorgarh (Raj.)

Report No. : MSK/LDR/2020-21/203

Date : 06.07.2020

Sample No. : MSKGL/ED/2020-21/06/01128

Sample Description : Ambient Air

Sampling Location : Karunda Village (Karunda Mine)

Date of Sampling : 18/19.06.2020

Reference No. & Date : e-mail did:23.04.2019

ANALYSIS RESULT

Sl. NO.	Pollutants	Limit	Result	Method of Test Reference
1	Particulate matter (PM ₁₀) in $\mu\text{g}/\text{m}^3$	100	70	IS: 5182:(Part-23)-2006
2	Particulate matter(PM _{2.5}) in $\mu\text{g}/\text{m}^3$	60	38	TPM/MSK/ENV (AP) /01/03
3	Sulphur dioxide(SO ₂) in $\mu\text{g}/\text{m}^3$	80	7.0	IS: 5182 (Part-2)-2001
4	Nitrogen dioxide (NO ₂) in $\mu\text{g}/\text{m}^3$	80	24.2	IS: 5182 (Part- 6)-2006
5	Carbon monoxide(CO) in mg/m^3	2	0.38	IS 5182 :(Part-10) :1999

Note : Limit as per CPCB notification, New Delhi, 18th November 2009, For Ambient air Quality

Checked By:



Mitra S.K. Private Limited

Shraddhi Center (5th Floor)
74B, Acharya Jagadish Chandra Bose Road
Kolkata - 700 016, West Bengal India
CIN: U51009WB1058PTC021037



T: 91 33 22172249 / 40143000 / 22650006 / 22650007
F: 91 33 22650006
E: info@mitrask.com
W: www.mitrask.com

TEST REPORT

Name & Address of the Customer :
J.K.Cement Works, Nimbahera
Distt. Chittorgarh (Raj.)

Report No. : MSK/UDR/2020-21/218
Date : 06.07.2020
Sample No. : MSKGL/ED/2020-21/06/01149 to 1152
Sample Description : Noise Monitoring

Reference No.& Date : e-mail dtd: 23.04.2019

ANALYSIS RESULT

Sl. No.	Sampling Date	Sampling Location	Results Leq dB(A)	
			Day Time	Night Time
1.	15/16.06.2020	Near Water Pump House (Nimbahera- Ahirpura Mine)	58.6	42.8
2.		Near Mine Office, Murlia Block (Nimbahera- Ahirpura Mine)	53.2	40.4
3.	16/17.06.2020	Near Ravana Office Murlia Block (Nimbahera- Ahirpura Mine)	61.7	45.2
4.		Near Mine Office (Nimbahera- Ahirpura Mine)	56.4	40.3
Limit As per CPCB (Environment Protection Rules, 1986)		in Industrial Area Leq dB(A)	75	70

Report Prepared by :

For Mitra S.K. Private Limited


Authorized Signatory

In house Environment Laboratory



J.K. Cement WORKS, NIMBAHERA (RAJ)

ORGANISATION CHART OF
ENVIRONMENT DEPARTMENT



J.K. Cement WORKS, Nimbahera (RAJ)
AHIRPURA MINE

EXPENDITURE INCURRED ON ENVIRONMENTAL PROTECTION
MEASURES DURING YEAR 2019-2020

S. No.	Activity	Recurring Cost per Annum (Rs.)
1.	Pollution control expenses (Others)	208814
2.	Pollution control expenses (Statutory)	414005
3.	Gardening Expenses	153800
4.	CSR Expenses	4774748
Total (Rs.)		5551367/-

I.K. Cement WORKS, NIMBAHERA (RAJ)
AHIRPURA MINE

Financial Budget for Environmental Management
FY 2020-21

S. No.	Activity	Recurring Cost per Annum (Rs. in Laacs)
		Proposed
1.	Pollution control expenses (Others)	5.086
2.	Pollution control expenses (Statutory)	-
3.	Gardening Expenses	3.3
4.	CSR Expenses	44.98
Total (Rs. in Laacs)		53.366/-

J.K. Cement WORKS, NIMBAHERA (RAJ)

(Registered with A.D.)

Ref. No. : NBH-PC- E22

Date: 04/06/2005

The Ministry of Environment & Forest
 EI Division, Paryavaran Bhavan
 C G O Complex Lodi Road
 New Delhi - 110003

Kind Attn. : Mr. Satish C. Garkoti (Additional Director (S))

**Subject: - Advertisement of Environmental Clearance of Nimbahera - Ahirpura Mine
 in local Newspapers**

Dear Sir,


Kindly refer your letter No. J - 11015/83/2004 - 1A, II dated 30th May 2005 granting us Environmental clearance for (Extended capacity) our Nimbahera - Ahirpura Mine.

As per General conditions XVII. We have advertised above Mine in the following local News papers in vernacular language.

- (a) Rajasthan Patrika (Udaipur Edition)
- (b) Dainik Bhasker (Udaipur Edition)
- (c) Dainik Navjyoti (Ajmer Edition)

We are enclosing herewith the same for your reference & records.

Yours


B. Ravishanker
 (President)

Copy To-

: The Chief Conservator of forests
 Ministry of Environment & Forest (Govt. of India)
 Regional Office (C Z) Kendriya Bhandar
 5th Floor Sector - H, AliGang
 Lucknow - 226020 (UP)

: The Member Secretary
 Rajasthan Pollution Control Board
 4. Institutional area Jhalana Doongri
 Jaipur 302004 (Raj.)

: Office Copy (Pollution Control Deptt.)

