

No. - JKCW/ENV./CFO (MINE)/78/04

Date: 20-09-2021

To,
The Member Secretary
Karnataka State Pollution Control Board,
"Parisar Bhavan" 4th & 5th Floor,
49, Church Street, BANGALORE- 560 001

Subject- **Environmental Statement Report of Muddapur Limestone Mine, Village- Muddapur, Dist.- Bagalkot (Karnataka) for the financial year April-2020 to March-2021**

Reference- Combined Consent Order No. AW-323792 dated 17-02-2021

Dear Sir

As per 14 of Environment (Protection) Rule 1986 and Combined Consent Order No. AW-323792 dated 17-02-2021, please find herewith enclosed Environmental Statement Report for Muddapur Limestone Mine, Village- Muddapur, Dist.- Bagalkot (Karnataka) in **Form V for the financial year 2020-2021** for your kind information and record, please.

Thanking you,

Yours faithfully,

Muddapur Limestone Mine
(Unit-JK Cement Ltd.)


Umashankar Choudhary
(Unit Head)

Encl:

- 1- Duly filled Form-V as Environmental Statement Report of Muddapur Limestone Mine
- 2- Core zone and Buffer zone water testing report as Annexure-1
- 3- Ambient Air Quality Monitoring report of Muddapur Limestone Mine as per Annexure-2
- 4- Fugitive emission report of Muddapur Limestone Mine as per Annexure-3
- 5- Noise Monitoring report of Muddapur Limestone Mine, Muddapur as per Annexure-4

CC:

- 1- The Addl. Principle Chief Conservator of Forest (C), Ministry of Environment & Forests, Regional Office (South Zone), Bangalore- 560034
- 2- Scientist 'E' & In-charge, Central Pollution Control Board, 1st & 2nd Floors, Nisarga Bhavan, A-Block, Thimmaiah Main Road, 7th D Cross, Shivanagar, Bengaluru -560 079

3- Environment Officer, Karnataka State Pollution Control Board, Bagalkot- 587 102
Corporate Office

Padam Tower, 19 DDA Community Centre
Okhla, Phase - 1, New Delhi - 110020, India
+011-49220000
admin.padamtower@jkcement.com
www.jkcement.com

**JK SUPER
CEMENT**
BUILD SAFE

**JK CEMENT
WallMax**
White Cement Wall Putty

Manufacturing Units at :
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)



FORM – V

ENVIRONMENTAL STATEMENT REPORT FOR THE FINANCIAL YEAR 2020-21

M/s Muddapur Lime Stone Mine (Unit: J. K. Cement Limited)

PART – A

(I)	Name & Address of the Owner / Occupier of the Industry Operation or Process	Umashankar Choudhary (Unit Head) Muddapur Lime Stone Mine (Unit: J. K. Cement Limited) Muddapur, Bagalkot (Karnataka)
(II)	Industry Category Primary (STC CODE) Secondary (SIC CODE)	Red Category
(III)	Production Capacity	2.0 MTPA
(IV)	Year of Establishment	Year 2008
(V)	Date of last Environmental Statement Submitted	16-09-2020

PART – B

Water & Raw Material Consumption and Lime stone production

A. Water

Over All Consumption

- (i) Process (Dust Suppression) - 8681.0 KL (Source- Mine's pit water)
- (ii) Cooling - NA
- (iii) Domestic - 181.45 KL

Consumption per unit of production

Name of the Product	Process Water Consumption per unit of Product Output (KL/MT of Limestone)	
	During the Previous Financial Year (2019-20)	During the Current Financial Year (2020-21)
Lime Stone	0.00755	0.00670

B. Raw Material Consumption

Name of the Raw Material	Name of Product	Consumption of Raw Material per Unit Product Output (KL/MT of Limestone)	
		During the Previous Financial Year (2019-20)	During the Current Financial Year (2020-21)
Diesel	Limestone	0.00034	0.00057

C. Total Lime Stone Production (in Ton)

During the Previous Financial Year (2019-20)	During the Current Financial Year (2020-21)
1238246.0	1295800.0

D. Total Power consumption (KWH/ MT of Limestone)

During the Previous Financial Year (2019-20)	During the Current Financial Year (2020-21)
0.17760	0.25730

E. Lubrication and Explosive consumption

Particulars	During the Previous Financial Year (2019-20)	During the Current Financial Year (2020-21)

Lubrication oil consumption (In Litres)	11038	12096
Grease consumption (In Kgs)	2540	2700
ANFO (in Kgs)	132217	192669
Slurry (In Kgs)	18921	31272
Electrical Detonators (In No's)	1209	1674
Nonel Detonators(In No's)	15680	19696
Detonating fuse (in mts)	12805	1650

PART - C

Pollutant Discharged To Environment / Unit of Output
(Parameters as specified in the consent issued)

S. No.	Pollutants	Quantity of Pollutants Discharged (Mass / day) (tonne/day)	Concentrations of Pollutants in discharged (Mass / Volume) (kg/m ³)	Percentage of variation from prescribed standard with reasons
(a)	Water	Waste water generated from the office toilets is discharged into soak pit via septic tank. There is no waste water in the mine. Mine's pit water is used for dust suppression in mine. Pit water testing report is as per Annexure-1		
(b)	Air	There is no point source emission in mine. Ambient air quality and fugitive emission monitoring report as Annexure- 2 & 3		

PART - D

(As specified under Hazardous waste / Management and Handling rules, 1989 as Amended -2016)

Hazardous waste		During the Previous Financial Year (2019-20)	During the Current Financial Year (2020-21)
(a) From Process	N.A.	N.A.	N.A.
(b) From Pollution Control Facilities	N.A.	N.A.	N.A.

PART - E

Solid Wastes

Solid Waste	Total Quantity	
	During the Previous Financial Year (2019-20)	During the Current Financial Year (2020-21)
(a) From Process	N.A.	
(b) From Pollution Control facilities	N.A.	
(c) (i) Qty. recycled or reused Within the unit.	N.A.	
(ii) Sold	N.A.	
(iii) Disposed: During the mining of limestone disposed of overburden (In MT)	23200.0 MT	0.0 MT

PART - F

PLEASE SPECIFY THE CHARACTERISATIONS (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THE CATEGORIES OF WASTES.

Hazardous waste: No hazardous waste is generated from mines.

Solid waste: Solid waste / over burden generated from Muddapur Limestone mine during April-2020 to March-2021 was 0 MT.

PART – G

IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION.

AIR

There is no impact observed on vegetation & water bodies in the surrounding areas due to dust, as it will be suppressed at its generating sources.

The following measures are taken to suppress the dust at the source as well as to prevent the same, spreading in the atmosphere:

- 1- Wet drilling system is provided on all drill machines.
- 2- Regular water sprinkling on haul road during operation.
- 3- Optimize blasting parameters for proper fragmentation to reduce dust generation.
- 4- Plantation and development of Green Belt along the Haul Roads and Working Pits.

WATER

- 1- Being Mechanized Limestone mine, it requires water mainly for Wet Drilling, Road Spraying and Green Belt Development. The source of water is the accumulated rainwater in the lower most benches. At Muddapur Mine, there is no discharged of liquid effluent / waste water from the Mine.
- 2- No discharge of rain water or waste water from the mine to outside lease area. Rain water in the catchment area of mine lease is diverted through drainage in to lower level area of mine and that water is used for dust suppression and plantation purpose.

NOISE

Noise is generated in the mine due to following mining activities:

- 1- Excavation, drilling, blasting and operations of HEMM.
- 2- Transportation and handling of material.

The results of base line noise level survey are well below the permissible limit except near machinery while operating. The noise generating sources are scattered within the whole mining area. All the sources will not generate the noise simultaneously hence; the noise level would not alter the noise environment significantly. The noise level reduces with increase in distance from the source. The following measures are taken to reduce the noise level at the source as well as to prevent the same, spreading in the atmosphere:

- 1- Providing enclosures for noise sources to reduce dispersion of noise like cabin in HEMM.
- 2- Proper maintenance and lubrication of machinery rotating parts.
- 3- Use electric delay detonator on surface in place of detonating fuse.
- 4- By covering the detonating fuse as well as detonators under drill cutting or the fine material.
- 5- By providing earmuffs and earplugs to eligible miners.
- 6- Use of Air Decking & sufficient column stemming in the blast holes.

PART – H

ADDITIONAL MEASURES / INVESTMENT PROPOSALS FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT POLLUTION, PREVENTION OF POLLUTION.

Green belt development and tree plantation is our ongoing process. Plantation has been done on OB sites, road sides and on other parts of non mineralized ML area. The top layer of the dump material and slopes is covered with top soil which is excellent property of water retention that supports good tree growth. Plantation details are following:


Year	No. of trees planted
Upto march, 2010	9831
2010-2011	3703
2011-2012	3225
2012-2013	2860
2013-2014	2264
2014-2015	342
2015-2016	1150
2016-2017	863
2017-2018	865
2018-2019	1100
2019-2020	850
2020-2021	2500

PART – I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF ENVIRONMENT.

- 1- Regular maintenance of haul roads using grader and dozers.
- 2- Continuous wetting of haul roads using water tankers to suppress the airborne dust.
- 3- Wet drilling practiced & Sharp drill bits used to prevent generation of drilling dust.
- 4- Monitoring of Blast Induced Ground Vibration with the help of Blasters Minimate.
- 5- Controlled blasting with the help of Nonels.
- 6- Green Belt developed all along the lease boundary.
- 7- Avenue plantation along the haul roads to resist dust propagation.
- 8- Regular Noise Mapping and vibration studies of machinery being done.
- 9- Preventive and scheduled maintenance of Machinery reduced noise.
- 10- We are providing all personal protective equipment (PPEs) to all mine employees i.e. dust mask (respirator), ear plug & ear muff, eye goggle etc. concern to them as additional measures of Air & Noise Pollution Control.
- 11- We are having full flash environmental laboratory for the monitoring of ambient air quality, water testing, noise monitoring etc.
- 12- Industry has been certified for standards ISO 9001: 2008, ISO 14001: 2004, OHSAS 18001 and ISO 50001:2018.
- 13- Dense plantation is being carried out to resist the flow of dust into the surrounding areas
- 14- As a water conservation measure, Surrounding area rain water diverted in to Pit no.1.
- 15- Solar panels are installed for power generation.

For Muddapur Lime Stone Mine, Muddapur (Karnataka)
(Unit: J.K. Cement Limited)


Umashankar Choudhary
(Unit Head)

MUDDAPUR LIMESTONE MINE, (KARNATAKA)

(Unit: J.K. Cement Ltd.)

Core Zone and Buffer Zone drinking water quality analysis report for the period from April-2020 to March-2021

Sl. No.	Constituents	Desirable Limit	TEST REPORT										
			Core Zone					Buffer Zone					
			Muddapur mines pit	Muddapur Mines	Muddapur	Pettur	Metgud	Ningapur	Bamanbudini	Halki	Thimmapur		
1	Odour	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable
2	Taste	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable	Aggreable
3	Total Dissolved Solids	500	649.07	577.28	567.85	550.40	480.17	549.25	601.17	582.83	599.33		
4	Turbidity	5 NTU	0.9	0.7	1.2	1.4	1.2	1.4	1.2	1.1	1.3		
5	pH	6.5-8.5	7.8	7.4	7.7	7.6	7.3	7.6	7.4	6.7	7.5		
6	Total Hardness	300	356.9	379.2	328.1	323.6	293.2	325.1	368.9	361.9	368.3		
7	Calcium	75	81.08	85.18	82.12	66.87	85.25	56.53	83.05	88.12	81.83		
8	Magnesium	30	35.85	43.18	42.15	38.55	36.47	28.93	33.28	46.30	46.33		
9	Alkalinity	200	313.5	320.4	273.9	273.0	278.1	324.3	233.2	355.8	361.0		
10	Chloride	250	75.93	71.62	72.30	67.17	73.30	79.00	98.72	99.10	100.55		

Note: 1 - The Above analysis have been carried out as per IS-10500.

2- Observed Concentration in mg/liter except pH and Turbidity.


Vani Patil
Monitored by


Shridhar
Checked by

MUDDAPUR LIMESTONE MINES, (KARNATAKA)

(Unit: JK Cement Ltd.)

AAQM REPORT FOR THE PERIOD FROM APRIL-2020 TO MARCH-2021

(ALL VALUES IN MICROGRAMS / CUBIC METER)

Month	Sl. No.	Date	Week	SO ₂				NO ₂				PM ₁₀				PM _{2.5}			
				Locations				Locations				Locations				Locations			
				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
A P R I L	1	01.4.2020	1st	Lockdown															
	2	04.4.2020		Lockdown															
	3	08.4.2020		Lockdown															
	4	11.4.2020	2nd	4.0	3.5	4.8	6.0	11.8	13.8	15.0	16.7	35.4	35.9	30.3	43.0	20.8	20.8	20.8	25.0
	5	15.4.2020		5.0	4.0	5.5	4.7	13.7	14.5	14.8	16.3	34.7	37.5	37.0	36.5	12.5	29.2	12.5	20.8
	6	18.4.2020	3rd	4.5	5.0	4.8	5.0	13.2	14.7	15.2	16.7	33.7	28.0	43.1	40.4	16.7	12.5	16.7	16.7
	7	22.4.2020		5.5	4.0	5.5	4.5	15.2	14.5	16.2	14.8	35.3	34.7	45.1	38.9	20.8	20.8	12.5	16.7
	8	25.4.2020	4th	3.8	3.7	4.8	5.5	13.8	14.5	16.3	15.8	39.9	38.6	43.8	30.7	25.0	16.7	20.8	20.8
	9	29.4.2020		5.5	5.2	5.8	4.5	16.0	15.3	16.2	14.7	51.7	44.5	48.1	43.7	20.8	20.8	33.3	16.7
M A Y	1	02.5.2020	1st	6.6	7.5	6.0	7.5	17.3	18.0	17.3	15.2	58.0	47.3	60.8	61.7	20.8	22.4	25.0	25.0
	2	06.5.2020		7.0	6.6	7.5	8.0	18.5	17.8	18.3	16.7	60.3	40.9	45.5	57.0	16.7	15.8	37.5	29.2
	3	09.5.2020	2nd	6.0	5.6	5.8	10.0	17.8	15.7	16.5	11.2	52.2	57.0	58.0	69.0	20.8	25.0	29.2	33.3
	4	13.5.2020		7.0	4.8	5.8	6.0	17.0	15.0	15.8	16.7	47.3	33.2	66.2	63.7	29.2	37.5	31.0	37.5
	5	16.5.2020	3rd	6.3	5.2	7.2	4.6	18.6	16.2	17.3	16.3	41.3	36.9	50.6	51.1	20.8	20.8	20.8	41.7
	6	20.5.2020		7.2	3.8	6.0	5.0	18.3	14.0	16.2	16.6	65.7	47.5	30.7	60.9	25.0	25.0	25.0	25.0
	7	23.5.2020	4th	5.6	5.2	6.6	4.5	16.3	15.6	16.3	14.8	42.3	51.7	48.5	45.7	33.3	29.2	33.3	20.8
	8	27.5.2020		6.0	4.8	5.6	5.5	17.0	14.5	15.8	15.8	46.2	67.1	63.8	44.6	29.2	33.3	29.2	33.3
	9	30.5.2020		7.0	6.5	6.0	4.5	13.5	16.5	16.6	14.7	42.5	46.9	61.0	64.2	12.6	16.7	20.8	29.2
J U N E	1	03.6.2020	1st	7.5	6.5	7.5	7.5	12.5	16.8	15.8	16.2	34.5	38.8	33.0	40.0	16.7	20.8	25.0	12.5
	2	07.6.2020		5.5	5.5	6.7	8.3	14.0	15.7	16.0	17.3	30.0	31.8	34.9	45.7	12.5	16.7	20.8	8.3
	3	10.6.2020	2nd	6.3	6.7	8.7	6.7	15.8	14.5	15.8	18.5	45.8	37.4	43.4	54.1	16.7	16.7	12.5	15.0
	4	13.6.2020		7.0	5.8	6.3	9.0	16.0	15.5	17.5	17.5	34.8	33.3	49.1	59.9	20.8	20.1	16.7	16.7
	5	17.6.2020	3rd	5.8	6.8	6.0	6.7	16.7	12.2	14.3	16.5	29.8	30.2	55.7	63.9	20.8	17.8	31.0	12.5
	6	20.6.2020		5.5	5.5	5.3	7.5	17.0	14.7	14.8	18.2	43.8	38.4	41.5	55.1	24.0	12.5	30.7	29.2
	7	24.6.2020	4th	6.3	4.0	6.3	6.2	16.8	13.8	17.8	16.3	37.9	42.0	51.6	60.1	26.9	16.7	29.2	20.8
	8	27.6.2020		4.5	7.0	6.7	8.0	17.5	15.3	18.2	17.2	35.0	29.3	45.8	39.1	12.5	20.8	25.0	16.7
J U L Y	1	01.7.2020	1st	7.7	6.7	7.7	7.7	16.0	17.3	17.2	17.8	28.9	24.1	24.9	24.8	8.3	12.5	20.8	16.7
	2	04.7.2020		8.8	8.2	8.2	8.3	17.7	18.2	19.2	18.3	31.3	33.2	34.2	18.9	16.7	16.7	16.7	8.7
	3	08.7.2020	2nd	7.7	8.0	9.2	8.3	17.7	17.8	19.0	19.2	20.4	27.1	30.2	23.6	12.5	12.5	12.5	12.5
	4	11.7.2020		8.2	7.7	10.0	9.0	18.0	17.7	20.0	18.8	26.5	22.8	25.1	31.8	16.7	12.5	16.7	25.0
	5	15.7.2020	3rd	7.7	8.2	7.3	7.7	18.7	18.2	17.8	17.7	28.1	32.6	31.3	19.3	20.8	16.7	8.3	12.2
	6	18.7.2020		8.0	6.3	6.0	6.7	17.8	16.3	16.7	17.2	31.6	26.1	26.4	28.9	12.5	12.5	12.5	16.7
	7	22.7.2020	4th	5.8	6.7	8.0	8.0	16.0	17.3	17.0	18.0	38.6	35.2	39.4	21.4	16.7	8.3	20.8	12.5
	8	25.7.2020		6.7	7.7	7.8	6.0	16.7	16.7	17.8	16.0	33.3	37.5	31.0	23.7	12.5	16.7	12.5	16.7
	9	29.7.2020		7.3	8.0	8.8	7.7	17.3	18.0	18.0	18.0	48.9	42.1	49.6	43.4	20.8	12.5	25.0	12.5
A U G U S T	1	1.8.2020	1st	7.0	6.0	6.2	5.8	17.0	16.3	16.5	16.3	50.9	59.5	46.5	52.1	12.5	16.7	8.3	12.5
	2	5.8.2020		8.2	7.7	6.3	7.7	15.7	17.8	18.2	17.7	36.0	30.5	39.7	44.4	8.3	12.5	16.7	8.3
	3	8.8.2020	2nd	9.2	8.0	8.3	8.7	19.3	18.0	18.3	18.7	26.8	23.4	29.5	38.0	12.5	8.3	12.5	16.7
	4	12.8.2020		8.0	7.2	7.2	7.3	18.0	17.7	17.7	17.3	22.7	17.9	25.1	21.2	4.2	16.7	8.3	12.5
	5	17.8.2020	3rd	7.5	9.0	8.0	8.3	17.5	19.0	18.0	19.0	31.6	29.7	33.8	25.3	16.7	12.5	12.5	16.7
	6	20.8.2020		8.2	8.0	7.2	7.2	18.0	18.2	17.8	17.2	37.6	25.6	43.5	30.8	25.0	8.3	16.7	20.8
	7	24.8.2020	4th	7.7	9.5	6.7	8.0	17.7	18.7	16.8	18.0	35.5	35.0	36.6	36.7	12.5	20.8	8.3	12.5
	8	27.8.2020		8.0	8.0	7.7	7.5	18.0	19.8	18.5	19.8	40.7	41.6	32.1	45.5	8.3	8.3	16.7	16.7
	9	31.8.2020		6.8	7.7	8.0	8.0	16.5	18.5	18.8	18.0	46.6	51.4	50.8	37.5	12.5	16.7	12.5	12.0
S E P T E M B E R	1	03.9.2020	1st	7.7	6.3	7.7	7.5	17.7	18.3	18.0	17.5	28.7	31.0	36.9	32.2	8.3	16.7	20.8	20.8
	2	07.9.2020		8.3	8.0	8.3	6.8	18.7	19.8	19.2	17.7	17.7	21.6	16.4	19.9	4.2	12.5	8.3	8.3
	3	10.9.2020	2nd	5.8	7.3	7.8	7.7	16.7	18.2	17.3	18.0	26.9	20.2	22.2	26.2	8.3	4.2	12.5	16.7
	4	14.9.2020		8.0	6.2	8.0	8.0	18.0	16.8	18.0	18.0	20.1	27.6	24.4	22.3	4.2	12.5	16.7	12.5
	5	17.9.2020	3rd	6.7	7.8	6.5	7.3	16.7	17.2	17.5	17.3	27.2	34.5	31.2	35.7	12.5	8.3	12.5	8.3
	6	21.9.2020		7.7	6.7	7.0	6.7	17.7	16.7	17.8	17.3	24.7	25.5	24.1	23.8	4.2	16.7	8.3	12.5
	7	24.9.2020	4th	6.3	5.7	7.0	7.2	16.7	16.7	18.2	17.8	32.6	34.2	31.5	29.4	8.3	8.3	12.5	8.3
	8	28.9.2020		8.0	7.7	8.0	6.5	18.0	17.7	18.0	16.7	44.6	40.0	37.4	24.1	8.3	12.5	8.3	15.0
O C T O B E R	1	01.10.2020	1st	6.7	7.3	6.7	7.7	16.7	17.3	16.8	17.8	32.9	29.5	35.0	45.0	12.5	20.8	20.8	16.7
	2	05.10.2020		7.7	8.0	7.7	6.3	17.7	18.0	17.7	16.3	44.3	34.8	36.2	36.5	8.3	25.0	16.7	20.8
	3	08.10.2020	2nd	6.7	6.7	8.0	7.7	16.7	16.8	18.0	17.8	44.3	52.2	45.5	41.7	16.7	16.7	25.0	25.0
	4	12.10.2020		8.0	8.0	7.2	8.0	18.0	18.5	17.7	18.0	36.6	47.6	38.2	31.1	8.3	16.7	20.8	29.2
	5	15.10.2020	3rd	6.7	7.3	6.5	6.8	16.2	16.7	16.7	16.7	49.7	57.6	53.6	51.1	20.8	25.0	20.8	16.7
	6	19.10.2020		7.2	7.3	7.7	7.3	17.8	17.3	17.7	17.5	56.8	61.6	58.9	46.5	25.0	20.8	16.7	12.5
	7	22.10.2020	4th	8.0	7.3	8.0	8.2	17.7	18.2	18.0	18.2	60.0	51.4	62.0	57.6	29.2	29.2	25.0	20.8
	8	26.10.2020		7.7	8.0	8.3	7.5	17.7	18.0	18.3	17.2	69.3	57.6	69.4	63.7	16.7	20.8	20.8	25.0
	9	29.10.2020		5.5	8.0	7.7	8.0	16.5	18.0	17.7	18.0	77.8	66.9	68.1	60.6	20.8	16.7	20.8	16.7

N O V E M B E R	1	02.11.2020	1st	8.0	7.3	6.7	8.0	18.0	17.3	17.3	18.0	55.4	61.1	51.4	45.0	25.0	20.8	16.7	20.8
	2	05.11.2020		6.7	6.7	8.3	7.0	16.8	16.7	18.0	17.8	69.6	67.7	59.5	36.5	16.7	23.8	25.0	23.3
	3	09.11.2020	2nd	7.7	8.0	6.7	6.7	17.7	17.8	16.7	16.7	74.6	70.2	69.9	41.7	20.8	16.7	20.8	19.2
	4	12.11.2020		8.0	7.7	7.7	7.8	18.0	17.7	17.7	17.8	69.4	77.2	77.8	31.1	25.0	27.5	29.2	24.2
	5	16.11.2020	3rd	7.7	8.0	8.0	8.0	17.7	18.0	18.0	18.0	62.4	67.7	80.0	51.1	20.8	25.0	33.3	29.2
	6	19.11.2020		8.3	9.0	9.0	7.7	18.0	19.0	19.5	17.5	63.7	55.2	71.8	46.5	29.2	29.2	25.0	20.8
	7	23.11.2020	4th	8.0	6.8	7.7	8.0	18.0	16.8	17.7	18.0	56.4	68.9	64.4	57.6	20.8	20.8	37.5	28.3
	8	26.11.2020		6.7	7.7	6.7	6.7	16.7	17.7	16.7	16.7	65.5	56.1	45.3	63.7	16.7	29.2	20.8	25.0
	9	30.11.2020		7.3	8.0	8.0	7.8	17.7	18.0	18.0	18.0	58.5	64.4	67.7	60.6	33.3	33.3	41.7	33.3
D E C E M B E R	1	01.12.2020	1st	8.0	7.7	6.7	7.0	18.0	17.3	16.7	17.8	56.3	72.3	51.4	67.1	35.5	41.7	34.4	36.4
	2	04.12.2020		8.3	8.0	8.0	6.7	18.0	16.7	18.0	16.7	58.8	72.9	59.5	50.8	34.5	47.1	31.1	37.8
	3	08.12.2020	2nd	6.7	9.0	6.7	6.7	16.7	17.8	16.7	16.7	55.1	67.7	69.9	63.3	35.1	33.3	33.1	43.3
	4	11.12.2020		8.0	6.8	9.0	7.8	18.0	17.7	19.5	17.8	41.4	58.0	77.8	71.9	44.9	43.8	25.0	36.4
	5	15.12.2020	3rd	7.7	8.0	7.7	7.8	17.7	18.0	17.7	17.8	42.5	66.7	80.0	71.7	33.4	38.5	24.4	33.6
	6	18.12.2020		6.7	9.0	9.0	8.0	16.8	19.0	19.5	18.0	65.7	56.3	71.8	63.5	41.6	40.8	38.9	43.3
	7	22.12.2020	4th	7.7	7.3	7.8	8.0	17.7	16.8	17.7	18.0	35.7	66.0	64.4	81.6	35.9	37.4	33.2	48.2
	8	28.12.2020		8.0	6.7	7.8	8.0	18.0	17.7	17.8	18.0	67.1	59.6	45.3	69.4	40.7	27.9	38.6	40.4
J A N U A R Y	1	04.1.2021	1st	6.7	7.3	7.3	6.0	17.8	17.3	7.3	6.0	58.3	70.4	72.2	57.1	37.5	33.3	33.3	29.2
	2	07.1.2021		8.0	6.3	8.2	7.2	18.0	16.3	8.2	7.2	73.6	72.5	58.8	48.6	29.2	37.5	37.5	37.5
	3	11.1.2021	2nd	6.7	8.0	8.0	6.7	16.2	18.0	8.0	6.7	89.0	80.6	62.8	62.5	25.0	41.7	25.0	20.8
	4	14.1.2021		7.7	7.0	6.7	8.0	17.7	17.3	6.7	8.0	78.4	67.0	62.7	56.2	33.3	50.0	29.2	25.0
	5	18.1.2021	3rd	5.8	8.8	7.5	7.7	15.8	19.7	7.5	7.7	62.3	74.5	71.2	65.1	37.5	37.5	37.5	29.2
	6	21.1.2021		8.3	6.7	8.0	8.2	19.0	17.3	8.0	8.2	69.9	79.4	89.2	78.4	27.1	45.4	33.3	44.2
	7	25.1.2021	4th	8.0	7.0	6.0	9.2	18.0	17.7	6.0	9.2	74.4	88.2	60.5	70.0	36.7	54.2	41.7	43.7
	8	28.1.2021		8.7	6.7	7.0	6.7	19.5	17.5	7.0	6.7	70.1	84.3	72.1	72.7	29.6	36.7	45.8	33.3
F E B R U A R Y	1	01.2.2021	1st	8.0	8.0	7.3	6.5	18.0	18.0	17.7	16.5	53.9	57.8	66.9	47.2	23.3	16.7	25.0	20.8
	2	04.2.2021		6.7	7.7	6.3	7.5	16.7	17.8	16.3	17.8	62.4	61.9	69.4	65.5	19.2	25.0	20.8	25.0
	3	08.2.2021	2nd	7.7	8.0	7.3	6.7	17.7	18.7	17.2	16.8	59.9	68.7	53.3	75.6	37.8	30.0	29.2	29.2
	4	11.2.2021		8.0	6.3	8.7	7.5	17.8	17.5	18.7	17.5	54.2	63.2	59.8	68.8	33.3	29.2	20.8	16.7
	5	15.2.2021	3rd	7.7	7.7	6.8	6.7	17.8	17.7	16.8	17.5	68.8	71.8	62.8	70.7	36.4	25.0	25.0	27.5
	6	18.2.2021		8.2	6.3	7.0	8.0	17.8	16.5	17.7	18.0	59.8	50.5	67.7	83.3	20.8	27.5	16.7	32.5
	7	22.2.2021	4th	8.0	7.2	6.5	7.5	18.0	17.7	17.0	17.3	53.6	64.3	55.4	69.9	23.3	29.2	22.9	20.0
	8	25.2.2021		7.2	8.0	7.3	6.7	17.7	18.0	17.3	16.7	59.5	68.4	57.4	56.2	29.2	16.7	26.3	29.2
M A R C H	1	01.3.2021	1st	7.3	6.7	8.0	7.8	16.7	16.8	18.0	17.8	70.9	60.6	67.0	53.7	25.0	20.8	25.0	22.9
	2	04.3.2021		6.7	8.0	7.3	6.7	16.7	18.0	17.3	16.7	66.4	69.3	62.3	58.8	16.7	16.7	20.8	29.2
	3	08.3.2021	2nd	7.5	8.0	6.7	7.5	17.2	18.0	17.7	17.3	70.0	68.2	59.0	66.9	30.0	29.2	29.2	33.3
	4	11.3.2021		6.5	6.8	8.3	6.2	16.5	16.8	17.0	16.5	56.8	57.9	70.0	58.4	29.2	25.0	33.3	25.0
	5	15.3.2021	3rd	7.0	7.8	7.3	8.0	17.0	17.3	17.5	18.0	60.6	76.0	51.8	61.7	16.7	30.4	23.3	37.5
	6	18.3.2021		6.5	6.0	6.7	6.0	16.7	16.7	16.7	17.2	71.4	70.6	74.1	67.3	25.0	20.8	39.2	29.2
	7	22.3.2021	4th	6.7	6.8	7.3	7.7	16.7	17.7	17.3	17.7	66.0	79.8	79.4	61.3	29.2	25.0	24.2	20.8
	8	25.3.2021		7.3	7.5	6.7	8.0	17.3	17.5	17.3	18.0	63.4	58.8	68.2	63.9	20.8	33.3	30.8	31.7
	9	29.3.2021		9.0	6.0	6.5	7.5	19.0	16.0	16.2	19.0	60.5	62.5	76.8	56.2	29.2	27.5	33.3	25.0
Avg				7.1	7.0	7.2	7.2	17.1	17.1	16.6	16.5	49.2	50.5	51.7	49.5	21.5	23.1	23.4	23.3
Min.				3.8	3.5	4.8	4.5	11.8	12.2	6.0	6.0	17.7	17.9	16.4	18.9	4.2	4.2	8.3	8.3
Max.				9.2	9.5	10.0	10.0	19.5	19.8	20.0	19.8	89.0	88.2	89.2	83.3	44.9	54.2	45.8	48.2


Vanraj Patil
 Monitored by


Shridhar
 Checked by

MUDDAPUR LIME STONE MINE, (KARNATAKA)
(Unit : J.K. Cement Ltd.)

Fugitive Emission Monitoring Report of Muddapur mines for the period from April-2020 to March-2021

Sl. No.	MONTH	SPM ($\mu\text{g}/\text{m}^3$)				
		Loading Area	Drilling Area	Haulage Area	Waste Dumping Site	Service Road
1	Apr-20	808.6	1132.3	1051.3	942.5	987.0
2	May-20	904.0	898.0	920.2	951.4	840.1
3	Jun-20	972.7	939.5	982.8	1050.9	880.0
4	Jul-20	647.0	592.4	623.7	700.0	553.1
5	Aug-20	725.4	635.7	530.6	474.0	496.5
6	Sep-20	673.6	501.0	557.8	545.8	575.6
7	Oct-20	702.9	622.69	775.30	601.65	608.33
8	Nov-20	975.3	1006.22	929.67	1019.94	1038.46
9	Dec-20	1042.0	1118.59	1101.91	935.05	801.39
10	Jan-21	769.3	898.61	973.65	836.86	786.20
11	Feb-21	566.2	548.46	494.58	478.83	568.00
12	Mar-21	578.8	533.68	551.56	540.41	512.00
	Minimum	566.2	501.0	494.6	474.0	496.5
	Maximum	1042.0	1132.3	1101.9	1050.9	1038.5
	Average	780.5	785.6	791.1	756.5	720.6


Vani Patil
Monitored by


Shridhar
Checked by

Muddapur Limestone Mine (Karnataka)
(Unit: J.K. Cement Ltd.)

Noise monitoring report of Muddapur mines for the period from April-2020 to March-2021

Sl.No.	Time	Month	Muddapur Mines boundary	Muddapur Mines Office	Muddapur mines Drilling Time	Muddapur mines Waste dumping site	Muddapur mines Service Road
1	Day	Apr-20	40.5	42.2	36.5	41.6	38.5
	Night		30.5	32.2	—	33.5	31.2
2	Day	May-20	42.5	46.6	40	48.5	38.6
	Night		30.4	34.5	—	32.4	35.8
3	Day	Jun-20	53.6	47.2	55	62.8	54.6
	Night		35	32.8	—	42	32
4	Day	Jul-20	52.6	48.5	60.8	68.5	54.6
	Night		42.5	36.8	—	47.8	38
5	Day	Aug-20	49.6	52.5	65.8	68.2	54.6
	Night		35.8	37.6	—	42.6	38.5
6	Day	Sep-20	48.5	50.6	63.8	68.2	55.8
	Night		36.4	39.8	—	43.5	38.2
7	Day	Oct-20	48.5	52.6	62.3	67.5	56.6
	Night		36.7	40.5	—	42.8	37.5
8	Day	Nov-20	42.8	40.6	50.4	43.5	42.8
	Night		35.6	33.8	—	36.8	33.5
9	Day	Dec-20	48.2	46.5	52.4	43.9	48.2
	Night		36.5	38.3	—	38.6	31.5
10	Day	Jan-21	56.8	50.6	54.5	45.6	50.5
	Night		39.7	40.5	—	35.6	40.8
11	Day	Feb-21	50.4	47.6	50.8	45.5	46.7
	Night		39.6	36.5	—	39.7	30.6
12	Day	Mar-21	54	48	57	62	50
	Night		37	34	—	41	30
Average	Day		49.0	47.8	54.1	55.5	49.3
	Night		36.3	36.4	—	39.7	34.8
Minimum	Day		40.5	40.6	36.5	41.6	38.5
	Night		30.4	32.2	0	32.4	30
Maximum	Day		56.8	52.6	65.8	68.5	56.6
	Night		42.5	40.5	0	47.8	40.8


Vani Patil
Monitored by


Shridhar
Checked by