

Ref. No. JKC/Jaisalmer/IU/EC/2025-26/01

26<sup>th</sup> May, 2025

To,  
**Deputy Director General of Forests (C),**  
Integrated Regional Office, Jaipur  
A-209&218, 'Aranya Bhawan', Mahatma Gandhi Road,  
Jhalana Institutional Area, Jaipur (Raj.) – 304002  
E-mail: [iro.jaipur-mefcc@gov.in](mailto:iro.jaipur-mefcc@gov.in)

**Sub:** Submission of the Six-Monthly Compliance Report of stipulated conditions in the Environmental Clearance granted for Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m<sup>3</sup>/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil: Jaisalmer, District: Jaisalmer, Rajasthan by M/s JK Cement Ltd. for the period: **October-2024 to March-2025**

**Ref:** - EC granted by MoEF&CC vide File No. IA-J-11011/498/2021-IA-II (IND-I) dated 30.09.2024.

Dear Sir,

This is context to the above subject & reference, we are submitting herewith the Six-Monthly Compliance Report of stipulated conditions in Environmental Clearance granted for Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m<sup>3</sup>/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil: Jaisalmer, District: Jaisalmer, Rajasthan by M/s JK Cement Ltd. for the period: **October-2024 to March-2025** as per the above referred EC letter.


As per MoEF & CC notification vide No.: S.O. 5845(E) dated 26.11.2018 regarding to submit the Environment Clearance Compliance Report in soft copy only and in compliance to the same, we are hereby submitting the EC Compliance through e-mail for your kind reference and record please.

We trust, your good self will find the same in order.

Thanking you,

Yours faithfully,

**For J. K. Cement Ltd., Jaisalmer**  
**(A Unit of J. K. Cement Ltd.)**



**Bhaskar Singh Rawat**  
**(Authorized Signatory)**

Encl. As above.

C.C. :



Corporate Office

Prism Tower, 5<sup>th</sup> Floor, Ninaniya Estate,  
Gwal Pahari, Gurugram - 122102, Haryana  
+0124-6919000  
[admin.prismt@jkcement.com](mailto:admin.prismt@jkcement.com)  
[www.jkcement.com](http://www.jkcement.com)

**JK SUPER**  
**CEMENT**  
**BUILD SAFE**

Manufacturing Units at :  
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)  
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

**JK CEMENT**  
**WallMax**  
White Cement Based Putty



Registered Office : Kamla Tower, Kanpur-208001, U.P., India. +91-512-2371478 to 85 91-512-2399854 [www.jkcement.com](http://www.jkcement.com)

**Jaisalmer Project Office :**

🏠 E/316, Laxmi Chand Sawal Avasiya Colony,  
Jaisalmer-345001 (Raj.) India

🌐 [www.jkcement.com](http://www.jkcement.com)

1. The Director, Ministry of Environment, Forest & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, Aliganj, New Delhi- 110003. E-mail: [moef@nic.in](mailto:moef@nic.in) , [monitoring-ec@nic.in](mailto:monitoring-ec@nic.in)
2. The Member Secretary, Rajasthan Pollution Control Board, 4, Jhalana Institutional Area, Jhalana Doongri, Jaipur (Rajasthan). E-mail: [member-secretary@rpcb.nic.in](mailto:member-secretary@rpcb.nic.in)
3. The Regional Officer, RSPCB, Field Hostel of Indira Gandhi Nahar Pariyojna Residential Colony, Jaisalmer E-mail: [rorpcb.jai@gmail.com](mailto:rorpcb.jai@gmail.com)
4. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi-110032. E-mail [mscb.cpcb@nic.in](mailto:mscb.cpcb@nic.in)
5. The Regional Director, Central Pollution Control Board, Paryavaran Parisar, E-5, arera Colony, Bhopal (M.P) 462016. E-mail: [cpcb.bhopal@gov.in](mailto:cpcb.bhopal@gov.in)



**Corporate Office**

📍 Prism Tower, 5<sup>th</sup> Floor, Ninaniya Estate,  
Gwal Pahari, Gurugram - 122102, Haryana  
☎ +0124-6919000  
✉ [admin.prismt@jkcement.com](mailto:admin.prismt@jkcement.com)  
🌐 [www.jkcement.com](http://www.jkcement.com)

**JK SUPER  
CEMENT**  
BUILD SAFE

Manufacturing Units at :  
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)  
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

**JK CEMENT  
WallMaxX**  
White Cement Based Putty



Registered Office : 📍 Kamla Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 📠 91-512-2399854 🌐 [www.jkcement.com](http://www.jkcement.com)

**Your (Half Yearly Compliance Report) has been Submitted with following details**

<b>Proposal No</b>	IA/RJ/IND1/438401/2023
<b>Compliance ID</b>	115340829
<b>Compliance Number(For Tracking)</b>	EC/COMPLIANCE/115340829/2025
<b>Reporting Year</b>	2025
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)
<b>Submission Date</b>	26-05-2025
<b>RO/SRO Name</b>	Shrawan Kumar Verma
<b>RO/SRO Email</b>	kr099.ifs@nic.in
<b>State</b>	RAJASTHAN
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Jaipur

**Note:-** SMS and E-Mail has been sent to Shrawan Kumar Verma, RAJASTHAN with Notification to Project Proponent.

**Half Yearly Compliance Report  
2025  
01 Jun(01 Oct - 31 Mar)**

**Acknowledgement**

<b>Proposal Name</b>		Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m3/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil: Jaisalmer, District: Jaisalmer (Rajasthan) by M/s. JK Cement Ltd.	
<b>Name of Entity / Corporate Office</b>		J K CEMENT LIMITED	
<b>Village(s)</b>		Parewar	
<b>District</b>		JAISALMER	
<b>Proposal No.</b>	IA/RJ/IND1/438401/2023	<b>Category</b>	Industrial Projects - 1
<b>Plot / Survey / Khasra No.</b>	N/A	<b>Sub-District</b>	Jaisalmer
<b>State</b>	RAJASTHAN	<b>Entity's PAN</b>	*****0355R
<b>MoEF File No.</b>	IA-J-11011/498/2021-IA-II(IND-I)	<b>Entity name as per PAN</b>	J K CEMENT LIMITED

**Compliance Reporting Details**

**Reporting Year** 2025  
**Remarks (if any)**  
**Reporting Period** 01 Jun(01 Oct - 31 Mar)

**Details of Production and Project Area**

<b>Name of Entity / Corporate Office</b>	J K CEMENT LIMITED	
	<b>Project Area as per EC Granted</b>	<b>Actual Project Area in Possession</b>
Private	0	0
Revenue Land	0	0
Forest	0	0
Others	210	210
Total	210	210

**Production Capacity**

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Cement	Million Tons per Annum (MTPA)	N/A	3.0	The proposed project is yet to be commenced.	
2	Clinker	Million Tons per Annum (MTPA)	N/A	8.0	The proposed project is yet to be commenced.	
3	WHRS	MW	N/A	50	The proposed project is yet to be commenced.	

## Conditions

### Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Statutory compliance	Three tier Green Belt shall be developed in atleast 33 percentage of the project area i.e. 70Ha as committed of adequate width and tree density shall not be less than 2500 per ha. Survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years. PP shall also develop greenbelt in the form of shelter belt comprising of total of 6 rows of 2x2 m plantation with tall trees and broad leaves with thick canopy along with windshield inside the plant premises to act as green barrier for air pollution and noise levels towards sensitive areas nearby project site. The proposed greenbelt development and plantation area will be developed in consultation with AFRI and CAZRI, Jodhpur. Compliance status in this regard, shall be submitted to concerned Regional Office of the MoEFCC
PPs Submission: Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
2	Statutory compliance	The PP shall implement the Ek Ped Maa Ke Naam Campaign which was launched on 5th June 2024 on the occasion of the World Environment Day to increase the forest cover across the Country, in compliance with Ministry's OM dated 24.07.2024.
PPs Submission: Agreed to Comply Noted and Will be Complied with.		Date: 20/05/2025
3	Statutory compliance	All the commitments made towards socio-economic development of the nearby villages shall be satisfactorily implemented. The action plan (Annexure-IV) based on the social impact assessment study of the project in accordance to the Ministry OM dated 30.09.2020 amounting to Rs. 74.43 Crores (Phase 1 and Phase 2) shall be strictly implemented and progress shall be submitted to the Regional Office of MoEFCC.

PPs Submission: Agreed to Comply Noted and agreed.		Date: 20/05/2025
4	Statutory compliance	The project proponent shall undertake village adoption programme and prepare and implement the action plan to develop them into a model village.
PPs Submission: Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
5	Statutory compliance	The Company shall explore the possibility for installation of floating Solar Power Plant over proposed Rain Water Harvesting Pond and Water reservoir to avoid evaporation losses.
PPs Submission: Agreed to Comply Feasibility for installation of the floating Solar power plant will be explored.		Date: 20/05/2025
6	Statutory compliance	PP shall prepare and implement the disaster management plan for Sand Storms.
PPs Submission: Agreed to Comply Disaster Management plan will be implemented.		Date: 20/05/2025
7	Statutory compliance	CO sensors with alarm systems to be installed in the Plant, at strategic locations.
PPs Submission: Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
8	Statutory compliance	PP shall implement the committed Environmental Protection Measures plan (Annexure-V) with provisions of Rs.399.45Crores (Phase I: 218.90 Crores; Phase II: 180.55 Crores) having annual recurring cost as Rs.38 Crores (Phase I: 19 Crores; Phase II: 19 Crores)
PPs Submission: Agreed to Comply Agreed and will be complied with.		Date: 20/05/2025
9	Statutory compliance	The project proponent shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
PPs Submission: Agreed to Comply It will be ensured to comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry.		Date: 20/05/2025
10	Statutory compliance	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO MoEFCC in this regard.
PPs Submission: Agreed to Comply		Date:

Noted and Will be complied with		20/05/2025
11	Statutory compliance	The PP shall to approach Ministry before setting up 2nd Phase cement unit with documentation regarding availability and interlinking aspects of limestone requirement
<b>PPs Submission:</b> Agreed to Comply Before setting up 2nd Phase cement unit the Ministry will be approached with documentation regarding availability and interlinking aspects of limestone requirement		Date: 20/05/2025
12	Statutory compliance	This Environmental clearance is granted subject to final outcome of Honble Supreme Court of India Honble High Court Honble NGT and any other Court of Law, if any, as may be applicable to this project.
<b>PPs Submission:</b> Being Complied Noted and Agreed.		Date: 20/05/2025
13	Statutory compliance	There is rich habitation nearby along with other sensitive areas within the study area of the project site. Proponent shall take appropriate environmental safeguard measures to minimise the impact on the habitation of the locals. The project proponent needs to strengthen green belt all around the plant area to reduce the dust pollution. The PP shall also include some of these locations in its environmental monitoring programme.
<b>PPs Submission:</b> Agreed to Comply Noted and Will be Complied with.		Date: 20/05/2025
14	Statutory compliance	Total water requirement of 2950 KLD out of which 1550 KLD is proposed to be required for Phase I 1400 KLD will be required for Phase II. The water shall be obtained from Indira Gandhi Canal/Nahar Project. PP shall obtain necessary permission from the Competent Authority in this regard.
<b>PPs Submission:</b> Agreed to Comply NOC for utilization of 1700 KLD water from Indira Gandhi canal has been obtained from Indira Gandhi Nahar Department, Department of Water Resources, Govt. of Rajasthan vide letter no F. 6(3) IGNB/2021 dated 04.03.2022. Out of 1700 KLD, 1550 KLD water will be required for Cement Plant, and 150 KLD water will be required for the Proposed Limestone mine. Copy of NOC obtained from Water resource department is attached as Annexure - 1.		Date: 20/05/2025
15	Statutory compliance	The PP committed to install over land belt conveyer (OLBC) for the transportation of limestone from Captive Khinya Limestone Mine by March 2030.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
16	Statutory compliance	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.

PPs Submission: Agreed to Comply Noted and Agreed.		Date: 20/05/2025
17	Statutory compliance	This Environmental clearance is granted subject to final outcome of Honble Supreme Court of India, Honble High Court Honble NGT and any other Court of Law. if any as may be applicable to this project.
PPs Submission: Agreed to Comply Noted.		Date: 20/05/2025
<b>General Conditions</b>		
Sr.No.	Condition Type	Condition Details
1	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as 06 Nos. Continuous Ambient Air Quality Station (CAAQMS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
PPs Submission: Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
2	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120 deg. each), covering upwind and downwind directions.
PPs Submission: Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
3	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
PPs Submission: Agreed to Comply It will be ensured to monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories		Date: 20/05/2025
4	AIR QUALITY MONITORING AND PRESERVATION	Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.
PPs Submission: Agreed to Comply Noted and Will be complied with.		Date: 20/05/2025



5	AIR QUALITY MONITORING AND PRESERVATION	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
<b>PPs Submission:</b> Agreed to Comply Efficient Air Pollution control Devices such as Bag house, ESP, Bag filters at transfer junctions, covered conveyor belts, covered storage for raw materials, Silos for storage of Fly ash and Cement etc. will be provided to comply with the prescribed standards of stack emission and Fugitive emissions.		Date: 20/05/2025
6	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
7	AIR QUALITY MONITORING AND PRESERVATION	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
<b>PPs Submission:</b> Agreed to Comply Sufficient number of Mobile or stationery vacuum cleaners will be provided to maintain good housekeeping at the premises.		Date: 20/05/2025
8	AIR QUALITY MONITORING AND PRESERVATION	Ensure covered transportation and conveying of raw material to prevent spillage and dust generation. The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
<b>PPs Submission:</b> Agreed to Comply Noted and will be covered transportation will be ensured for conveying of raw materials to prevent spillage and dust generation.		Date: 20/05/2025
9	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall provide primary and secondary fume extraction system at all heat treatment furnaces
<b>PPs Submission:</b> Agreed to Comply Noted and agreed with.		Date: 20/05/2025
10	AIR QUALITY MONITORING AND PRESERVATION	Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
11	AIR QUALITY MONITORING AND PRESERVATION	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
12	AIR QUALITY MONITORING AND	Pollution control system in the plant shall be provided as per the CREP Guidelines of CPCB.

	PRESERVATION	
<b>PPs Submission:</b> Agreed to Comply Noted and agreed.		<b>Date:</b> 20/05/2025
13	AIR QUALITY MONITORING AND PRESERVATION	<p>The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.</p>
<b>PPs Submission:</b> Agreed to Comply Noted, clean air practices will be implemented.		<b>Date:</b> 20/05/2025
14	AIR QUALITY MONITORING AND PRESERVATION	<p>Bag filters shall be cleaned regularly and efficiency of bag filter system shall be monitored at regular intervals</p>
<b>PPs Submission:</b> Agreed to Comply Once project will be commissioned, it will be ensured that Bag filters are cleaned regularly, and efficiency of bag filter system will be monitored at regular intervals.		<b>Date:</b> 20/05/2025
15	AIR QUALITY MONITORING AND PRESERVATION	<p>Water Sprinklers/Water mist system shall be installed near raw material yards, operational units and other strategic locations to control fugitive emissions from the plant.</p>
<b>PPs Submission:</b> Agreed to Comply Noted. Measures will be adopted for control of fugitive emissions.		<b>Date:</b> 20/05/2025
16	AIR QUALITY MONITORING AND PRESERVATION	<p>The particulate matter emissions from the process stacks shall be less than 30 mg/Nm<sup>3</sup> and measures shall be undertaken as per the submitted action plan. Efficient Air monitoring equipment shall be installed.</p>
<b>PPs Submission:</b> Agreed to Comply The particulate matter emissions from the process stacks will be maintained less than 30 mg/Nm <sup>3</sup> . Besides this, efficient environmental monitoring equipment will be installed.		<b>Date:</b> 20/05/2025
17	AIR QUALITY MONITORING AND PRESERVATION	<p>Following additional arrangements to control fugitive dust shall be provided: a. Fog / Mist Sprinklers at all on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas. b. Proper covered vehicle shall be used while transport of materials. c. Wheel washing mechanism shall be provided in entry and exit gates with complete recirculation system.</p>
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied with.		<b>Date:</b> 20/05/2025
18	AIR QUALITY MONITORING AND PRESERVATION	<p>Provide Low NO<sub>x</sub> burners as primary measures and SCR /NSCR technologies as secondary measure to control NO<sub>x</sub> emissions.</p>

<b>PPs Submission:</b> Agreed to Comply Noted and agreed with.		Date: 20/05/2025
19	AIR QUALITY MONITORING AND PRESERVATION	The emission norms applicable for the cement plant shall be adhered to.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed with.		Date: 20/05/2025
20	AIR QUALITY MONITORING AND PRESERVATION	Dioxin and Furan monitoring shall be carried out once in six months at cement kiln stack.
<b>PPs Submission:</b> Agreed to Comply Dioxin and Furan monitoring will be carried out once in six months at cement kiln stack		Date: 20/05/2025
21	AIR QUALITY MONITORING AND PRESERVATION	DeSOx system shall be provided dry type. NOx level shall be maintained below 600 mg/Nm3 by using best available technology.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
22	AIR QUALITY MONITORING AND PRESERVATION	Petcoke dosing shall be controlled automatically to control SO2 emission from chimney within the prescribed limits.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed with.		Date: 20/05/2025
23	AIR QUALITY MONITORING AND PRESERVATION	PP shall identify the Source of fluoride emissions and action plan to mitigate the same shall be implemented.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed with.		Date: 20/05/2025
24	AIR QUALITY MONITORING AND PRESERVATION	Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
25	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied.		Date:

		20/05/2025
26	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
PPs Submission: Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
27	WATER QUALITY MONITORING AND PRESERVATION	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
PPs Submission: Agreed to Comply Appropriate measures will be taken to check the run-off in the events of heavy rains.		Date: 20/05/2025
28	WATER QUALITY MONITORING AND PRESERVATION	Water meters shall be provided at the inlet to all unit processes in the plants.
PPs Submission: Agreed to Comply Noted, Water meters will be provided at the inlet to unit process in the plant		Date: 20/05/2025
29	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.
PPs Submission: Agreed to Comply Efforts will be taken to minimize water consumption in cement plant.		Date: 20/05/2025
30	WATER QUALITY MONITORING AND PRESERVATION	The proposed project shall be designed as Zero Liquid Discharge Plant. ETP shall be installed and there shall be no discharge of effluent from the plant. Domestic effluent shall be treated in Sewage Treatment Plant. Suitable measures shall be adopted for sewage water handling to ensure no contamination of any kind of water body.
PPs Submission: Agreed to Comply The cement manufacturing is a dry manufacturing process; hence no process water is being generated. Domestic sewage which will be generated and it will be treated with the help of STP and treated water will be used for Greenbelt development.		Date: 20/05/2025
31	WATER QUALITY MONITORING AND PRESERVATION	All stockyards shall have impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains and catch pits to trap the run off material and shall be implemented as per the action plan submitted in EIA/EMP report.
PPs Submission: Agreed to Comply Noted and will be complied.		Date: 20/05/2025
32	WATER QUALITY MONITORING AND PRESERVATION	Rain water harvesting shall be implemented to recharge/harvest water as per the action plan submitted in the EIA/EMP report.

PPs Submission: Agreed to Comply Agreed and will be complied with.		Date: 20/05/2025
33	Noise Monitoring & Prevention	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and amendments thereof, and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
PPs Submission: Agreed to Comply Agreed and will be complied with		Date: 20/05/2025
34	Noise Monitoring & Prevention	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.
PPs Submission: Agreed to Comply Agreed and will be complied with.		Date: 20/05/2025
35	ENERGY PRESERVATION MEASURES	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
PPs Submission: Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
36	ENERGY PRESERVATION MEASURES	Provide LED lights in their offices and residential areas.
PPs Submission: Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
37	ENERGY PRESERVATION MEASURES	The project proponent make efforts to achieve power consumption less than 65 units/tonne for Portland Pozzolona Cement (PPC) and 85 units/tonne for Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/Kg of clinker.
PPs Submission: Agreed to Comply Noted and efforts will be made to achieve power efficient manufacturing of the Cement and Clinker.		Date: 20/05/2025
38	ENERGY PRESERVATION MEASURES	Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.
PPs Submission: Agreed to Comply Noted and it will be ensured to maximize the utilization of fly ash, slag and sweetener in cement blend as per BIS standards after commencement of the plant operations.		Date: 20/05/2025
39	ENERGY PRESERVATION MEASURES	Maximize utilization of alternate fuels and Co-processing to achieve best practice norms.
PPs Submission: Agreed to Comply Noted and agreed.		Date: 20/05/2025
40	ENERGY PRESERVATION MEASURES	Waste heat recovery system shall be provided for kiln and cooler.

<b>PPs Submission:</b> Agreed to Comply Noted and agreed with.		Date: 20/05/2025
41	WASTE MANAGEMENT	Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied.		Date: 20/05/2025
42	WASTE MANAGEMENT	Kitchen waste shall be composted or converted to biogas for further use.
<b>PPs Submission:</b> Agreed to Comply Noted and will explore the possibilities of composting of kitchen waste or converting it to biogas based on the quantity of waste generation after the commencement of the plant operations.		Date: 20/05/2025
43	WASTE MANAGEMENT	100 percentage utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry Regional Office.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed with.		Date: 20/05/2025
44	WASTE MANAGEMENT	The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical guidelines issued by the CPCB in this regard is available at <a href="https://cpcb.nic.in/technical-guidelines-3/">https://cpcb.nic.in/technical-guidelines- 3/</a> . All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six monthly compliance report being submitted by the project proponents.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied with.		Date: 20/05/2025
45	WASTE MANAGEMENT	A proper action plan must be implemented to dispose of the electronic waste generated in the industry.
<b>PPs Submission:</b> Agreed to Comply The e-waste which will be generated will be handed over to the authorized recyclers.		Date: 20/05/2025
46	GREENBELT	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration by trees.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied with after commencement of the project activity.		Date: 21/05/2025

47	GREENBELT	Project proponent shall submit a study report on Decarbonisation program, which would essentially consist of companys carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon capture, use and storage and offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitor able with defined time frames.
<b>PPs Submission:</b> Agreed to Comply Noted and Will be complied with.		Date: 21/05/2025
48	GREENBELT	Greening and Paving shall be implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface.
<b>PPs Submission:</b> Agreed to Comply Greening and Paving will be implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface		Date: 21/05/2025
49	Human Health Environment	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
<b>PPs Submission:</b> Agreed to Comply Emergency preparedness plan and Disaster Management Plan will be implemented.		Date: 21/05/2025
50	Human Health Environment	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.
<b>PPs Submission:</b> Agreed to Comply Heat stress analysis for the workmen who will work in high temperature work zone will be ensured and adequate Personal Protection Equipment (PPE) as per the norms will be made available to all the workmen.		Date: 21/05/2025
51	Human Health Environment	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP. Safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
<b>PPs Submission:</b> Agreed to Comply It will be ensured that all necessary infrastructure and facilities are being made available to the labours by the contractor.		Date: 21/05/2025
52	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied.		Date: 21/05/2025
53	MISCELLANEOUS	The project proponent shall comply with the provisions contained in this Ministrys OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt nearby villages based on the socio-economic survey and undertake community developmental activities in

		consultation with the village Panchayat and the District Administration as committed.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed.		Date: 21/05/2025
54	MISCELLANEOUS	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEFCC as a part of six-monthly report.
<b>PPs Submission:</b> Agreed to Comply The company has well laid down Environmental policy duly approved by the Board of Directors. The same has been uploaded as Annexure 2.		Date: 21/05/2025
55	MISCELLANEOUS	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
<b>PPs Submission:</b> Complied A separate Environmental Cell both at the project and company head quarter level, with qualified personnel has been set up under the control of senior executive, who will directly to the head of the organization.		Date: 21/05/2025
56	MISCELLANEOUS	Performance test shall be conducted on all pollution control systems every year and report shall be submitted to Integrated Regional Office of the MoEFCC.
<b>PPs Submission:</b> Agreed to Comply Noted and Will be complied with.		Date: 21/05/2025
57	MISCELLANEOUS	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponents website permanently.
<b>PPs Submission:</b> Complied Complied with. Photographs of advertisement given on newspaper attached as Annexure - 3.		Date: 21/05/2025
58	MISCELLANEOUS	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
<b>PPs Submission:</b> Complied Complied with. Letter of submission of EC copies to Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government is attached as Annexure - 4.		Date: 21/05/2025



59	MISCELLANEOUS	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
<b>PPs Submission:</b> Complied The status of compliance of the stipulated environment clearance conditions, including results of monitored data is uploaded on the company website " <a href="https://www.jkcement.com/environmental-compliance/">https://www.jkcement.com/environmental-compliance/</a> "		Date: 21/05/2025
60	MISCELLANEOUS	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
<b>PPs Submission:</b> Agreed to Comply Noted and Will be complied		Date: 21/05/2025
61	MISCELLANEOUS	Action plan for developing connecting and internal road in terms of MSA as per IRC guidelines shall be implemented
<b>PPs Submission:</b> Agreed to Comply Noted and Will be complied.		Date: 21/05/2025
62	MISCELLANEOUS	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
<b>PPs Submission:</b> Being Complied compliance of the stipulated environmental conditions is being uploaded on Parivesh portal. Copy of the compliance report submitted on parivesh portal for period April 24 to Sep 24 is attached herewith as annexure - 5.		Date: 21/05/2025
63	MISCELLANEOUS	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
<b>PPs Submission:</b> Agreed to Comply Noted and Will be complied.		Date: 21/05/2025
64	MISCELLANEOUS	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed.		Date: 21/05/2025
65	MISCELLANEOUS	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.

<b>PPs Submission:</b> Agreed to Comply Noted and agreed.		Date: 21/05/2025
66	MISCELLANEOUS	The recommendations of the approved Site-Specific Wildlife Management Plan (in case of involvement of Schedule-I species) shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEFCC.
<b>PPs Submission:</b> Agreed to Comply Noted and Will be complied with.		Date: 21/05/2025
67	MISCELLANEOUS	The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.
<b>PPs Submission:</b> Agreed to Comply Noted and will be complied with.		Date: 21/05/2025
68	MISCELLANEOUS	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).
<b>PPs Submission:</b> Agreed to Comply Noted and agreed.		Date: 21/05/2025
69	MISCELLANEOUS	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
<b>PPs Submission:</b> Agreed to Comply Noted.		Date: 21/05/2025
70	MISCELLANEOUS	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
<b>PPs Submission:</b> Agreed to Comply Noted.		Date: 21/05/2025
71	MISCELLANEOUS	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
<b>PPs Submission:</b> Agreed to Comply Noted.		Date: 21/05/2025
72	MISCELLANEOUS	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.

<b>PPs Submission:</b> Agreed to Comply Noted and agreed.		Date: 21/05/2025
73	MISCELLANEOUS	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed.		Date: 21/05/2025
<div style="text-align: center;"><b>Visit Remarks</b></div>		
<b>Last Site Visit Report Date:</b>		N/A
<b>Additional Remarks:</b>		
<p><b>Note:</b> This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		

**GOVERNMENT OF RAJASTHAN  
INDIRA GANDHI NAHAR DEPARTMENT**

From:-

Secretary to Government,  
Indira Gandhi Nahar Department,  
Jaipur-302005

To:-

Authorized Representative,  
JK Cement Limited,  
Padam Tower, 19 DDA Community Centre  
Okhla, Phase-1, New Delhi - 110020

No. F. 6(3) IGNB/2021

Jaipur, Date :-04.03.2022

Sub: Allocation of water from IGNP for proposed Lime stone Mine and Cement plant of JK Cement Ltd. in village Khiyan and Parewar, Mohangarh, Jaisalmer.

Sir,

With reference to your letter dated 20.12.2021 and 15.02.2022, I am directed to convey sanction for supply of 1700 KLD water from Indira Gandhi Nahar Project for your proposed Limestone Mine and Cement plant in Mohangarh, Jaisalmer on following conditions-

1. Water will be supplied at the rate prescribed by GOR, time to time for industrial uses.
2. All expenditure for arrangement of supplying water will be borne by JK Cement.
3. The company shall ensure to adopt latest techniques for efficient use of water.
4. The company shall ensure to develop full capacity upto the end of five years from the date of issue of this order. Sanction will be freezed up to the quantity of water being utilized at the end of 5 years & this sanction for balance quantity, if any, will stand cancelled. If any fresh demand after this period, the application of company will be considered on the merit.
5. Location of offtake point for water supply will be decided in consultation with Additional Chief Engineer, IGNP, Jaisalmer
6. The Company will make necessary water storage arrangement to take care of its requirement during annual canal closure.

This issues as per sanction received vide MR no: 151/M/WRD/2022 dated 16.02.2022 of Hon'ble Minister IGND & WRD.

Yours faithfully,

  
(Jitendra Dixit)

Deputy Secretary to Govt.,  
Indira Gandhi Nahar Department,  
Jaipur.

Copy to :

1. Special Assistant to Hon'ble Minister, IGND, Jaipur
2. P.S. to Secretary, IGND, Jaipur
3. Chief Engineer, Indira Gandhi Nahar Project, Bikaner
4. Additional Chief Engineer, IGNP, Jaisalmer for necessary action
5. Joint Secretary, Mines Department, Rajasthan , Jaipur

/

Deputy Secretary to Govt.,  
Indira Gandhi Nahar Department,  
Jaipur.

 <b>JKcement</b>	<b>Environment Policy</b>	Policy No: FY25/CESD/04 Supersedes: Environment Policy (01) Pages: 1 of 1 Date of Issue: 23/01/2025 Effective Date: 23/01/2025
---	---------------------------	--

### Environment Policy

**JK Cement Limited** (JKCL) promotes environmental protection as a core value in its operations. The company is dedicated to maintain a clean, green, and healthy environment by adhering to responsible practices and continuously improving its efforts in sustainability and resource conservation. JKCL is committed to:

- Ensure full compliance with all relevant laws, regulations, industry standards, and best practices, while adopting any additional measures necessary to go beyond regulatory expectations.
- Make environmental due diligence a core requirement for all upcoming Greenfield and Brownfield projects ensuring the protection of human health and the environment.
- Ensure clearly defined roles and responsibilities for all personnel involved in managing, performing, and verifying activities related to environmental and occupational health & safety (OH&S).
- Optimize resource utilization to enhance environmental management and ensure effective operation of pollution control equipment.
- Implement advanced technologies and robust practices to minimize emissions from our operations, ensuring compliance with regulatory standards & go beyond compliances.
- Set clear, measurable objectives and targets aimed at reducing environmental impacts, such as greenhouse gas (GHG) emissions, air pollutants, and other critical parameters, promoting a culture of continuous improvement.
- Review all active goals and targets at a minimum every 05 years to ensure consistency in our progress. Targets shall be recalculated and revalidated as necessary to align with evolving regulations and requirements.
- Continuously monitor and enhance environmental performance across all units in the areas of air, water, and waste through regular reviews, inspections, and audits.
- Build awareness among all stakeholders on environmental issues and compliance with relevant regulations through training and regular capability building sessions.
- Continuously enhance the effectiveness of our environmental management through a systematic approach for preventing, mitigating, and controlling environmental impacts, across our operations.

The policy shall be reviewed and updated as necessary to align with evolving regulations and best practices. Any amendments will be communicated to all stakeholders in a timely manner.

**Approved By:**



**A.K. SARAOGI**  
**Deputy Managing Director & CFO**

## J K CEMENT LIMITED JAISALMER

Details of Advertisement given on Newspaper

**विज्ञप्ति**

दिनांक : 04.10.2024

सर्व साधारण को सूचित किया जाता है "पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार", नई दिल्ली के पत्र संख्या (A-J-11011/498/2021-IA-II) (IND-II) दिनांक 30 सितंबर, 2024 को द्वारा मेसर्स जेके सीमेंट लिमिटेड द्वारा प्रस्तावित एकीकृत सीमेंट संयंत्र-मिलर (2x4.0 मिलियन टीपीए), सीमेंट (2x3.0 मिलियन टीपीए), डबल्यूएचआरएस (2x25 मीगावाट), डीजी सेट 2x1250 कवीए (1000 कवीए या 500 कवीए, 250 कवीए और 125 कवीए), ऑक्सीजन प्लांट (2x80 एम3/घंटा) चरणबद्ध तरीके से बैलन टिपलर के साथ रेलवे साइडिंग की स्थापना गांव: पारेशर, तहसील: जैसलमेर, जिला: जैसलमेर, राजस्थान के लिए पर्यावरण स्वीकृति प्रदान कि गई है।

उपरोक्त स्वीकृति पत्र की प्रति "राज्य प्रदूषण नियंत्रण मण्डल" कार्यालय में जन साधारण के लिए उपलब्ध है एवं पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय की वेब साइट <https://parivesh.nic.in> में देखी जा सकती है।

जे.के. सीमेंट लिमिटेड  
कमला टावर, कानपुर, उत्तर प्रदेश 208001  
E-mail : [bhaskar.rawat@jkcement.com](mailto:bhaskar.rawat@jkcement.com)

**Dainik Bhaskar**

**विज्ञप्ति**

दिनांक : 04.10.2024

सर्व साधारण को सूचित किया जाता है "पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार", नई दिल्ली के पत्र संख्या (A-J-11011/498/2021-IA-II) (IND-II) दिनांक 30 सितंबर, 2024 को द्वारा मेसर्स जेके सीमेंट लिमिटेड द्वारा प्रस्तावित एकीकृत सीमेंट संयंत्र-मिलर (2x4.0 मिलियन टीपीए), सीमेंट (2x3.0 मिलियन टीपीए), डबल्यूएचआरएस (2x25 मीगावाट), डीजी सेट 2x1250 कवीए (1000 कवीए या 500 कवीए, 250 कवीए और 125 कवीए), ऑक्सीजन प्लांट (2x80 एम3/घंटा) चरणबद्ध तरीके से बैलन टिपलर के साथ रेलवे साइडिंग की स्थापना गांव: पारेशर, तहसील: जैसलमेर, जिला: जैसलमेर, राजस्थान के लिए पर्यावरण स्वीकृति प्रदान कि गई है।

उपरोक्त स्वीकृति पत्र की प्रति "राज्य प्रदूषण नियंत्रण मण्डल" कार्यालय में जन साधारण के लिए उपलब्ध है एवं पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय की वेब साइट <https://parivesh.nic.in> में देखी जा सकती है।

जे.के. सीमेंट लिमिटेड  
कमला टावर, कानपुर, उत्तर प्रदेश 208001  
E-mail : [bhaskar.rawat@jkcement.com](mailto:bhaskar.rawat@jkcement.com)

**Raj Patrika**

Jaisalmer Project Office :E/316, Laxmi Chand Sawal Avasiya Colony,  
Jaisalmer-345001 (Raj.) India  
www.jkcement.com

Ref: JKCL/PROJ/2024/007

Date: 04.10.2024

To,  
The Secretary (Environment),  
Department of Environment (GOR),  
Room no. 5221, Main Building, Government Secretariat,  
Jaipur, Rajasthan

**Subject:** Regarding Information on Issuance of Environment Clearance Letter on 30<sup>th</sup> Sept., 2024 by Ministry of Environment, Forest & Climate Change, New Delhi for "Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m<sup>3</sup>/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil & District: Jaisalmer (Rajasthan) by M/s. JK Cement Ltd".

**Reference:** EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024

Dear Sir,

With reference to the aforesaid subject and reference matter, we would like to apprise your goodself that Environment Clearance for the above-mentioned proposal have been granted by Ministry of Environment, Forest & Climate Change (MoEF&CC), New Delhi vide letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024.

In compliance to the Standard EC Condition no. 12.2, "The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt", we are herewith submitting the copy of EC letter to your good office for uploading on your respective portal and your record maintenance please.

Thanking you and with regards

For M/s. JK Cement Limited



Manish Toshniwal  
(Authorised Signatory)

Encl: EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024

Recd  
15/10/24  
निम्न सचिव  
वासन सचिव, पर्यावरण विभाग  
वासन सचिव, जयपुर



Corporate Office  
Prism Tower, 5<sup>th</sup> Floor, Nananiya Estate,  
Gwal Pahari, Gurugram - 122102, Haryana  
☎ +0124 6919000  
✉ admin.prism@jkcement.com  
www.jkcement.com

JK SUPER  
CEMENT  
BUILD SAFE

Manufacturing Units at :  
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddepur (Karnataka)  
Jharli (Haryana) | Karni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

JK CEMENT  
WallMax  
White Cement Based Putty



Registered Office : Kanika Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 ☎ 91-512-2399854 ✉ www.jkcement.com



Ref: JKCL/PROJ/2024/001

Date: 04.10.2024

To,  
The Deputy Director General of Forests (C),  
Integrated Regional Office, Jaipur  
A-209&218, 'Aranya Bhawan', Mahatama Gandhi Road,  
Jhalana Institutional Area, Jaipur (Rajasthan) - 304002

**Subject:** Regarding Information on Issuance of Environment Clearance Letter on 30<sup>th</sup> Sept., 2024 by Ministry of Environment, Forest & Climate Change, New Delhi for "Proposed Integrated Cement Plant - Clinker (2 x 1 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA (1000 KVA or 500 KVA, 250 KVA & 125 KVA)], Oxygen Plant (2 x 80 m<sup>3</sup>/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil & District: Jaisalmer (Rajasthan) by M/s. JK Cement Ltd".

**Reference:** EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024

Dear Sir,

With reference to the aforesaid subject and reference matter, we would like to apprise your goodself that Environment Clearance for the above-mentioned proposal have been granted by Ministry of Environment, Forest & Climate Change (MoEF&CC), New Delhi vide letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024.


In compliance to the Standard EC Condition no. 12.2, "The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt", we are herewith submitting the copy of EC letter to your good office for uploading on your respective portal and your record maintenance please.

Thanking you and with regards

For M/s. JK Cement Limited



Manish Toshniwal  
(Authorised Signatory)

  
Ministry of Environment Forest and Climate Change  
Government of India  
Sub Regional Office, Jaipur  
Aranya Bhawan (3rd Floor),  
Room No. B-215 & B-216,  
Jhalana Institutional Area, Jawahar Nagar, Jaipur,  
Rajasthan 302004

Encl: EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024



Corporate Office  
Prism Tower, 5<sup>th</sup> Floor, Ninaniya Estate,  
Gwal Pahari, Gurugram - 122102, Haryana  
☎ +0124 6919000  
✉ admin.prismt@jkcement.com  
🌐 www.jkcement.com

**JK SUPER  
CEMENT**  
BUILD SAFE

Manufacturing Units at:  
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)  
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

**JK CEMENT  
WallMaxX**  
White Cement Based Putty



Registered Office: Kanila Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 ☎ 91-512-2399854 🌐 www.jkcement.com



Ref: JKCL/PROJ/2024/008

Date: 04.10.2024

To,  
The Member Secretary,  
Rajasthan Pollution Control Board,  
Jaipur (Rajasthan)

**Subject:** Regarding Information on Issuance of Environment Clearance Letter on 30<sup>th</sup> Sept., 2024 by Ministry of Environment, Forest & Climate Change, New Delhi for "Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m<sup>3</sup>/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil & District: Jaisalmer (Rajasthan) by M/s. JK Cement Ltd".

**Reference:** EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024

Dear Sir,

With reference to the aforesaid subject and reference matter, we would like to apprise your goodself that Environment Clearance for the above-mentioned proposal have been granted by Ministry of Environment, Forest & Climate Change (MoEF&CC), New Delhi vide letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024.

In compliance to the Standard EC Condition no. 12.2, "The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt", we are herewith submitting the copy of EC letter to your good office for uploading on your respective portal and your record maintenance please.

Thanking you and with regards

For M/s. JK Cement Limited



Manish Toshniwal  
(Authorised Signatory)



Encl: EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024



Corporate Office

- Prism Tower, 5<sup>th</sup> Floor, Ninaniya Estate,  
Gwal Pahari, Gurugram - 122102, Haryana
- +0124 6919000
- admin.prismt@jkcement.com
- www.jkcement.com

**JK SUPER  
CEMENT**  
BUILD SAFE

Manufacturing Units at:  
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)  
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasinor (Gujarat)

JK CEMENT  
**walimax**  
White Cement Based Putty



Registered Office: Kanha Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 📠 91-512-2399854 🌐 www.jkcement.com

Ref: JKCL/PROJ/2024/006

Date: 04.10.2024

To,

Rajeev Gandhi Seva Kendra,

Village: Parewar, Tehsil & District: Jaisalmer,  
Rajasthan

**Subject:** Regarding Information on Issuance of Environment Clearance Letter on 30<sup>th</sup> Sept., 2024 by Ministry of Environment, Forest & Climate Change, New Delhi for "Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m<sup>3</sup>/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil & District: Jaisalmer (Rajasthan) by M/s. JK Cement Ltd".

**Reference:** EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024


Dear Sir,

With reference to the aforesaid subject and reference matter, we would like to apprise your goodself that Environment Clearance for the above-mentioned proposal have been granted by Ministry of Environment, Forest & Climate Change (MoEF&CC), New Delhi vide letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024.

In compliance to the Standard EC Condition no. 12.2, "The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt", we are herewith submitting the copy of EC letter to your good office for uploading on your respective portal and your record maintenance please.

Thanking you and with regards

For M/s. JK Cement Limited



Manish Toshniwal  
(Authorised Signatory)

Encl: EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024

बाबुराम  
सरपंच  
ग्राम पंचायत पारेवर  
पं.स.जैसलमेर



## Corporate Office

- Prism Tower, 5<sup>th</sup> Floor, Nirmaya Estate,  
Gwal Bahari, Gurugram - 122102, Haryana
- +9124 6919000
- admin.prism@jkcement.com
- www.jkcement.com

Registered Office : Kamla Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371-478 to 85 ☎ +91-512-2398854 🌐 www.jkcement.com

JK SUPER  
CEMENT  
BUILD SAFE

Manufacturing Units at:  
Nimbahera, Marwar, Gangan (Rajasthan) | Muddapur (Karnataka)  
Jharkhand (Haryana) | Kansi (M.P.) | Aizawl (U.P.) | Balasore (Gujarat)

JK CEMENT  
WallMax  
White Cement Based Putty





Ref: JKCL/PROJ/2024/003

Date: 04.10.2024

To,  
The District Collector,  
Collectorate Office,  
Jaisalmer (Rajasthan) - 345001

**Subject:** Regarding Information on Issuance of Environment Clearance Letter on 30<sup>th</sup> Sept., 2024 by Ministry of Environment, Forest & Climate Change, New Delhi for "Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m<sup>3</sup>/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil & District: Jaisalmer (Rajasthan) by M/s. JK Cement Ltd".

**Reference:** EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024


Dear Sir,

With reference to the aforesaid subject and reference matter, we would like to apprise your goodself that Environment Clearance for the above-mentioned proposal have been granted by Ministry of Environment, Forest & Climate Change (MoEF&CC), New Delhi vide letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024.


In compliance to the Standard EC Condition no. 12.2, "The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt", we are herewith submitting the copy of EC letter to your good office for uploading on your respective portal and your record maintenance please.

Thanking you and with regards

For M/s. JK Cement Limited



**Manish Toshniwal**  
(Authorised Signatory)

  
आमि लिपिक  
सचिव

Encl: EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024



Corporate Office  
Prism Tower, 6<sup>th</sup> Floor, Niraniya Estate,  
Gwal Pahari, Gurugram - 122102, Haryana  
+9124-6919006  
admin.prism@jkcement.com  
www.jkcement.com

**JK SUPER  
CEMENT**  
BUILD SAFE

Manufacturing Units at:  
Nimbahera, Mangrol, Gotan (Rajasthan) | Mudhapur (Karnataka)  
Jhansi (Haryana) | Kanti (M.P.) | Aligarh (U.P.) | Solapur (Gujarat)

**JK CEMENT**  
**WallMax X**  
White Cement Based Putty



Registered Office : Kamla Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 ☎ +91-512-2399854 www.jkcement.com



Ref: JKCL/PROJ/2024/002

Date: 04.10.2024

To,  
The Regional Officer,  
Rajasthan State Pollution Control Board,  
Field Hostel of Indira Gandhi Nahar Pariyojna Residential Colony,  
Jaisalmer (Rajasthan)

**Subject:** Regarding Information on Issuance of Environment Clearance Letter on 30<sup>th</sup> Sept., 2024 by Ministry of Environment, Forest & Climate Change, New Delhi for "Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m<sup>3</sup>/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil & District: Jaisalmer (Rajasthan) by M/s. JK Cement Ltd".

**Reference:** EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024

Dear Sir,

With reference to the aforesaid subject and reference matter, we would like to apprise your goodself that Environment Clearance for the above-mentioned proposal have been granted by Ministry of Environment, Forest & Climate Change (MoEF&CC), New Delhi vide letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024.

In compliance to the Standard EC Condition no. 12.2, "The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt", we are herewith submitting the copy of EC letter to your good office for uploading on your respective portal and your record maintenance please.

Thanking you and with regards

For M/s. JK Cement Limited



Manish Toshniwal  
(Authorised Signatory)



Encl: EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024



Corporate Office:  
Prism Tower, 9<sup>th</sup> Floor, Nananiya Estate,  
Gwal Panari, Gurugram - 122102, Haryana  
☎ +9124-6919000  
✉ admin.prism@jkcement.com  
www.jkcement.com

**JK SUPER  
CEMENT**  
BUILD SAFE

Manufacturing Units at:  
Nimbahera, Mangrol, Gotari (Rajasthan) | Muddapur (Karnataka)  
Jhark (Haryana) | Kanti (M.P.) | Aligarh (U.P.) | Salasinar (Gujarat)

**JK CEMENT  
WallMax X**  
White Cement Based Putty



Registered Office: Kamla Tower, Kanpur-208001, U.P., India ☎ +91-512-2371478 to 85 ☎ +91-512-2399854 www.jkcement.com



Ref: JKCL/PROJ/2024/004

Date: 04.10.2024

To,

The General Manager,

District Industries Centre, Jaisalmer (Rajasthan))

Subject: Regarding Information on Issuance of Environment Clearance Letter on 30<sup>th</sup> Sept., 2024 by Ministry of Environment, Forest & Climate Change, New Delhi for "Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m<sup>3</sup>/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil & District: Jaisalmer (Rajasthan) by M/s. JK Cement Ltd".

Reference: EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024


Dear Sir,

With reference to the aforesaid subject and reference matter, we would like to apprise your goodself that Environment Clearance for the above-mentioned proposal have been granted by Ministry of Environment, Forest & Climate Change (MoEF&CC), New Delhi vide letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024.

In compliance to the Standard EC Condition no. 12.2, "The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt", we are herewith submitting the copy of EC letter to your good office for uploading on your respective portal and your record maintenance please.


Thanking you and with regards

For M/s. JK Cement Limited



Manish Toshniwal

(Authorised Signatory)



4/10/24  
5:35 PM

Encl: EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024

## Corporate Office

- Prism Tower, 5<sup>th</sup> Floor, Ninaniya Estate,  
Gwal Pahari, Gurugram - 122102, Haryana
- +91 124-6919000
- admin.prism@jkcement.com
- www.jkcement.com

Registered Office: Kamia Tower, Kanpur 208001, U.P., India. ☎ +91-512-2371478 to 85 ☎ +91-512-2399884 @www.jkcement.com

JK SUPER  
CEMENT  
BUILD SAFEManufacturing Units at:  
Nimbahera, Mangrol, Goran (Rajasthan) | Modapur (Karnataka)  
Jhedi (Haryana) | Kanti (M.P.) | Aligarh (U.P.) | Balasimor (Gujarat)JK CEMENT  
WallMax X  
White Cement Based Putty



Ref: JKCL/PROJ/2024/005

Date: 04.10.2024

To,

Public Relation Office,  
Jaisalmer (Rajasthan)

**Subject:** Regarding Information on Issuance of Environment Clearance Letter on 30<sup>th</sup> Sept., 2024 by Ministry of Environment, Forest & Climate Change, New Delhi for "Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m<sup>3</sup>/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil & District: Jaisalmer (Rajasthan) by M/s. JK Cement Ltd".

**Reference:** EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024


Dear Sir,

With reference to the aforesaid subject and reference matter, we would like to apprise your goodself that Environment Clearance for the above-mentioned proposal have been granted by Ministry of Environment, Forest & Climate Change (MoEF&CC), New Delhi vide letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024.

In compliance to the Standard EC Condition no. 12.2, "The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt", we are herewith submitting the copy of EC letter to your good office for uploading on your respective portal and your record maintenance please.

Thanking you and with regards

For M/s. JK Cement Limited

Manish Toshniwal  
(Authorised Signatory)Encl: EC Letter no. IA-J-11011/498/2021-IA-II(IND-I) dated 30<sup>th</sup> September, 2024

①  
30/9/24  
LDC  
PPC

सहायक निदेशिका  
विकास एवं जनसम्पर्क कार्यालय

## Corporate Office

- Prism Tower, 5<sup>th</sup> Floor, Nananiya Estate,  
Gwal Pahari, Gurugram - 122102, Haryana
- +91 124 6919000
- admin.prism@jkcement.com
- www.jkcement.com

Registered Office : Kamla Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 ☎ +91-512-2399854 🌐 www.jkcement.com

**JK SUPER  
CEMENT**  
BUILD SAFEManufacturing Units at  
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)  
Jhark (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasimor (Gujarat)JK CEMENT  
**WallMax**  
White Cement Based Putty

## Half Yearly Compliance Report

2024

01 Dec(01 Apr - 30 Sep)

## Acknowledgement

<b>Proposal Name</b>	Proposed Integrated Cement Plant - Clinker (2 x 4.0 Million TPA), Cement (2 x 3.0 Million TPA), WHRS (2 x 25 MW), DG Set [2 x 1250 KVA {1000 KVA or 500 KVA, 250 KVA & 125 KVA}], Oxygen Plant (2 x 80 m3/hr) in phased manner along with installation of Railway Siding with Wagon Tippler at Village: Parewar, Tehsil: Jaisalmer, District: Jaisalmer (Rajasthan) by M/s. JK Cement Ltd.		
<b>Name of Entity / Corporate Office</b>	J K CEMENT LIMITED		
<b>Village(s)</b>	Parewar		
<b>District</b>	JAISALMER		
<b>Proposal No.</b>	IA/RJ/IND1/438401/2023	<b>Category</b>	Industrial Projects - 1
<b>Plot / Survey / Khasra No.</b>	N/A	<b>Sub-District</b>	Jaisalmer
<b>State</b>	RAJASTHAN	<b>Entity's PAN</b>	*****0355R
<b>MoEF File No.</b>	IA-J-11011/498/2021-IA-II(IND-I)	<b>Entity name as per PAN</b>	J K CEMENT LIMITED

## Compliance Reporting Details

**Reporting Year** 2024

**Remarks (if any)**

**Reporting Period** 01 Dec(01 Apr - 30 Sep)

## Details of Production and Project Area

**Name of Entity / Corporate Office** J K CEMENT LIMITED

	Project Area as per EC Granted	Actual Project Area in Possession
Private	0	0
Revenue Land	210	210
Forest	0	0
Others	0	0
Total	210	210

## Production Capacity