



JK Cement Works, Buxar
(A unit of JK Cement Ltd.)

CIN : L17229UP1994PLC017199

Village : Menhmarara & Kant, Tehsil-Dumraon
District -Buxar, Bihar - 802112

Ref. No: JKCEMENT/BUXAR/2025-26/29

Date: 28.05.2026

To,

Deputy Director General of Forest (C) ,
Ministry of Environment Forest & Climate Change, Integrated Regional Office,
2nd Floor, Jharkhand State housing board, Harmu Chowk,
Ranchi, Jharkhand

Sub: Submission of the six monthly compliance report of stipulated condition in the Environmental clearance granted for clinker grinding unit of capacity 3 MTPA of M/s- JK Cement Works, Village- Menhmarana & Kant, Tehsil- Dumraon, District- Buxar, Bihar

Ref: EC granted on 24.02.2025 by SEIAA, Bihar vide proposal no. SIA/BR/IND1/503117/2024 dated 04.12.2024

Dear Sir,

This is context to the above subject & reference, we are submitting herewith the six monthly compliance report of stipulated condition in environmental clearance granted by SEIAA Bihar for clinker grinding unit of capacity 3 MTPA of M/s- JK Cement Works at village- Menhmarana & kant, Tehsil- Dumraoun, District- Buxar, Bihar for the period of **October-2025 to March-2026** as per above reference EC Letter.

As per MoEF& CC notification vide No.: S. O. 5845(E) dated 26.11.2018 regarding to submit the Environment clearance compliance report in soft copy only and in compliance to the same, we are hereby submitting the EC compliance through e-mail for your kind reference and record please.

Thanking You,

Yours Faithfully

J.K. CEMENT LTD

Aditya Pratap Singh

Unit Head

Encl: As above



Corporate Office

Prism Tower, 5th Floor, Ninaniya Estate,
Gwal Pahari, Gurugram - 122102, Haryana
☎ +9124-6919000
✉ admin.prism@jkcement.com
🌐 www.jkcement.com

**JK SUPER
CEMENT**
BUILD SAFE

Manufacturing Units at :
Nimbahera, Mangrol, Gotai (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Bulasinar (Gujarat)

**JK CEMENT
WallmaxX**
White Cement Based Putty



Registered Office : Kamla Tower, Kanpur-208001, U.P. India. ☎ +91-512-2371478 to 85 ✉ 91-512-2399854 🌐 www.jkcement.com

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

Proposal No	SIA/BR/IND1/503117/2024
Compliance ID	1229148560
Compliance Number(For Tracking)	EC/COMPLIANCE/1229148560/2026
Reporting Year	2026
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	28-05-2026
RO/SRO Name	Shri Senthil Kumar Sampath
RO/SRO Email	agmu156@ifs.nic.in
State	BIHAR
RO/SRO Office Address	Integrated Regional Offices, Ranchi

Note:- SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, BIHAR with Notification to Project Proponent.

**Half Yearly Compliance Report
2026
01 Jun(01 Oct - 31 Mar)**

Acknowledgement

Proposal Name	Proposed Standalone Clinker Grinding Unit with Cement Production Capacity of 4.0 Million TPA along with installation of D.G. Set of Capacity 1 MW by JK Cement Works, Buxar (A unit of JK Cement Limited) at Khasra Nos. 04,05,12 & others, Villages: Menhmarara & Kant, Tehsil-Dumraon, District -Buxar, Bihar		
Name of Entity / Corporate Office	J K CEMENT LIMITED		
Village(s)	MENHMARARA		
District	BUXAR		
Proposal No.	SIA/BR/IND1/503117/2024	Category	Industrial Projects - 1
Plot / Survey / Khasra No.	04,05,12	Sub-District	Barhampur
State	BIHAR	Entity's PAN	*****0355R
MoEF File No.		Entity name as per PAN	J K CEMENT LIMITED

Compliance Reporting Details

Reporting Year	2026
Remarks (if any)	Environment Clearance compliance report for the period Oct 2025 to March 2026.
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office	J K CEMENT LIMITED	
	Project Area as per EC Granted	Actual Project Area in Possession
Private	31.8213	31.8213
Revenue Land	0	0
Forest	0	0
Others	N/A	N/A
Total	31.8213	31.8213

Others Area

Sr. no	Other Name	Area Granted	Area Actual
--------	------------	--------------	-------------

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Cement	Million Tons per Annum (MTPA)	06/01/2031	4.0	0.168	3.0

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	GREENBELT	The proposed plantation consisting of mixture of indigenous and fast growing species of trees must be done and proper care must be taken. Plantation of a minimum of 6 feet tall plants must be done in the 1st year itself and properly maintained till the validity of Environmental Clearance and preserve the existing trees at the proposed site. Apart from this, submit the KML file along with the colour photograph of the tree plantation done.
PPs Submission: Being Complied Species such as Ficus infectoria. Albizia Labback, Terminal Arjuna, Pongamia Glabra, Bauhina Blackena are being planted in the premises. Plantation photograph are attached as Annexure - 1.		Date: 26/05/2026
2	GREENBELT	As per the Office Memorandum F. No. IA3-22/3/2024-IA.III (E-241594) dated 24.07.2024 of MoEF and CC, Gol, plantation of saplings shall be carried out in the earmarked green belt area as a part of the tree plantation campaign "Ek Ped Ma Ke Naam".
PPs Submission: Being Complied As of march 2026 a total of 8500 No's of sapling has been planted.		Date: 26/05/2026
3	Corporate Environmental Responsibility	The Project Proponent shall execute and conduct measurable CER activities like facilities for drinking water supply, solar light, Rain Water Harvesting, Solid Waste Management Facilities and sanitation for the nearby villages, local government schools or Anganwadi Kendra and also donating furnitures for the local government schools or Anganwadi Kendra. A display board of the CER activities must be fixed for the information to the public at the project site/mining site.
PPs Submission: Being Complied CER activities like facilities for drinking water supply, solar light, Rain Water Harvesting, Solid Waste Management Facilities and sanitation for the nearby villages, local government schools or Anganwadi Kendra and also donating furniture's for the local government schools or Anganwadi Kendra. Display board of the CER activities fixed for the information to the public at the project site.		Date: 26/05/2026
4	GREENBELT	The green belt area should be permanently barricaded for its exclusive demarcation and maintenance as a green belt area.
PPs Submission: Being Complied The green belt area will be permanently barricaded for its exclusive demarcation and maintenance as a green belt area.		Date: 26/05/2026
5	MISCELLANEOUS	There should be fire alarm and control system of approved specification and mock drill as mandated by law should be conducted regularly.

PPs Submission: Being Complied Fire alarm system installed at the CCR and cable caller area, BRU circuit and Packing plant area. Mock drill are conducted regularly as per law. Photograph attached as Annexure - 2.		Date: 26/05/2026
6	ENERGY PRESERVATION MEASURES	The Proponent shall use the PNG/CNG in place of coal whenever it is made available at approachable distance.
PPs Submission: Being Complied Noted.		Date: 26/05/2026
7	AIR QUALITY MONITORING AND PRESERVATION	Regular water sprinkling shall be done on peripheral roads used for transportation of raw material and finished products within I KM from the proposed plant boundary to minimize air pollution during operation phase.
PPs Submission: Being Complied Regular water sprinkling is being done on the road and near raw materials yard.		Date: 26/05/2026
8	MISCELLANEOUS	Vehicle used for transportation of raw material and finished products shall not be parked on public road.
PPs Submission: Being Complied Designated parking area is prepared for vehicle carrying raw materials.		Date: 26/05/2026
9	MISCELLANEOUS	The validity of Environmental Clearance shall be 10 years from the date of issuance of the Environmental Clearance.
PPs Submission: Complied Noted.		Date: 26/05/2026

General Conditions

Sr.No.	Condition Type	Condition Details
1	Statutory compliance	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.
PPs Submission: Being Complied Noted and agreed.		Date: 26/05/2026
2	Statutory compliance	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project

PPs Submission: Being Complied Noted and agreed.		Date: 26/05/2026
3	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as 04/06 Nos. Continuous Ambient Air Quality Station (CAAQMS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous and their no's.)
PPs Submission: Being Complied 24x7 continuous emission monitoring system installed at process stacks to monitor stack emission and the same connected with the CPCB/SPCB server. Ambient air quality monitoring stations also installed at adequate locations in consultation with Bihar Pollution Control Board. Photograph enclosed as Annexure - 3.		Date: 27/05/2026
4	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120 degree each), covering upwind and downwind directions.
PPs Submission: Complied Continuous Ambient Air Quality monitoring station for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) is installed in consultation with Bihar PCB. Photograph attached as Annexure - 3.		Date: 26/05/2026
5	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
PPs Submission: Being Complied Fugitive emissions in the plant premises being monitored once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories once plant operation starts.		Date: 26/05/2026

6	AIR QUALITY MONITORING AND PRESERVATION	Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.
PPs Submission: Complied Sampling facility at process stacks is provided in accordance with CPCB guidelines for manual monitoring of emissions		Date: 26/05/2026
7	AIR QUALITY MONITORING AND PRESERVATION	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
PPs Submission: Being Complied Appropriate Air Pollution Control (APC) such as Bag house and bag filters are provided at all the dust generating points including fugitive dust from all vulnerable sources.		Date: 26/05/2026
8	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
PPs Submission: Being Complied Mechanism is available for the cleaning of bag filters.		Date: 26/05/2026
9	AIR QUALITY MONITORING AND PRESERVATION	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
PPs Submission: Being Complied Mechanical sweeping machine are being use for cleaning plant roads and work area on a regular basis.		Date: 27/05/2026
10	AIR QUALITY MONITORING AND PRESERVATION	Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.
PPs Submission: Being Complied Raw material is being covered during transportation to prevent spillage and dust generation. Also closed bulkers are use for transporting fly ash.		Date: 26/05/2026
11	AIR QUALITY MONITORING AND PRESERVATION	Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/agglomeration.
PPs Submission: Being Complied Fines collected in pollution control devices of Cement grinding unit are being recycled and reused in process.		Date: 26/05/2026
12	AIR QUALITY	The project proponent use leak proof

	MONITORING AND PRESERVATION	trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
PPs Submission: Being Complied Raw material is being transported in leak proof trucks/dumpers to prevent spillage and dust generation.		Date: 26/05/2026
13	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall provide primary and secondary fume extraction system at all heat treatment furnaces.
PPs Submission: Complied Not applicable, as this is a cement grinding unit.		Date: 26/05/2026
14	AIR QUALITY MONITORING AND PRESERVATION	Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.
PPs Submission: Being Complied Raw material such as gypsum is being stored in shed, Silo and used for clinker and fly ash storage.		Date: 26/05/2026
15	AIR QUALITY MONITORING AND PRESERVATION	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.
PPs Submission: Complied Adequate Ventilation has been provided.		Date: 26/05/2026
16	AIR QUALITY MONITORING AND PRESERVATION	Pollution control system in the plant shall be provided as per the CREP Guidelines of CPCB.
PPs Submission: Being Complied CREP guidelines are being implemented in the unit.		Date: 26/05/2026
17	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall adopt the Clean Air practices like mechanical collectors, wet scrubbers, fabric filters (bag houses), electrostatic precipitators, combustion systems (thermal oxidizers), condensers, absorbers, adsorbers, and biological degradation. Controlling emissions related to transportation shall include emission controls on vehicles as well as use of cleaner fuels. Sufficient numbers of additional truck mounted Fog/Mist water cannons shall be procured and operated regularly inside the project premises and also in the surrounding villages to arrest suspended dust in the atmosphere.
PPs Submission: Being Complied Adequate air pollution control equipment such as bag house at cement mill and bag filters and all transfers point are installed in order to control/mitigate air		Date: 26/05/2026

pollution.		
18	AIR QUALITY MONITORING AND PRESERVATION	Bag filters shall be cleaned regularly and efficiency of bag filter system shall be monitored at regular intervals.
PPs Submission: Being Complied Bag filters are being cleaned regularly and efficiency of bag filters are monitored by there differential pressure.		Date: 26/05/2026
19	AIR QUALITY MONITORING AND PRESERVATION	Water Sprinklers/Water mist system shall be installed near raw material yards, operational units and other strategic locations to control fugitive emissions from the plant.
PPs Submission: Being Complied Raw material is stored in shed/silo for control of fugitive dust emission. Also water is sprinkled in nearby area for controlling emissions.		Date: 26/05/2026
20	AIR QUALITY MONITORING AND PRESERVATION	The particulate matter emissions from the process stacks shall be less than 30 mg/Nm3 and measures shall be undertaken as per the submitted action plan. Efficient Air monitoring equipment shall be installed.
PPs Submission: Being Complied CEMS has been installed at cement mill stack for PM emission motiring. The same has been connected to BSPCB and CPCB for real time data transfer.		Date: 26/05/2026
21	AIR QUALITY MONITORING AND PRESERVATION	Following additional arrangements to control fugitive dust shall be provided: a. Fog/Mist Sprinklers at all on bulk raw material storage area (at the transfer points) like Iron Ore, Coal and for Fly Ash and similar solid waste storage areas. b. Proper covered vehicle shall be used while transport of materials. c. Wheel washing mechanism shall be provided in entry and exit gates with complete recirculation system.
PPs Submission: Being Complied Fog/mist sprinkler provided at adequate location for controlling dust emission. (b) Covered vehicle used for material transport.		Date: 26/05/2026
22	AIR QUALITY MONITORING AND PRESERVATION	Provide Low NOx burners as primary measures and SCR/NSCR technologies as secondary measure to control NOx emissions.
PPs Submission: Complied Not applicable as this is a cement grinding unit.		Date: 26/05/2026
23	AIR QUALITY MONITORING AND PRESERVATION	The emission norms applicable for the cement plant shall be adhered to.

PPs Submission: Being Complied Noted and being complied.		Date: 26/05/2026
24	AIR QUALITY MONITORING AND PRESERVATION	Dioxin and Furan monitoring shall be carried out once in six months at cement kiln stack.
PPs Submission: Complied Not applicable as this is a cement grinding unit.		Date: 26/05/2026
25	AIR QUALITY MONITORING AND PRESERVATION	DeSOx system shall be provided dry type. NOx level shall be maintained below 600 mg/Nm3 by using best available technology.
PPs Submission: Complied Not applicable as this is a cement grinding unit.		Date: 26/05/2026
26	AIR QUALITY MONITORING AND PRESERVATION	Petcoke dosing shall be controlled automatically to control SO2 emission from chimney within the prescribed limits.
PPs Submission: Complied Not applicable as this is a cement grinding unit.		Date: 26/05/2026
27	AIR QUALITY MONITORING AND PRESERVATION	PP shall identify the Source of fluoride emissions and action plan to mitigate the same shall be implemented.
PPs Submission: Complied Not applicable as this is a cement grinding unit.		Date: 26/05/2026
28	AIR QUALITY MONITORING AND PRESERVATION	Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.
PPs Submission: Being Complied CREP guideline are being implemented.		Date: 26/05/2026
29	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
PPs Submission: Being Complied There is no effluent generation as cement manufacturing is a dry process and ZLD is maintained at all the time.		Date: 26/05/2026

30	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
PPs Submission: Being Complied Noted and will be complied with.		Date: 26/05/2026
31	WATER QUALITY MONITORING AND PRESERVATION	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
PPs Submission: Being Complied STP (Sewage Treatment Plant) is installed for treatment of domestic waste water.		Date: 26/05/2026
32	WATER QUALITY MONITORING AND PRESERVATION	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
PPs Submission: Being Complied Noted and complied with.		Date: 26/05/2026
33	WATER QUALITY MONITORING AND PRESERVATION	Tire washing facilities shall be provided at the entrance of the plant gates.
PPs Submission: Being Complied Tire Washing facility is provided at the main.		Date: 26/05/2026
34	WATER QUALITY MONITORING AND PRESERVATION	Water meters shall be provided at the inlet to all unit processes in the steel plants.
PPs Submission: Being Complied Noted.		Date: 26/05/2026
35	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.
PPs Submission: Being Complied Treated water from STP is being used for horticulture and dust suppression activity.		Date: 26/05/2026
36	WATER QUALITY MONITORING AND PRESERVATION	The proposed project shall be designed as Zero Liquid Discharge Plant. ETP shall be installed and there shall be no

		discharge of effluent from the plant. Domestic effluent shall be treated in Sewage Treatment Plant. Suitable measures shall be adopted for sewage water handling to ensure no contamination of any kind of water body.
PPs Submission: Being Complied The project designed as Zero Liquid Discharge plant. Also there is no effluent generation from manufacturing process. STP used for treatment of domestic used water.		Date: 26/05/2026
37	WATER QUALITY MONITORING AND PRESERVATION	All stockyards shall have impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains and catch pits to trap the run off material and shall be implemented as per the action plan submitted in EIA/EMP report.
PPs Submission: Being Complied All stockyards shall have impervious flooring.		Date: 26/05/2026
38	WATER QUALITY MONITORING AND PRESERVATION	Rain water harvesting shall be implemented to recharge/harvest water as per the action plan submitted in the EIA/EMP report.
PPs Submission: Complied 5 Nos of rain water harvesting structure has been installed in the plant premises.		Date: 26/05/2026
39	Noise Monitoring & Prevention	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and amendments thereof, and report in this regard shall be submitted to SEIAA, Bihar as a part of six-monthly compliance report.
PPs Submission: Being Complied Workzone noise pollution monitoring report is enclosed as Annexure 3.1.		Date: 27/05/2026
40	Noise Monitoring & Prevention	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.
PPs Submission: Being Complied The ambient noise levels conforms the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.		Date: 26/05/2026
41	Noise Monitoring & Prevention	Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.
PPs Submission: Complied Not applicable, as this is a cement grinding unit.		Date: 26/05/2026

42	ENERGY PRESERVATION MEASURES	Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.
PPs Submission: Complied Not applicable, as this is a cement grinding unit.		Date: 26/05/2026
43	ENERGY PRESERVATION MEASURES	Restrict Gas flaring to less than 1 percent.
PPs Submission: Complied Not applicable, as this is a cement grinding unit.		Date: 26/05/2026
44	ENERGY PRESERVATION MEASURES	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
PPs Submission: Complied Solar power installed on roof top of buildings and solar street lights are also installed.		Date: 26/05/2026
45	ENERGY PRESERVATION MEASURES	Provide LED lights in their offices and residential areas.
PPs Submission: Complied LED lights are provided in office.		Date: 26/05/2026
46	ENERGY PRESERVATION MEASURES	The project proponent make efforts to achieve power consumption less than 65 units/tonne for Portland Pozzolona Cement (PPC) and 85 units/tonne for Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/Kg of clinker.
PPs Submission: Being Complied Specific power consumption is less than 65 units/tonne for Portland Pozzolona Cement (PPC) and 85 units/tonne for Ordinary Portland Cement (OPC)		Date: 26/05/2026
47	ENERGY PRESERVATION MEASURES	Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.
PPs Submission: Being Complied fly ash is being used in cement manufacturing as per the BIS standards.		Date: 26/05/2026
48	ENERGY PRESERVATION MEASURES	Maximize utilization of alternate fuels and Co-processing to achieve best practice norms.
PPs Submission: Complied Noted.		Date: 26/05/2026
49	ENERGY PRESERVATION MEASURES	Waste heat recovery system shall be provided for kiln and cooler.

PPs Submission: Complied Not applicable as this is a cement grinding unit.		Date: 26/05/2026
50	WASTE MANAGEMENT	Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.
PPs Submission: Complied Noted.		Date: 26/05/2026
51	WASTE MANAGEMENT	Kitchen waste shall be composted or converted to biogas for further use.
PPs Submission: Complied Noted.		Date: 27/05/2026
52	WASTE MANAGEMENT	Used refractories shall be recycled as far as possible.
PPs Submission: Complied Noted.		Date: 26/05/2026
53	WASTE MANAGEMENT	100 percent utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the SEIAA, Bihar.
PPs Submission: Being Complied Fly ash sourced from nearby power plants for use in cement grinding unit and 100 percent utilization of the same.		Date: 26/05/2026
54	WASTE MANAGEMENT	The Plastic Waste Management Rules 2016, inter-alia, mandated banning of identified Single Use Plastic (SUP) items with effect from 01/07/2022. In this regard, CPCB has issued a direction to all the State Pollution Control Boards (SPCBs)/Pollution Control Committees (PCCs) on 30/06/2022 to ensure the compliance of Notification published by Ministry on 12/08/2021. The technical guidelines issued by the CPCB in this regard is available at https://cpcb.nic.in/technical-guidelines-3/. All the project proponents are hereby requested to sensitize and create awareness among people working within the Project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by this Ministry on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six

		monthly compliance report being submitted by the project proponents.
PPs Submission: Being Complied Noted and being complied.		Date: 26/05/2026
55	WASTE MANAGEMENT	A proper action plan must be implemented to dispose of the electronic waste generated in the industry.
PPs Submission: Being Complied Noted and will be complied.		Date: 26/05/2026
56	WASTE MANAGEMENT	Solid waste utilization: a. PP shall install a slag crusher to convert steel slag into aggregate for use in construction industry, fine sand for use as flux in steel plant, sand in brick making and as lime in cement making. b. PP shall recycle/reuse solid waste generated in the plant as far as possible. c. Used refractories shall be recycled as far as possible.
PPs Submission: Being Complied Noted.		Date: 26/05/2026
57	GREENBELT	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration by trees.
PPs Submission: Being Complied Noted and being complied.		Date: 26/05/2026
58	GREENBELT	Project proponent shall submit a study report on Decarbonisation program, which would essentially consist of company's carbon emissions, carbon budgeting/balancing, carbon sequestration activities and carbon capture, use and storage and offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitor able with defined time frames.
PPs Submission: Being Complied Annual report is being prepared which includes Decarbonization study. The same can be assessed at URL: chrome-extension://efaidnbmninnibpcajpcglclefindmkaj/https://www.jkcement.com/wp-content/uploads/2025/06/JK-Cement-AR-2024-2025.pdf		Date: 26/05/2026
59	GREENBELT	Greening and Paving shall be

		implemented in the plant area to arrest soil erosion and dust pollution from exposed soil surface.
PPs Submission: Being Complied Noted and being implemented.		Date: 26/05/2026
60	PUBLIC HEARING	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
PPs Submission: Being Complied Emergency Response Plan has been prepared and submitted to Factory Inspector for approval.		Date: 27/05/2026
61	PUBLIC HEARING	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.
PPs Submission: Being Complied Adequate PPE are provided to workers for working in high temperature zone.		Date: 26/05/2026
62	PUBLIC HEARING	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP. Safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
PPs Submission: Complied Not applicable as plant is in operation phase.		Date: 26/05/2026
63	PUBLIC HEARING	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.
PPs Submission: Being Complied Occupational health surveillance of the workers is being done on regular basis. Copy of record is enclosed as Annexure - 3.2		Date: 27/05/2026
64	PUBLIC HEARING	All the commitments made towards socio-economic development of the nearby villages shall be satisfactorily implemented. The action plan based on the social impact assessment study of the project as per the EMP in accordance to the Ministry's OM dated 30.09.2020 shall be strictly implemented and progress shall be submitted to the SEIAA, Bihar. PP shall adopt nearby villages and prepare and implement a robust plan to develop them into model villages in next 10 years.



PPs Submission: Being Complied A Free Skill Training Center in a nearby village, providing vocational training (tailoring, embroidery, and knitting) for local women and youth to facilitate self employment and livelihood generation has been started.		Date: 26/05/2026
65	Corporate Environmental Responsibility	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt nearby villages based on the socio-economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed.
PPs Submission: Being Complied CER activities has been started with in local bodies i.e. drinking water supply to villagers along with Skill development training, livelihood initiative and beauty parlor course for social upliftment.		Date: 26/05/2026
66	Corporate Environmental Responsibility	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements /deviation/violation of the environmental/forest/wildlife norms/conditions and /or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the SEIAA, Bihar as a part of six-monthly report.
PPs Submission: Being Complied Company has laid environmental policy duly approve by the Board of Directors. Copy of the same is uploaded as Annexure - 4		Date: 26/05/2026
67	Corporate Environmental Responsibility	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will report directly to the head of the organization.
PPs Submission: Being Complied A separate Environment cell has been set up at Head office and project level.		Date: 26/05/2026
68	Corporate Environmental Responsibility	Performance test shall be conducted on all pollution control systems every year and report shall be submitted to Integrated Regional Office of the MoEF


		and CC.
PPs Submission: Being Complied Noted.		Date: 26/05/2026
69	MISCELLANEOUS	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
PPs Submission: Being Complied Copy of advertisement given on newspaper is attached as Annexure - 5.		Date: 26/05/2026
70	MISCELLANEOUS	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
PPs Submission: Being Complied Copies of the environmental clearance has been submitted to relevant offices of the Government. Copy of the same is uploaded as Annexure - 6.		Date: 26/05/2026
71	MISCELLANEOUS	The project proponent shall upload the status of compliance of the stipulated of environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
PPs Submission: Being Complied Status of compliance of the stipulated of environment clearance conditions can be assessed at URL: https://www.jkcement.com/environmental-compliance/		Date: 26/05/2026
72	MISCELLANEOUS	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
PPs Submission: Being Complied Ambient air quality monitoring and stack emission monitoring is being on regular basis. NABL certified third party monitoring report of AAQM is enclosed as Annexure - 6.1.		Date: 27/05/2026
73	MISCELLANEOUS	Action plan for developing connecting and internal road in terms of MSA as per

		IRC guidelines shall be implemented.
PPs Submission: Complied Internal road already made and MSA as per IRC is being implemented		Date: 26/05/2026
74	MISCELLANEOUS	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at Environmental Clearance portal.
PPs Submission: Being Complied Six-monthly reports on the status of the compliance of the stipulated environmental conditions is being uploaded on the website of the Ministry of Environment, Forest and Climate Change at Parivesh portal.		Date: 26/05/2026
75	MISCELLANEOUS	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
PPs Submission: Agreed to Comply Noted and will be complied.		Date: 26/05/2026
76	MISCELLANEOUS	The project proponent shall inform the Regional Office as well as the SEIAA, Bihar, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
PPs Submission: Complied Noted.		Date: 26/05/2026
77	MISCELLANEOUS	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the State Expert Appraisal Committee.
PPs Submission: Being Complied Noted.		Date: 27/05/2026
78	MISCELLANEOUS	The recommendations of the approved Site-Specific Wildlife Management Plan (in case of involvement of Schedule-I species) shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-

		monthly compliance report to the concerned Regional Office of the MoEF and CC and SEIAA, Bihar.
PPs Submission: Complied Noted.		Date: 26/05/2026
79	MISCELLANEOUS	The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.
PPs Submission: Being Complied Noted and being complied.		Date: 27/05/2026
80	MISCELLANEOUS	No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA, Bihar.
PPs Submission: Being Complied Noted and agreed to comply.		Date: 26/05/2026
81	MISCELLANEOUS	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
PPs Submission: Being Complied Noted and agreed.		Date: 26/05/2026
82	MISCELLANEOUS	The SEIAA, Bihar may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
PPs Submission: Being Complied Noted and agreed.		Date: 26/05/2026
83	MISCELLANEOUS	The SEIAA, Bihar reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
PPs Submission: Being Complied Noted and agreed.		Date: 26/05/2026
84	MISCELLANEOUS	The validity of Environmental


		Clearance shall be 10 years.
PPs Submission: Complied Noted.		Date: 26/05/2026
85	MISCELLANEOUS	The Regional Office of this Ministry and SEIAA, Bihar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office and SEIAA, Bihar by furnishing the requisite data /information/monitoring reports.
PPs Submission: Complied Noted and agreed.		Date: 26/05/2026
86	MISCELLANEOUS	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
PPs Submission: Complied Noted and agreed.		Date: 26/05/2026
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		
Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.		













ASIA ENVIRO LAB INDIA PVT. LTD.

Laboratory Recognised From Govt. of India & Ministry of Environment Forest and Climate Change (CPCB)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Khairthal-Tijara (Rajasthan)-301019

Ph. No. : 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report

Report No.: AEL/JKC/29042026/WN/01	Reporting Date: 05/05/2026
---	-----------------------------------

Issued to: M/s J. K. Cement Works, Buxar, GU A Unit of JK Cement Ltd. Khasra Nos. 04, 05, 12, Villages- Menhmarara /Kant, Tehsil- Dumraon , P. S- Brahampur, Pin- 802112, Distt- Buxar (Bihar)	Sample I'd : AEL/JKC/290426/WN/01-05 Date : 29.04.2026
--	---

SAMPLE PARTICULARS:	
Type of the Sample	Noise Level Testing (Work Zone)
Date of Sampling	27.04.2026
Sample Collected By	Lab Rep.
Purpose of Analysis	Monitoring
Test Protocol	IS: 9989

TEST RESULT:				
Sr. No.	Sampling Location	Units	Results	Standards Limit as per Factory Act
1.	Packing Plant	dB(A)	73.4	85 dB(A)
2	Bag House	dB(A)	76.7	85 dB(A)
3	Cement Sello	dB(A)	71.3	85 dB(A)
4	Hopper Building	dB(A)	69.2	85 dB(A)
5	BRU Area	dB(A)	74.5	85 dB(A)

Page 1 of 1

*****End of Test Report*****


Checked By


Authorized Signatory

Note: 1. The result listed refer only to the tested samples and applicable parameters.
 2. Sample will be destroyed one month from the date of issue of test certificate.
 3. Any complaints about this report should be communicated within 7 days of issue of this report
 4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.

CONTRACTOR NAME:- _____

PRE EMPLOYMENT MEDICAL EXAMINATION REPORT

NAME- VIKASH KUMAR AGE 24 SEX HM.
 Token no. _____ Dept. _____ Height 5'1" Cm, Weight 48 Kg.
 Mark of identification A cut mark on (RA) OR
 Drug allergy NO
 History of any chronic diseases NO
 Family History, if any NO
 Digestive System - P/A NO Liver NP Spleen NP
 Respiratory System - R.R. Hum Chest NO
 Spirometry _____ CXR NO Audiometry _____
 CVS- H.R. 73/1 B.P. 120/80 Heart sound NO Murmur NO
 ECG NO
 CNS NO VISION - Near 6/6 Distant 6/6 Colour vision NO
 COVID 19 Symptoms NO
 Blood group & RH _____ Blood Sugar (RBS) _____
 Other investigations if any NO
 Medical advice - NO

I hereby certify that Mr. VIKASH KUMAR S/o. Shri WAKIL AHMED
W/O NO-12, SAS ROAD,
 and resident of SAS ROAD, BHILAI Found medically fit / unfit
 for RSTPS - 802115
 employment.

Signature of person examined
Signature of Qualified Medical Examiner With Registration No & Seal
M.B.B.S. (B.U.)
MEDICAL OFFICER
BAGMATIPUR

15/3/26
 Date

CONTRACTOR NAME: _____

PRE EMPLOYMENT MEDICAL EXAMINATION REPORT

NAME: OM PRAKASH KUMAR AGE 29 SEX M
Token no. _____ Dept. _____ Height 5'2" Cm, Weight 53 Kg.
Mark of identification A CW - work on (U) telephone. 8m
Drug allergy NO
History of any chronic diseases NO
Family History, if any NO
Digestive System - P/A NP Liver NP Spleen NP
Respiratory System - R.R. 17/4 Chest NP
Spirometry _____ CXR NO Audiometry _____
CVS- H.R. 72/4 B.P. 120/80 Heart sound NP Murmur NO
ECG NP
CNS NP VISION - Near 6/6 Distant 6/6 Colour vision NO
COVID 19 Symptoms NO
Blood group & RH _____ Blood Sugar (RBS) _____
Other investigations if any NO
Medical advice NO

I hereby certify that Mr. OM PRAKASH KUMAR S/o. Shri SURENDRA BIR
and resident of SASAR, SASAR Found medically fit / unfit
for ROHITH
employment.

R. NO - 2890
Signature of person examined
Signature of Qualified Medical practitioner With Registration No & Seal

DR. KAMAL SINGH
M.B.B.S. (B.U.)
MEDICAL OFFICER
JAGADITHAN

15/3/26
Date

CONTRACTOR NAME:- Mehandi

PRE EMPLOYMENT MEDICAL EXAMINATION REPORT

NAME- SAHAJAD ALAM AGE 31 SEX M
Token no. Dept. Height 5'5" Cm, Weight 75 Kg.
Mark of identification A MOLE on (L) Leg
Drug allergy NO
History of any chronic diseases NO
Family History, if any NO
Digestive System - P/A NAD Liver NP Spleen NO
Respiratory System - R.R. 7/m Chest NAD
Spirometry NO CXR NAD Audiometry NO
CVS- H.R. 78/m B.P. 130/70 Heart sound NP Murmur NO
ECG NAD
CNS NAD VISION - Near 6/6 Distant 6/6 Colour vision NO
COVID 19 Symptoms NO
Blood group & RH A+ Blood Sugar (RBS) NO
Other investigations if any NO
Medical advice NO

I hereby certify that Mr. SAHAJAD ALAM s/o. Shri M.D. MEHANDI HAS
SONARKHAP MATPA KUTUMBA AURANGABAD
and resident of Q 24 III
for
employment.

[Signature]
27-02-2020
CA

[Signature]

Signature of person examined

Signature of Qualified Medical practitioner With Registration No & Seal

M.B.B.S. (B.U.)
MEDICAL OFFICER
RASHIDHANI

27/2/20
Date

CONTRACTOR NAME:- N. K. Sharma & Co.

PRE EMPLOYMENT MEDICAL EXAMINATION REPORT

NAME- BRATESH KUMAR SINGH 31 SEX M

Token no. Dept. Height 5'0 Cm, Weight 88 Kg.

Mark of identification A CUT MARK ON (L) INDEX FINGER

Drug allergy..... NO

History of any chronic diseases NO

Family History, if any NO

Digestive System - P/A NAD Liver NP Spleen NO

Respiratory System - R.R. 7/m Chest NAD

Spirometry CXR NAD Audiometry

CVS- H.R. 78/m B.P. 130/70 Heart sound NP Murmur NO

ECG NAD

CNS NAD VISION - Near 8/6 Distant 6/6 Colour vision NO

COVID 19 Symptoms NO

Blood group & RH B+ positive Blood Sugar (RBS)

Other investigations if any NO

Medical advice NO

I hereby certify that Mr. BRATESH K. SINGH S/o. Shri RAJ DAYAL SINGH
and resident of RAMPUR MAHANWAL BALIYA UP / 277402
for Found medically fit / unfit
employment. Bratesh

R. Singh
27/08/2020

BCRM Signature of person examined

Signature of Qualified Medical practitioner With Registration No & Seal

DR. KAMAL SINGH

M.B.B.S. (B.U.)

MEDICAL OFFICER

RAMPUR MAHANWAL

27/8/20
Date

CONTRACTOR NAME:- M. K. Bhatnagar

PRE EMPLOYMENT MEDICAL EXAMINATION REPORT

NAME- MUKESH SINGH AGE 40 SEX M
Token no. Dept. Height 5'7 Cm, Weight 57 Kg.
Mark of Identification A NAT on (R) check
Drug allergy NO
History of any chronic diseases NO
Family History, if any NO
Digestive System - P/A NAD Liver NP Spleen NO
Respiratory System - R.R. 17/min Chest NAD
Spirometry CXR NAD Audiometry
CVS- H.R. 78/min B.P. 130/76 Heart sound NP Murmur NO
ECG NAD
CNS NAD VISION - Near 6/6 Distant 6/6 Colour vision NO
COVID 19 Symptoms NO
Blood group & RH B+ Blood Sugar (RBS) POSITIVE
Other investigations if any NO
Medical advice - NO

I hereby certify that Mr. MUKESH SINGH s/o. Shri DINESH SINGH
BILLPAHADI BAUDIHA WEST BANGAL 713378
and resident of Found medically fit / unfit
for
employment.

Mukesh Singh
R-NO-20990 Mukesh Singh
Signature of person examined

Signature of Qualified Medical practitioner With Registration No & Seal

DR. KAMAL SINGH
M.B.B.S. (B.U.)
MEDICAL OFFICER
BAGMATIPUR

27/2/26
Date

 JKcement	Environment Policy	Policy No: FY25/CESD/04 Supersedes: Environment Policy (01) Pages: 1 of 1 Date of Issue: 23/01/2025 Effective Date: 23/01/2025
---	---------------------------	--


Environment Policy

JK Cement Limited (JKCL) promotes environmental protection as a core value in its operations. The company is dedicated to maintain a clean, green, and healthy environment by adhering to responsible practices and continuously improving its efforts in sustainability and resource conservation. JKCL is committed to:

- Ensure full compliance with all relevant laws, regulations, industry standards, and best practices, while adopting any additional measures necessary to go beyond regulatory expectations.
- Make environmental due diligence a core requirement for all upcoming Greenfield and Brownfield projects ensuring the protection of human health and the environment.
- Ensure clearly defined roles and responsibilities for all personnel involved in managing, performing, and verifying activities related to environmental and occupational health & safety (OH&S).
- Optimize resource utilization to enhance environmental management and ensure effective operation of pollution control equipment.
- Implement advanced technologies and robust practices to minimize emissions from our operations, ensuring compliance with regulatory standards & go beyond compliances.
- Set clear, measurable objectives and targets aimed at reducing environmental impacts, such as greenhouse gas (GHG) emissions, air pollutants, and other critical parameters, promoting a culture of continuous improvement.
- Review all active goals and targets at a minimum every 05 years to ensure consistency in our progress. Targets shall be recalculated and revalidated as necessary to align with evolving regulations and requirements.
- Continuously monitor and enhance environmental performance across all units in the areas of air, water, and waste through regular reviews, inspections, and audits.
- Build awareness among all stakeholders on environmental issues and compliance with relevant regulations through training and regular capability building sessions.
- Continuously enhance the effectiveness of our environmental management through a systematic approach for preventing, mitigating, and controlling environmental impacts, across our operations.

The policy shall be reviewed and updated as necessary to align with evolving regulations and best practices. Any amendments will be communicated to all stakeholders in a timely manner.

Approved By:



A.K. SARAOGI
Deputy Managing Director & CFO

J.K. Cement Limited Buxar

हए पुलिस आरोपी
गई है।
कोज कुमार सिंह ने
ना बज्जार निवासी
कुमार के अनुसार
स की वारदात 28
को दिन के 10.45

भतीज के साथ मारपीट करते हुए
बादक पर जबरदस्ती बंधाकर
अपहरण कर प्रयास करने लगे।
सौके पर भतीजा के साथ मौजूद
प्राथी के पुत्र आदुष कुमार ने शीर
मचाना शुरू कर दिया। मोड़ को
चुटते देख आरोपित प्राथी के

गया पर कोई कार्रवाई नहीं हुई सब
उसने कोर्ट में अपना परिवार दर्ज
कराया है। वापसवत ने बताया कि
कोर्ट के निर्देश पर 13 नाराजों के
विरुद्ध आवेदक की प्रार्थनाकी करते
हए मामले की जांच और सत्यापन
किया जा रहा है।

विज्ञापित

सर्व साधारण को सूचित किया जाता है "राज्य स्तरीय पर्यावरण प्रभाव मूल्यांकन प्राधिकरण", बिहार के फाइल संख्या SIA/3(b)/2583/2024 दिनांक 24 फरवरी, 2025 के द्वारा मेसर्स जेके सीमेंट वर्क्स बक्सर (जेके सीमेंट लिमिटेड की एक इकाई) द्वारा प्रस्तावित 4.0 मिलियन टीपीए की सीमेंट उत्पादन क्षमता की स्टैंडअलोन क्लिंकर ग्राइंडिंग यूनिट एवं 1 मेगावाट क्षमता के डी.जी. सेट्स की स्थापना, खसरा नंबर 04, 05, 12 एवं अन्य ग्राम: मेनहमरारा एवं कांत, तहसील - डुमरांव, जिला - बक्सर, बिहार के लिए पर्यावरण स्वीकृति प्रदान की गई है। उपरोक्त स्वीकृति पत्र की प्रति "राज्य प्रदूषण नियंत्रण मण्डल" कार्यालय में जन साधारण के लिए उपलब्ध है एवं पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय की वेब साइट <https://parivesh.nic.in> में देखी जा सकती है।

मेसर्स जेके सीमेंट लिमिटेड
कमला टावर, कानपुर उत्तर प्रदेश 208001
E-mail: bhaskar.rawat@jkcement.com

बिहार सरकार
वाणिज्य कर विभाग

नियम के अन्तर्गत अनिबंधित व्यक्ति से
प्रयोजनों के लिए किराये पर ली गई
संपत्ति पर जीएसटी की देयता

के अन्तर्गत निबंधित व्यक्ति के द्वारा यदि किसी
प्रयोजन के लिए संपत्ति ली जाती है तो प्राप्तकर्ता

विज्ञापित

सर्व साधारण को सूचित किया जाता है "राज्य स्तरीय पर्यावरण प्रभाव मूल्यांकन प्राधिकरण", बिहार के फाइल संख्या SIA/3(b)/2583/2024 दिनांक 24 फरवरी, 2025 के द्वारा मेसर्स जेके सीमेंट वर्क्स बक्सर (जेके सीमेंट लिमिटेड की एक इकाई) द्वारा प्रस्तावित 4.0 मिलियन टीपीए की सीमेंट उत्पादन क्षमता की स्टैंडअलोन क्लिंकर ग्राइंडिंग यूनिट एवं 1 मेगावाट क्षमता के डी.जी. सेट्स की स्थापना, खसरा नंबर 04, 05, 12 एवं अन्य ग्राम: मेनहमरारा एवं कांत, तहसील - डुमरांव, जिला - बक्सर, बिहार के लिए पर्यावरण स्वीकृति प्रदान की गई है। उपरोक्त स्वीकृति पत्र की प्रति "राज्य प्रदूषण नियंत्रण मण्डल" कार्यालय में जन साधारण के लिए उपलब्ध है एवं पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय की वेब साइट <https://parivesh.nic.in> में देखी जा सकती है।

मेसर्स जेके सीमेंट लिमिटेड
कमला टावर, कानपुर उत्तर प्रदेश 208001
E-mail: bhaskar.rawat@jkcement.com

Photograph of Newspaper



JK Cement Works, Buxar
(A unit of JK Cement Ltd.)

CIN : L17229UP1994PLC017199

Village : Menhmarara & Kant, Tehsil-Dumraon
District -Buxar, Bihar - 802112

Ref. No.: JKC/BGU/Env/025

Date: 27.02.2025

To,

The Gram Panchayat,

Village- Kant, Tehsil: Dumraon,

District: Buxar - 802112 Bihar

Subject: Proposed Standalone Clinker Grinding Unit with Cement Production Capacity of 4.0 Million TPA along with installation of D.G. Sets of capacity 1 MW at Khasra Nos. 04,05,12 & others, Villages: Menhmarara & Kant, Tehsil-Dumraon, District -Buxar, Bihar by M/s. JK Cement Works, Buxar (A Unit of JK Cement Limited). - **Submission of Copy of Environment Clearance.**

Ref.: Environment Clearance letter issued by SEIAA, Bihar vide File No: SIA/3(b)/2583/2024 dated 24th Feb., 2025

Sir,

With reference to the aforesaid subject; we would like to inform you that M/s. JK Cement Ltd. has proposed Standalone Clinker Grinding Unit with Cement Production Capacity of 4.0 Million TPA along with installation of D.G. Sets of capacity 1 MW at Khasra Nos. 04,05,12 & others at Villages: Menhmarara & Kant, Tehsil-Dumraon, District -Buxar, Bihar for which Environment Clearance has been granted by SEIAA, Bihar vide File No: SIA/3(b)/2583/2024 dated 24th Feb., 2025

Now, as per the EC Condition no. K (2), we are hereby submitting you the copy of Environment Clearance for the above said project for your kind consideration & record

Thanking you & with regards,

For M/s. JK Cement Works, Buxar

(A unit of JK Cement Limited)

Authorized Signatory

Encl.: as above

मुखिया
ग्राम पंचायत काँट
प्रखण्ड-ब्रह्मपुर (बक्सर)
27/02/2025



Corporate Office
● Prism Tower, 5th Floor, Ninaniya Estate,
Gwal Pahari, Gurugram - 122102, Haryana
☎ +0124-6919000
✉ admin.prism@jkcement.com
● www.jkcement.com

Registered Office: Kamia Tower, Kanpur-208001, U.P., India. ☎ +91-512-2371478 to 85 ☎ +91-512-2399854 🌐 www.jkcement.com

JK SUPER
CEMENT
BUILD SAFE

Manufacturing Units at:
Nimbahera, Mangrol, Cotan (Rajasthan) | Muddapur (Karnataka)
Jharkhand (Haryana) | Katni (M.P.) | Aligarh (U.P.) | Balasore (Gujarat)

JK CEMENT
WallMaxX
White Cement Based Putty





ASIA ENVIRO LAB INDIA PVT. LTD.

Laboratory Recognised From Govt. of India & Ministry of Environment Forest and Climate Change (CPCB)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Khairthal-Tijara (Rajasthan)-301019

Ph. No. : 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report

Report No.: AEL/JKC/29042026/AA/01	Reporting Date: 05/05/2026
------------------------------------	----------------------------

Issued to: M/s J. K. Cement Works, Buxar, GU A Unit of JK Cement Ltd. Khasra Nos. 04, 05, 12, Villages- Menhmarara /Kant, Tehsil- Dumraon , P. S- Brahampur, Pin- 802112, Distt- Buxar (Bihar)	Sample I'd : AEL/JKC/290426/AA/01 Date : 29.04.2026 Period of testing : 29.04.2026 to 05.05.2026
---	---

SAMPLE PARTICULARS:	
Type of the Sample	Ambient Air Sample
Date of Sampling	27.04.2026 to 28.04.2026
Point of Sample Collection	East North Corner (Near Boundary wall)
Sample Collected By	Lab Rep.
Sampling Method	IS 5182
Purpose of Analysis	Monitoring

SAMPLE OBSERVATIONS	
Sampling flow rate (m³/min.)	1.19
Period of sampling (minutes)	1445.6
Total volume of air sampled (m³)	1720.3

Sr. No.	Parameters	Unit	Results	Standards Limit as Per NAAQS	Test Protocol
1	Particulate Matter(PM ₁₀)	µg/m ³	85.9	100	IS: 5182, (P-23)
2	Particulate Matter(PM _{2.5})	µg/m ³	50.6	60	IS: 5182, (P-24)
3	Sulphur Dioxide (SO ₂)	µg/m ³	15.4	80	IS: 5182, (P-2)
4	Nitrogen Dioxide (NO ₂)	µg/m ³	35.8	80	IS: 5182, (P-6)
5	Benzene (C ₆ H ₆)	µg/m ³	<1.0	5	IS: 5182 (P-11)
6	Ozone(O ₃)	µg/m ³	29.4	180	IS: 5182, (P-9)
7	Lead (Pb)	µg/m ³	<0.5	1	IS: 5182(P-22)
8	Arsenic (As)	ng/m ³	<0.02	6	AEL/SOP/AA/01, SOP No.-01, Issue Date:20.12.2024
9	Nickel (Ni)	ng/m ³	<0.02	20	AEL/SOP/AA/01, SOP No.-01, Issue Date:20.12.2024
10	Ammonia(NH ₃)	µg/m ³	<20	400	IS: 5182, (P-25)
11	Benzopyrene (BaP)	ng/m ³	<0.001	1	IS: 5182 (P-12)
12	Carbon Monoxide (CO)	mg/m ³	1.03	4	IS: 5182, (P-10)

Remark: - NAAQS-National Ambient Air Quality Standards

Page 1 of 1

*****End of Test Report*****

Checked By

Authorized Signatory

Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report

4. The report is Not to be reproduced-wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.