

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

Proposal No	SIA/MP/INFRA2/523297/2025
Compliance ID	1226434398
Compliance Number(For Tracking)	EC/COMPLIANCE/1226434398/2026
Reporting Year	2026
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	30-05-2026
RO/SRO Name	Shri Kailash Chand Meena
RO/SRO Email	rj107@ifs.nic.in
State	MADHYA PRADESH
RO/SRO Office Address	Integrated Regional Offices, Bhopal

Note:- SMS and E-Mail has been sent to Shri Kailash Chand Meena, MADHYA PRADESH with Notification to Project Proponent.

Ref.No.: JKCEMENT/ENV./COLONY/2026-27/26/09

Date: 20.05.2026

To,
Regional Office (WZ),
Kendriya Paryavaran Bhawan,
E-5, Arera Colony, Link Road-3, Ravi Shankar Nagar
BHOPAL – 462 016
E-Mail: rowz.bpl-mef@nic.in

Subject: Submission of Half Yearly Environmental Clearance Compliance Status Report for period from October 2025 to March 2026 of Construction of the Residential Colony with a Plot Area of 14 Ha and a Built-up Area of 34,050 sq.m at Villages- Sotipura & Harduaken, Tehsil Amanganj, District Panna (M.P.).

Ref.: 1- Environment Clearance vide no EC Identification No.. EC25C3801MP5670992N dated 16.01.2026
2-MoEF & CC notification no. S.O. 5845 (E) 26.11.2018.

Dear Sir,

With reference to above stated Environment Clearances (ECs) and MoEF & CC notification no. S.O. 5845 (E) 26.11.2018, we are submitting Half Yearly Environment Clearance Compliance Status Report for period from October-2025 to March 2026 of Construction of the Residential Colony with a Plot Area of 14 Ha and a Built-up Area of 34,050 sq.m at Villages- Sotipura & Harduaken, Tehsil Amanganj, District Panna (M.P.) by JK Cement Works Panna (A unit of JK Cement Limited)..-through email, this is for your kind information and record please.

Thanking you,

Yours Sincerely
For: JK Cement Colony
(A Unit of M/s J K Cement Limited.)


Kapil Agrawal
(Unit Head)

Encl.: Copy of EC Compliance Status Report Soft copy sent by mail to:

1. Member Secretary, MP Pollution Control Board, Paryawaran Parisar, E-5, Arera Colony, Bhopal (MP).
2. Regional Officer, Regional Office, MP Pollution Control Board, Makronia, Sagar (MP)
3. Regional Director- CPCB, Paryawaran Parisar, E-5, Arera Colony, Bhopal (MP).
4. Deputy Director General of forest (C), MoEFCC, Integrated Regional Office, Bhopal-462016.
5. The Director, MoEFCC, Indira Paryavaran Bhavan, New Delhi-11003

Corporate Office

📍 Prism Tower, Ground Floor, Ninaniya Estate,
Gwal Pahari, Gurugram, Haryana - 122102, India
☎ +0124-6919000
📧 admin.prismt@jkcement.com
🌐 www.jkcement.com
CIN: L17229UP1994PLC017199

**JK SUPER
CEMENT**
BUILD SAFE**JKcement
WallMaxX**
White Cement Based Putty

Manufacturing Units at :
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni, Panna, Ujjain (M.P.) | Prayagraj, Aligarh,
Hamirpur (U.P.) | Balasinor (Gujarat) | Fujairah

Subject: Half Yearly EC Compliance Report for Period from October 2025 to March 2026 of Construction of the Residential Colony with a Plot Area of 14 Ha. and a Built-up Area of 34,050 sq.m at Villages- Sotipura & Harduaken, Tehsil Amanganj, District Panna (M.P.) by JK Cement Works Panna (A unit of JK Cement Limited)."		
EC Identification No. EC25C3801MP5670992N, File No. P2/1316/2025, Date: 16/01/2026		
Specific Condition		
S. No.	EC Conditions	EC Compliances
1	भूमि स्वामित्व के दस्तावेजों में किसी प्रकार की विवादास्पद के स्थिति में परियोजना प्रस्तावक की स्वयं की जवाबदारी होगी।	Agreed & Noted.
2	परियोजना के जलापूर्ति के लिये अपरिहार्य परिस्थितियों में भूजल दोहन हेतु सक्षम प्राधिकारी से अनापत्ति प्रमाण पत्र लेकर ही भूजल दोहन किया जाना सुनिश्चित करें।	Complied. Water required for the residential colony is being sourced from the nearby river through the integrated cement plant after obtaining necessary permission/NOC from the competent authority. Copy of the NOC is attached as Annexure-1
3	परियोजना के तहत भवन के चारों ओर खुले स्थान एवं रोड चौड़ाई हेतु मध्यप्रदेश भूमि विकास निगम 2012 (यथा संशोधित) के अनुसार किया जाना सुनिश्चित किया जाये।	Complied.
4	परियोजना स्थल पर अग्निरोधी शमन उपायों का अनिवार्य रूप से क्रियान्वित किया जाना होगा, इन कार्यों में नेशनल बिल्डिंग कोड 2016 (यथा संशोधित) के मानक अनिवार्य रूप से पालन करना होगा।	Complied. Required firefighting arrangements and safety measures are provided in the project premises. Fire extinguishers and other fire safety equipment are installed at suitable locations. Adequate space is available for movement of fire tenders and emergency vehicles.
5	परियोजना अंतर्गत कार्बन फुट प्रिंट को कम करने के लिये 30% गैर-पारंपरिक ऊर्जा का उपयोग किया जाये एवं CO ₂ उत्सर्जन पर नियंत्रण के उपायों पर भी व्यापक कार्य योजना बनाकर इसे कम करने हेतु सभी सम्भावित कार्य अनिवार्य रूप से किये जाये।	Being complied. A total of 6500 trees have been planted in the project area for greenbelt development, contributing to carbon footprint reduction. Photographs are enclosed as Annexure-2 .
6	परियोजना स्थल के चारों ओर ग्रीन बेल्ट विकसित किया जाना सुनिश्चित करें। काटे जाने वाले वृक्षों के एवज में 10 गुनी संख्या में वृक्षों का रोपण अनिवार्य रूप से किये जाये।	Complied. We have planted 6500 trees in the designation area for greenbelt development. Photographs are attached as Annexure-2
7	परियोजना स्थल पर ई-वाहनों के चार्जिंग प्वाइंट उपलब्ध कराया जाना सुनिश्चित करें।	Agreed to Comply. Adequate electric vehicle charging points will be provided in the colony premises as per the availability and requirement of electric vehicles to promote clean energy usage.
8	प्रस्तावित भवन में संपूर्ण सुरक्षात्मक उपायों का पालन परियोजना प्रस्तावक को करना होगा। साथ ही यह भी सुनिश्चित करना होगा कि किसी भी प्रकार की जन-धन हानि न हो।	Complied.
SEIAA द्वारा अधिरोपित मानक शर्तें (भवन व निर्माण के प्रकरणों हेतु)		
1	MPSEIAA द्वारा जारी कार्यालयीन ज्ञापन दिनांक 19.06.23 के अनुसार यदि परियोजना में भू जल निकासी की जाती है तो निम्नानुसार निर्देशों का पालन किया जाना सुनिश्चित करें :- a. जिन मामलों में पानी की आपूर्ति पानी के टैंकों के माध्यम से की जानी है, उन परियोजनाओं में परियोजना प्रस्तावक द्वारा पानी की आवश्यकता को केवल लाइसेंस प्राप्त टैंकर	Complied. Water required for the residential colony is being sourced from the nearby river through the integrated cement plant after obtaining necessary permission/NOC from the competent authority. Copy of the NOC is enclosed as Annexure-1 .

	<p>जल आपूर्तिकर्ताओं के माध्यम से पूरा किया जाना सुनिश्चित किया जाये।</p> <p>b. सक्षम प्राधिकारी (सीजीडब्ल्यूबी/सीजीडब्ल्यूए) की पूर्व अनुमति के बिना भूजल निकासी की अनुमति नहीं दी जाएगी। तदनुसार, भूजल निकासी के लिए एन.ओ.सी की प्रति सभी नियामक प्राधिकरणों, अर्थात् प्राधिकरण (राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण), क्षेत्रीय कार्यालय, पर्यावरण वन एवं जलवायु परिवर्तन भारत सरकार, भोपाल, मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड और केंद्रीय प्रदूषण नियंत्रण बोर्ड को प्रस्तुत की जाएगी।</p> <p>c. परियोजना प्रस्तावक भूजल निकासी के लिए एनओसी में किए गए अनुबंधों का अनिवार्य रूप से अनुपालन सुनिश्चित करेंगे और इसकी स्थिति छः मासिक अनुपालन रिपोर्ट के एक भाग के रूप में प्रस्तुत करेंगे।</p>	
2	भूमि स्वमित्व के दस्तावेजों में किसी प्रकार की विवादस्पद के स्थिति में परियोजना प्रस्तावक की स्वयं की जवाबदारी होगी।	Agreed & Noted.
3	यदि परियोजना स्थल राष्ट्रीय उद्यान/अभयारण्य के 10 किमी के दायरे में अधिसूचित इकोसेंसिटिव जोन के भीतर स्थित है, तो वन्यजीव (संरक्षण) अधिनियम, 1972 के तहत मंजूरी का आवेदन जो कि वन्यजीव बोर्ड की स्थायी समिति को प्रस्तुत किया गया है की प्रति संलग्न करें।	Complied. There is no National Park, Wildlife Sanctuary, or Eco-sensitive Zone within 10 km radius of the project site. Forest department letter attached as Annexure-3
4	यदि परियोजना स्थल जल निकाय के आसपास है, तो जल निकाय के किनारे से स्थल की ओर 50 मीटर की दूरी को विकास/निर्माण क्षेत्र नहीं माना जाएगा। यदि यह आद्रभूमि के निकट है, तो आद्रभूमि (संरक्षण और प्रबंधन) नियम, 2017 को लागू करने के लिए दिशानिर्देशों का पालन सुनिश्चित किया जाये एवं आवश्यक अनापत्ति प्रमाण सम्बन्धित प्राधिकरण से प्राप्त किया जावे ।	Complied. No water body is located within 50 meters of the project site; hence the condition is not applicable.
5	SEIAA द्वारा प्रकरण में जारी पर्यावरण स्वीकृति माननीय सर्वोच्च न्यायालय, माननीय उच्च न्यायालय, माननीय एन.जी.टी. एवं अन्य न्यायालयों के आदेशों/दिशा निर्देशों के अधीन मान्य रहेंगी तथा माननीय सर्वोच्च न्यायालय, माननीय उच्च न्यायालय, माननीय एन.जी.टी. एवं अन्य न्यायालयों द्वारा जारी सभी निर्देशों/निर्णयों का अनुपालन परियोजना प्रस्तावक के लिये बाध्यकारी होगा।	Agreed & Noted.
6	PP should ensure linkage with municipal sewer line for disposal of extra treated waste water.	Complied. A 145 KLD STP has been installed in the project. The treated water is being reused for greenbelt development and plantation purposes.
7	The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water.	Complied. No natural drain is available in the colony area. Proper internal drainage system is provided for smooth flow of water.

8	The storm water from roof-top, paved surfaces and landscaped surfaces should be properly channelized to the rain water harvesting sumps through efficient storm water network.	<p>Complied. Storm water drainage system has been provided for proper channelization of rainwater from rooftop, paved and landscaped areas to rain water harvesting structures through internal storm water network. Photographs of storm water drainage system are enclosed below</p>
---	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------




Storm water drainage system

9	PP should ensure road width, front MOS and side / rear as per MPBVR 2012.	Complied.
10	The building shall be designed for compliance with earth quake resistance and resisting other natural hazardous.	<p>Complied. The building is designed as per earthquake resistance and natural hazard safety norms.</p>
11	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body/T&CP & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work.	<p>Complied. The proposed residential colony project has been developed in accordance with approved FSI/FAR norms of the concerned Urban Local Body/T&CP as per M.P. Bhumi Vikas Niyam 2012. The total plot area is 1,40,000 sq.m (14 Ha) and the achieved total FAR is 0.182 (25,514 sq.m), which is within the permissible FAR limit of 1.25 (1,75,000 sq.m). The total gross built-up area is 34,050 sq.m and ground coverage achieved is 16,635 sq.m (11.88%), which is within the permissible limit of 30%.</p>
12	Wet Garbage shall be composted in Organic waste convertor. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from the project will be sent to dumping site.	<p>Complied. Organic waste convertor is installed for wet waste management. Biodegradable wet waste is processed by OWC Photograph of OWC enclosed below:</p>



OWC Photograph

<p>13</p>	<p>For firefighting:– a. PP should ensure distance of fire station approachable from the project site. arrangement should be made available on the project All the required fire fighting 2016 site as per NBC. b. The occupancy permit shall be issued by Municipal Corporation only after ensuring that all fire fighting measures are physically in place. c. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender / emergency vehicle around the premises</p>	<p>Complied. Required firefighting arrangements and safety measures are provided in the project premises. Fire extinguishers and other fire safety equipment are installed at suitable locations. Adequate space is available for movement of fire tenders and emergency vehicles. Proper safety signages are also provided in the buildings and campus.</p>
<p>14</p>	<p>Provide solar lights for common amenities like Street lighting & Garden lighting.</p>	<p>Complied LED street lights have been provided in the project area and are connected with the solar power system for energy-efficient lighting.</p>



LED Light Photograph

<p>15</p>	<p>Electrical charging points for E-Vehicles shall be provided to promote clean energy.</p>	<p>Complied. Adequate electric vehicle charging points will be provided in the colony premises as per the availability and requirement of electric vehicles to promote clean energy usage. Photograph enclosed of charging point.</p>
-----------	---------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

16	The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and /or invasive species should not be used for landscaping.	Complied. Plantation of native species with broad leaves has been carried out in the green belt area. Water intensive and invasive species are avoided for landscaping activities.
----	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Plantation Photograph

17	Any change in the correspondence address should be duly intimated to all the regulatory authorities within 30 days of such change.	Agreed and Noted. Any change in correspondence address shall be intimated to all concerned regulatory authorities within stipulated time.
18	All activities / mitigative measures proposed by PP in Environmental Impact Assessment (if applicable) and approved by SEAC must be ensured.	Not applicable
19	All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.	Agreed and Noted.
20	Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. agencies from time to time.	Agreed and Noted.
21	The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.	Agreed and Noted.
22	This environmental clearance will be valid for a period of ten years from the date of its issue as per MoEF & CC, GoI notification No. S.O. 1807 (E) dated 12.04.2022 or till the completion of the project, whichever is earlier.	Complied, We have obtained Consent to operate from MPPCB vide letter No. No:AW-64053 valid up to 28/02/2031.
23	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act 1986.	Agreed and Noted.
24	The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calender year on MoEF & CC web portal	Being Complied. EC compliance covering the period of January 26 to March 26 as the EC was granted from January 2026. We agreed to submit it to the regulatory authority and

	<p>http://www.environmentclearance.nic.in/ or http://efclearance.nic.in and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the regulatory authority also.</p>	<p>uploaded it on the MoEF & CC web portal - http://www.environmentclearance.nic.in/ .</p>
25	<p>The Regional Office, MoEF, GoI, Bhopal and MPPCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan and other document information should be given to Regional Office of the MoEF, GoI at Bhopal and MPCB.</p>	<p>Agreed and noted.</p>
26	<p>The Project Proponent shall inform to the Regional Office, MoEF, GoI, Bhopal and MP PCB regarding date of financial closure and final approval of the project by the concerned authorities and the date of start land development work.</p>	<p>Being complied. The commencement of land development work has been duly intimated to the Regional Office, MoEF&CC, Bhopal and MPPCB through a formal communication. A copy of the submission letter is enclosed as Annexure-__.</p>
27	<p>In the case of expansion or any change(s) in the scope of the project, the project shall again require prior Environmental Clearance as per EIA notification, 2006.</p>	<p>Agreed and noted.</p>
28	<p>The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.</p>	<p>Agreed and noted. All additional safeguard measures and directions issued by SEIAA shall be complied with.</p>
29	<p>The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the regional office of MoEF, the respective Zonal office of CPCB and the SPCB. The criteria pollutant levels namely; SPM RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company and public domain.</p>	<p>Complied. Environmental monitoring is carried out at prescribed intervals and the monitored data is displayed at the main gate for public information. The monitoring data and six monthly EC compliance reports are uploaded on the company website regularly. Ambient monitoring report is enclosed as Annexure-4.</p>
30	<p>The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.</p>	<p>Being Complied. Environment Statement of each financial year regularly will be submitted to SPCB before 30th Sept every year and the same will be also uploaded on the Company's website.</p>
31	<p>A copy of the environmental clearance shall be submitted by the Project Proponent to the heads of the Local Bodies, Panchayat and Municipal bodies as applicable in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.</p>	<p>Complied. Copies of the EC have been submitted to the heads of the Local Bodies on dated 04.02.2026 Panchayats on 20.01.2026, Municipal Commissioner on 04.02.2026. Copy attached as Annexure-5</p>

	commencement of work. All the construction shall be done in accordance with the local building bye-laws.	competent authority. Copy of the approval/NOC is enclosed as Annexure-6 .
ii	The approval of the competent authority shall be obtained for structural safety of buildings due to earthquake, adequacy of firefighting equipment etc as per National Building code including protection measures from lightening etc.	Agreed to Comply. Necessary approval of Competent Authority will be obtained if applicable on us for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
iii	The project proponent shall obtain the necessary permission for drawl of ground water/surface water required for the project from the competent authority.	Complied. Water required for the residential colony is being sourced from the nearby river through the integrated cement plant after obtaining necessary permission/NOC from the competent authority. Copy of the NOC is enclosed as Annexure-1 .
iv	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Complied. The residential colony is located adjacent to the integrated cement plant. Power supply is being provided through the grid as per the power purchase agreement.
v	All other statutory clearance such as approvals for storage of diesel from Chief Controller of Explosive, Fire Department, and Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.	Agreed to Comply. Necessary statutory clearances such as Fire Department will be obtained if applicable.
vi	The provisions for the Solid Waste (Management) Rules, 2016, e-Waste Management Rules, 2016, and the Plastic Waste (Management) Rules, 2016 shall be followed.	Complied. The provisions of Solid Waste Management Rules, 2016 are being complied with. Any e-waste generated shall be disposed of through authorized vendors as per applicable regulations
vii	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power Strictly.	Complied. We are complying with the mandate of ECBC/ECBC-R prescribed by the Bureau of Energy Efficiency, Ministry of Power Strictly.
viii	The project area shall be secure through boundary wall and excavated top soil shall not be used in filling of low-lying area. The top soil shall be used for greenery development.	Complied. The top soil generated have been used for plantation purpose.

II. Air Quality Monitoring and Preservation

i	Notification GSR 94(E) dated 25/01/2018 issued by MoEF&CC regarding mandatory implementation of Dust Mitigation Measures for construction and demolition activities for projects requiring Environmental Clearance shall be complied with.	Complied. No demolition activities are envisaged the site. Adequate dust mitigation measure has been provided during construction phase of the project.
ii	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	Complied. Ambient air quality monitoring is being carried out by NABL accredited agency. There is exceedance reported in the monitoring results of ambient air. Ambient Air monitoring report attached as Annexure-4
ii	The project proponent shall install system to Carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released, covering upwind and downwind directions during the construction period.	Complied. Environment Monitoring is being carried out by NABL accredited agency as per the Environment monitoring plan submitted at the time of Environment Clearance. Ambient Air monitoring report attached as Annexure-4

iv	The source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of the stack of DG sets shall be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided in consultation with the State Pollution Control Board.	Not Applicable. DG set are not installed in the residential colony.
v	Construction site shall be adequately barricaded before construction begins. Dust, smoke and other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking all round the site plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	Complied.
vi	Sand, murrum, loose soil and cement stored on site shall be covered adequately so as to prevent dust pollution.	Being complied. Sand, murrum, loose soil, cement, stored on site is covered adequately to prevent dust pollution.
vii	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Complied Most of the area in the colony is paved and unpaved area is covered with the green belt development/plantation.
viii	All construction and demolition debris shall be stored at the site (are not dumped on roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016.	Being complied. Wastes are disposed as per the provision of Solid Waste Management Plan.
ix	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	Not Applicable. DG set are not installed in the residential colony.
x	The source of backup power should be of enclosed type and conform to rules made under the Environmental (Protection) Act, 1986. The height of stack of DG sets should be equal to height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	Not Applicable. DG set are not installed in the residential colony.
xi	For indoor air quality the ventilation provisions as per National Building Code of India.	Complied. Indoor air quality the ventilation for building has been designed as per NBC only
III. Water quality monitoring and preservation		
i	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape and other sustainable urban drainage systems (SUDS) are allowed for	Complied. There is no natural drain inside the residential colony area.


	maintaining the drainage pattern and to harvest rain water.	
ii	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	Complied. Residential colony has been designed to follow the natural topography as much as possible.
iii	The total water requirement during operation phase is 297 KLD out of which 175 KLD is fresh water requirement and 122 KLD will be the total recycled water generated and the same will be used for flushing (54 KLD) and 68 KLD water will be used for horticulture.	Complied. The water flow meter has been provided to measure the quantity of water use and water recycling and record has been maintained for the same.
iv	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Being complied Measure the quantity of water use sand water recycling and record has been maintained for the same.
v	A certificate shall be obtained from the local body supplying water specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	Complied. Water required for the residential colony is being sourced from the nearby river through the integrated cement plant after obtaining necessary permission/NOC from the competent authority. Copy of the NOC is enclosed as Annexure-1
vi	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Complied. Total plot area of the project is 1,40,000 sq.m. Out of this, open area of 72,100 sq.m (51.5%) and green area of 14,100 sq.m (10.07%) have been maintained within the project premises. Pervious surfaces through landscaping, plantation and use of grass pavers/paver blocks with adequate openings have been provided wherever applicable to facilitate rainwater percolation and groundwater recharge.
vii	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Complied. Dual pipe plumbing system has been provided.
viii	Use of water saving devices/fixtures (viz. low flow flushing systems; use of low flow faucets, tap aerators etc.) for water conservation shall be incorporated in the building plan.	Agreed and Noted. Water saving fixtures/devices such as low flow faucets, dual flush systems and tap aerators have been incorporated in the building plan for water conservation.
ix	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system, separate recirculation lines for flushing by giving dual plumbing system be done.	Complied.
x	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Complied. Water demand during the construction phase has been minimized through use of pre-mixed concrete, curing agents and other water conservation measures.

xi	<p>The local bye-law construction on rain water harvesting should be followed. If local bye-law provision is not available, adequate provisions for storage and recharge should be followed as per the Ministry of Urban Development Model Building bye-laws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.</p>	<p>Complied. Rain water harvesting system in the project as per local bye-laws and CGWB guidelines.</p> <p>Photograph enclosed below</p>
----	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------




xii	<p>A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meter of built up area and storage capacity of minimum one day of total fires water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.</p>	<p>Agreed and Noted. Rain water harvesting plan with recharge pits will be implemented in the project for groundwater recharge</p>
-----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------

xiii	<p>For rainwater harvesting, 11 recharge pits will be constructed for harvesting rain water. The total recharge capacity of these pits about 75 m³/hr. Mesh will be provided at the roof so that leaves or any other solid waste/debris will be prevented from entering the pit.</p>	<p>Being Complied. Two rainwater harvesting pit have been constructed and are operational. Work for remaining pits is in under progress. Rainwater photograph enclosed below.</p>
------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Rainwater Harvesting Photograph

xiv	<p>The RWH will be initially done only from the roof top.</p>	<p>Being Complied. Two rainwater harvesting has been completed connected with drain of roof top.</p>
-----	---------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------




xv	All recharge should be limited to shallow aquifer.	Being complied. All recharge pits will be limited to shallow aquifer as per applicable guidelines
xvi	No ground water shall be used during construction phase of the project.	Complied. Ground water will not be used during construction phase of the project.
xvii	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Complied. Any groundwater dewatering, if required, will be carried out as per CGWA guidelines and after obtaining necessary approval from the competent authority.
xviii	The quality of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly monitoring report.	Being Complied. Records of fresh water consumption, recycled water usage and rainwater harvesting will be maintained and submitted along with six monthly compliance reports.
xix	Sewage shall be treated in the MBBR or equivalent based STP (Capacity – 145 KLD). The treated effluent from STP shall be recycled/re-used for flushing and gardening. As proposed, no treated water shall be disposed into municipal drain.	Complied. Sewage generated at site is being treated through installed STPs (25 KLD and 120 KLD), having equivalent MBBR-based treatment system. The treated effluent is fully recycled and reused for flushing and gardening purposes. No treated water is being discharged into any municipal drain.



STP photograph 120 KLD & 25 KLD

xx	The waste water generated from the project shall be treated in STP of 145 KLD capacity (based on MBBR or equivalent technology) and then reused for various	Complied. Wastewater generated from the project is being treated through installed STPs of total 145 KLD capacity (25
----	-------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------

	purposes. No water body or drainage channels should be affected in the study area because of this project.	KLD + 120 KLD) based on MBBR or equivalent technology. The treated water is reused for flushing, gardening, and other utility purposes. No water body or drainage channel is being affected due to project activities.
xxi	No sewage or untreated effluent water would be discharged through storm water drains.	Complied. No sewage or untreated effluent is being discharged into storm water drains. Proper segregation of storm water and sewage lines has been ensured at site.
xxii	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problems from STP.	Complied. Monthly monitoring of treated sewage quality is being carried out by NABL approved laboratory and parameters are within permissible limits. Necessary measures are taken to control odour from STP. Latest STP outlet monitoring report is attached as Annexure-7
xxiii	Sludge from the onsite sewage treatment including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Control Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	Complied. Sludge generated from the STP is properly dried and utilized as manure for green belt development.
IV. Noise monitoring and prevention		
i	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitoring during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB.	Complied. Regular ambient noise level monitoring is being carried out by NABL accredited agency. Noise Monitoring reports are provided as Annexure 8
ii	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Complied. Regular ambient noise level monitoring is being carried out by NABL accredited agency. Monitoring reports are provided as Annexure 8.
iii	Acoustic enclosures for DG sets, noise barriers for ground run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Not Applicable. DG set are not installed in the residential colony.
V. Energy Conservation measures		
i	Outdoor and common area lighting shall be LED.	Complied. All outdoor and common area lighting is provided with LED fixtures to reduce energy consumption. Photograph attached given below.



ii	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design.	Complied. Passive solar design concepts and energy efficient features like proper ventilation, natural daylight utilization and landscaping have been incorporated in the project design to minimize energy consumption.
iii	Energy Conservation measures like installation of CFLs/LED's for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	Complied. LED lights installed in all indoor and outdoor areas.
iv	Solar, wind or other renewable energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level / local building bye-laws requirement which is higher.	Agreed to Comply.
v	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Agreed to Comply.

VI. Waste Management

i	Total waste 481 Kg/day, this consist all types of wastes (as Organic waste 289 Kg/day and non-organic waste 192 Kg/day and these all type of waste shall be treated/disposed off as per provision made in the MSW Rules 2016.	Complied. Separate wet and dry waste bins are provided for segregation of waste at source. Biodegradable waste of about 289 kg/day is treated through Organic Waste Converter (OWC). The manure generated is utilized for plantation purposes.
ii	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the MSW generated from project shall be obtained.	Complied. Necessary approval/certificate from the competent authority for handling municipal solid waste has been obtained from the concerned local body. A copy of the certificate/approval is enclosed below.

कार्यालय नगर परिषद अमानगंज जिला पन्ना (म0प्र0)

क./594 /2024

अमानगंज दिनांक : 18-07-24

अनापत्ति प्रमाण पत्र

प्रमाणित किया जाता है जे.के.सीमेन्ट लिमिटेड कम्पनी द्वारा ग्राम हरदुआ केन तहसील अमानगंज जिला पन्ना में विकसित की जा रही रहवासी कॉलोनी नगर परिषद अमानगंज के क्षेत्राधिकार से बाहर है।

अतः उक्त कॉलोनी में उत्पन्न होने वाले ठोस अपशिष्ट का संग्रहण व निपटान निकाय द्वारा परिषद बैठक में निर्णय लिये जाने उपरांत निर्धारित दरों पर भुगतान पश्चात किया जायेगा, इस संबंध में परिषद का निर्णय अंतिम एवं मान्य होगा तथा निर्धारित राशि कम्पनी द्वारा देय होगी। जे.के.सीमेन्ट कम्पनी द्वारा उक्त कॉलोनी बनाये जाने पर निकाय को कोई आपत्ति नहीं है।

मुख्या नगर परिषद अमानगंज कारी
नगर परिषद अमानगंज
जिला पन्ना (म0प्र0)

File Name Latter April 2023

763

iii	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Complied. All necessary precautions are being taken for safe disposal and management of muck during the construction phase to prevent any adverse impact on neighbouring communities and to ensure public safety and health.
iv	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste (0.4 ton/day) shall be segregated into wet garbage and inert materials.	Complied. Separate wet and dry bins are provided at ground level for facilitating segregation of waste, while biodegradable waste will be treated on-site using an Organic Waste Converter (OWC). Photograph are enclosed below.



OWC Photograph

v	All non-biodegradable waste shall be handed over to the authorized recyclers.	Complied. All non-biodegradable waste generated from the project is handed over to the local Municipal Authority for proper disposal and management.
vi	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Complied. No hazardous waste is generated during construction phase.
vii	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction materials quantity. These include fly ash brick, hollow bricks, AACs, Fly c, compressed earth blocks and other environmental friendly materials.	Complied. Fly ash bricks are being used in the construction works as environment-friendly building material. The usage exceeds the minimum prescribed requirement.
viii	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.	Complied. Fly ash based bricks are used for construction purpose.
ix	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform the construction and Demolition Rules 2016.	Complied.
x	Used CFLs and TFLs should be properly collected and disposed off / sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.	Noted. LED bulbs are being used in the project for energy conservation. Used CFLs/TFLs, if generated, will be collected and disposed through authorized recyclers as per applicable guidelines.

VII. Green Cover

i	Total 1750 trees shall be planted in the area of 14,100 sq.m (10.07% of total plot area) which is developed as greenbelt development as follows:	Complied. We have planted 6500 trees in the designation area for greenbelt development. Photographs are enclosed below.
---	--------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------





Plantation Photograph

ii	No tree will be felled/transplant unless exigencies demand. Where absolute necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (Planted).	Complied. No trees has been felled or transplanted without obtaining prior approval from the concerned regulatory authority.
iii	A minimum of 1 tree for every 80 sqm of land shall be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should included plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.	Complied. Plantation has been carried out as per the requirement of minimum 1 tree per 80 sqm, including native species. Regular maintenance is being ensured.
iv	Where the trees need to be cut with prior permission from the concerned local authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	Complied. No tree cutting is proposed in the colony. In case of any tree cutting with prior approval from the concerned authority, compensatory plantation will be carried out as per applicable norms.
v	Topsoil should be stripped to depth of 20 cm from the area proposed for building, roads, paved areas, and external services. It should be stack plied appropriately in designated area and reapplied during plantation of the proposed vegetation on site.	Complied. Top soil generated from excavation has been stored separately and reused for plantation and green belt development within the project premises.

VIII. Transport

i	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public and private network. Road should be designed with due consideration for environment and safety of users. The road system can be designed with these basic criteria: a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic b. Traffic calming measures. c. Proper design of entry and exit points d. Parking norms as per local regulation	Agree to Comply.
---	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------

ii	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.	Complied. The Vehicles hired for bringing construction material at the site thoroughly checked with a valid PUC certificate.
iii	A detailed traffic management and traffic decongesting plan shall be drawn up to ensure that the current level of service of the road within a 05 Kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of the development increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management and the PWD/competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	Noted and Agreed. Parking have been provided as per norms for smooth flow of traffic.


IX. Human health issues

i	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Complied. Dust-proof masks have been provided to personnel working in areas with high dust levels.
ii	For indoor air quality the ventilation provisions as per National Building Code of India.	Complied. Indoor air quality the ventilation for building has been designed as per NBC only
iii	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implementation.	Agree to Comply. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan will be implemented.
iv	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile, STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Complied. Colony is adjacent to the Cement plant and labour camps has been provided with all amenities within the cement plant premises. STP has been installed for treatment of Sewage water.
v	Occupational health surveillance of the workers shall be done on a regular basis.	Complied. Occupational health surveillance of the workers is being done regular basis and records maintained as per the Factories Act.
vi	A first aid room shall be provided in the project both during construction and operation of the project.	Complied.

X. EMP & Corporation Environment Responsibility

i	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated: 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	Agreed & Noted.
ii	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The Environmental policy should prescribe for standard operating procedures to have proper	Complied. Company has Corporate Environmental Policy duly approved by the Board Environment policy Attached as annexure-9

	checks and balance and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the Environmental/forest/wildlife norms/conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six monthly reports.	
iii	A separate Environmental Cell both at the project and company head quarter with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Complied. A separate 'Environmental Management Cell' both at the project and company headquarter has been established under the Senior Executive who directly reports to the Head of the organization.



iv	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.	Agree to Comply.
v	For Environment Management Plan PP has proposed Rs. 617.0 lakhs as capital and Rs. 13.0 lakhs as recurring cost for this project during construction and operation phase.	Agreed to comply.
vi	Ministry's OM vide F.No. 22-65/2017-IA.III dated: 1st May 2018 was suppressed by the OM dated 30.09.202. However, for this project, the PP has proposed Rs. 77.0 lakhs as Corporate Environment Responsibility (CER) for various activities as below:	Agreed to comply.

XI. Miscellaneous

i	The PP shall not construct residential colony in the north – east direction of the cement plant as per EC issued by MOEF&CC for cement plant also no residential/accommodation shall be set up in the plant area. The issuance of this EC recommendation in no way relax the any condition/suggestion mentioned under EC issued by MOEF&CC for cement mine for the existing plant.	Complied No residential colony is located in the north-east direction of the cement plant.
ii	The project authorities must strictly adhere to the stipulation made by the MP Pollution Control Board, local Administration in various clearance and the State Government.	Agreed to Noted
iii	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, also that during their presentation to the State Expert Appraisal Committee (SEAC)	Agreed to Noted
iv	No further expansion or modification in the colony shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Agreed to comply. Presently no further expansion or modification envisaged.
v	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed to Noted
vi	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/High Courts and any other Court of law relating to the subject matter.	Agreed to Noted

Yours Sincerely

For M/s JK Cement Colony
(A Unit of J K Cement Limited, Panna)

Kapil Agrawal
(Unit Head)



Annexure-I
Surface Water NOC

मध्यप्रदेश शासन
जल संसाधन विभाग
वृहद परियोजना नियंत्रण मंडल

कक्ष क्रमांक 411, चौथी मंजिल, जल संसाधन भवन
तुलसी नगर, भोपाल-462003
Tel. 0755-2557255
Email - cbmpbpl@gmail.com
भोपाल, दिनांक /05/2020

पत्र क्र.वृ.प.नि.मं./31/तक/रा.स्त.-910/2020/

प्रति,

मुख्य अभियंता,
धसानु केन कच्छार,
जल संसाधन विभाग, सागर (म.प्र.)

विषय :- मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर के ग्राम पुरैना हरदुआ तहसील अमानगंज जिला पन्ना में प्रस्तावित इन्टीग्रेटेड सीमेंट प्लांट के लिए केन नदी से 0.79 मि.घ.मी. वार्षिक जल आवंटन बाबत। (प्रकरण क्रमांक-01/910)


—00—

प्रमुख अभियंता, जल संसाधन विभाग की अध्यक्षता में दि. 21.05.2020 को संपन्न जल आवंटन समिति की 38वीं बैठक के कार्यवाही विवरण की कंडिका-01 में लिए गये निर्णय के परिपेक्ष्य में मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर के ग्राम पुरैना हरदुआ तहसील अमानगंज जिला पन्ना में प्रस्तावित इन्टीग्रेटेड सीमेंट प्लांट के लिए केन नदी से 0.79 मि.घ.मी. वार्षिक जल आवंटित किया जाता है।

अतः म.प्र.राजपत्र (असाधारण) जल संसाधन विभाग में प्रकाशित अधिसूचना दिनांक 22 जून 2013 एवं 31 अगस्त 2016 द्वारा स्थापित मध्यप्रदेश सिंचाई नियम 1974 के नियम 71-क(तीन) के अनुसार जल आवंटन के संबंध में निम्नानुसार कार्यवाही की जानी है :-

- मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर से उन्हें आवंटित 0.79 मि.घ.मी. वार्षिक जल के अनुसार एक माह के जलकर तथा उपकर के समतुल्य आवंटन शुल्क नगद जमा कराएं।
- मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर से उन्हें आवंटित 0.79 मि.घ.मी. वार्षिक जल के अनुसार दो माह के जलकर तथा उपकर के समतुल्य धरोहर (प्रतिभूति) राशि नगद जमा कराएं। इस राशि पर कोई ब्याज देय नहीं होगा।
- कंडिका (i) व (ii) में वर्णित आवंटन शुल्क एवं प्रतिभूति राशि मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर द्वारा कार्यपालन यंत्री, जल संसाधन संभाग, पवई, जिला पन्ना के कार्यालय में जमा की जावेगी।
- कंडिका (iii) में दर्शाये अनुसार कार्यवाही पूर्ण होने पर मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर के अधिकृत प्रतिनिधि को इस कार्यालय में उपस्थित होकर विभाग के साथ अनुबंध करने के निर्देश जारी किये जावें।
- आवंटित जल की मात्रा 0.79 मि.घ.मी. वार्षिक हेतु मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर को शासन द्वारा समय-समय पर लागू की गई जल दर अनुसार जल कर का नियमित भुगतान समय पर कार्यपालन यंत्री, पवई को करना होगा।
- जल के उपयोग के लिये आवश्यक सिविल एवं यांत्रिकीय कार्यों का निर्माण मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर अपने स्वयं के व्यय पर करेगा। ऐसे सिविल यांत्रिकीय निर्माणों के रूपांकन एवं ड्राइंग का पूर्व अनुमोदन जल संसाधन विभाग के संबधित मुख्य अभियंता से प्राप्त करना आवश्यक होगा।
- जल आपूर्ति की अनुमति जिस उद्देश्य के लिये दी जा रही है, उसमें परिवर्तन नहीं किया जायेगा। मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर द्वारा अन्य उद्देश्य के लिये जल का उपयोग किये/पाये जाने पर आवंटन/स्वीकृति निरस्त कर दी जायेगी।


- viii. मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर को उक्त जल स्रोत से लिये गये जल को नापने के लिये स्वचलित उपकरण का स्थापन तथा अनुरक्षण कार्यपालन यंत्री, पवई का पूर्व अनुमोदन प्राप्त कर स्वयं के व्यय पर करना होगा।
- ix. ग्रीष्म ऋतु में नदी में पानी की उपलब्धता नहीं होने की स्थिति में, जल उद्वहन स्थल के अपस्ट्रीम में निर्मित जल संसाधन विभाग के किसी जलाशय/बांध से नदी में जल छोड़े जाने की विभाग की बाध्यता नहीं होगी।
कृपया उपरोक्तानुसार उल्लेखित कार्यवाही एक माह की समयावधि में आवश्यक रूप से पूर्ण किया जाना सुनिश्चित करें।


(जी.पी. सोनी)

मुख्य अभियंता बोधी एवं
सदस्य सचिव, साधिकार समिति,
म.प्र.शासन, जल संसाधन विभाग
भोपाल, दिनांक 30/05/2020

पृ. पत्र क्र. वृ.प.नि.मं./31/तक/रास्त.-910/2020/244
प्रतिलिपि:-




1. प्रमुख सचिव, म.प्र.शासन, जल संसाधन विभाग, मंत्रालय, वल्लभ भवन, भोपाल
2. प्रमुख सचिव, म.प्र.शासन, वाणिज्य, उद्योग एवं रोजगार विभाग, मंत्रालय, वल्लभ भवन, भोपाल
3. प्रमुख अभियंता, जल संसाधन विभाग, भोपाल (म.प्र.)
4. कलेक्टर, जिला पन्ना, म.प्र.
की ओर कृपया सूचनार्थ।
5. अधीक्षण यंत्री, जल संसाधन मण्डल, छतरपुर (म.प्र.)
6. कार्यपालन यंत्री, जल संसाधन संभाग, पवई, जिला पन्ना (म.प्र.)
की ओर कृपया सूचनार्थ एवं आवश्यक कार्यवाही हेतु। कृपया मेसर्स जे.के. सेम (सेन्ट्रल) लि. कानपुर को आवंटन शुल्क एवं प्रतिभूति राशि से अचगत कराते हुए कम्पनी से उक्त राशि संभागीय कार्यालय में जमा करावें एवं राशि जमा कराए जाने के प्रमाणित विवरण के साथ कम्पनी के अधिकृत प्रतिनिधि को वृहद परियोजना नियंत्रण मण्डल, भोपाल कार्यालय में एक माह में अनुबंध करने हेतु निर्देशित करें। समयावधि में अनुबंध न करने पर आवंटन स्वतः निरस्त माना जावेगा।
7. मेसर्स जे.के. सेम (सेन्ट्रल) लि. माय होम्स रेसीडेन्सी, एस्सार पेट्रोल पम्प के सामने, कटनी रोड़, अमानगंज, जिला पन्ना (म.प्र.) - 488441
कृपया कण्डिका। एवं II में वाणित आवंटन शुल्क एवं प्रतिभूति राशि कार्यपालन यंत्री, जल संसाधन संभाग, पवई, जिला पन्ना के कार्यालय से प्राप्त कर उक्त राशि कार्यपालन यंत्री के कार्यालय में ही जमा कर, जमा राशि के प्रमाणित विवरण के साथ कम्पनी के अधिकृत प्रतिनिधि को इस कार्यालय में निर्धारित प्रारूप में अनुबंध निष्पादित किये जाने हेतु निर्देशित करे। समयावधि में अनुबंध न करने पर आवंटन स्वतः निरस्त माना जावेगा।
8. वेव मैनेजर, कार्यालय प्रमुख अभियंता, जल संसाधन विभाग, तुलसी नगर, भोपाल
की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु।




(जी.पी. सोनी)

मुख्य अभियंता बोधी एवं
सदस्य सचिव, साधिकार समिति,
म.प्र.शासन, जल संसाधन विभाग

Annexure-II
Greenbelt Photographs

Photographs showing plantation at JK cement Colony





Annexure-III
Forest department letter



कार्यालय वनमण्डलाधिकारी दक्षिण वनमण्डल पन्ना (म.प्र.)

Office - 07732 - 252016, 291323, E-mail - dfosouth@rediffmail.com dfotspanna@mpforest.gov.in

क्रमांक / मा.चि. / 2023 / 43 16

पन्ना, दिनांक 27-9-24

प्रति,

वरिष्ठ महाप्रबंधक
जे.के.सीमेंट वर्क्स
हरदुआकेन, तहसील अमानगंज जिला पन्ना (म.प्र.)

विषय :- regarding Certificate for Confirming the no protected area notified under the Wildlife (Protection) Act, 1972 and eco-sensitive areas notified under Section 3(2) of Environment (protection) Act fall within 5 km. of M/S. JK Cement Colony of JK Cement Limited (Build up area-34050 SQM and plot area- 14 Hac. located at village-sotipura & Harduaken Tahsil-Amanganj District-panna (m.p.)

संदर्भ :- आपका पत्र क्रमांक /PCP/EMD/MoEF/F 04/2024-25/FO4/14 Dated 11.09.2024

—00—


उपरोक्त विषय के अन्तर्गत आपके द्वारा ग्राम सोतीपुरा, हरदुआकेन में जे.के. सीमेंट कॉलोनी लिमिटेड द्वारा (Build up area-34050 SQM and plot area- 14 Hac.) तहसील अमानगंज में कॉलोनी निर्माण हेतु ईको सेंसिटिव जोन से 5 कि.मी. की परिधि के अन्तर्गत अधिसूचित क्षेत्र के अन्तर्गत उक्त क्षेत्र के संबंध में आनापत्ति प्रतिवेदन चाहा गया है

आपके द्वारा प्रस्तावित क्षेत्र (कॉलोनी निर्माण) ग्राम सोतीपुरा हरदुआ का मिलान पन्ना टाईगर रिजर्व पन्ना द्वारा प्रस्तावित ईको सेंसिटिव क्षेत्र के मानचित्र से किया गया। जिसका भारत सरकार पर्यावरण एवं जलवायु परिवर्तन मंत्रालय अधिसूचना क्रमांक 4036(अ) दिनांक 11 सितम्बर 2023 राजपत्र प्रकाशन दिनांक 13 सितम्बर 2023 में उल्लेखित है।

आपके द्वारा ग्राम सोतीपुरा हरदुआ में कॉलोनी निर्माण प्रस्तावित क्षेत्र ईको सेंसिटिव जोन प्रस्तावित से 5 कि.मी. की परिधि के अन्तर्गत नहीं है। नक्शा संलग्न है।

संलग्न:- उपरोक्तानुसार।

वनमण्डलाधिकारी
दक्षिण वन मण्डल पन्ना (म.प्र.)



- ESZ Boundary
- Core Zone of PTR
- Buffer Zone of PTR
- Proposed Colony



Prakash Khare
S.T.O.
South Forest Division Panna

**PROPOSED COLONY OF JK CEMENT
SHOWING DISTANCE FROM
CORE ZONE AND ESZ OF PTR**

0 2.5 5 km



18200 m (Distance from Core Zone Boundary to proposed Colony)
10900 m (Distance from ESZ Boundary to proposed Colony)

1567
234

Annexure-IV
Ambient monitoring report



TC-11359



TEST REPORT

Issued from: PITHAMPUR INDUSTRIAL WASTE MANAGEMENT PVT.LTD. (LABORATORY)

Issued to: JK Cement Colony of M/s. JK Cement Limited

Village Sotipura & Village Harduaken
Tehsil Amanganj, Distt. Panna, PIN- 488441
Madhya Pradesh

Report No : PIWMPL/LAB/JKCL-454/2025-26

Issued Date : 05/03/2026

ULR No : TC113592600000864F

Lab Ref. No : PIWMPL/LAB/5524/1-3/2025-26

Sampling Location: Near CAAQMS, Near Guest House & Near C-Block

Monitoring Period: Ambient Air Quality Monitoring for the Month February - 2026

Date of Sampling: 17/02/2026, 18/02/2026 & 19/02/2026

Date of Sample Receipt: 19/02/2026, 20/02/2026 & 21/02/2026

Date of Start of Analysis: 19/02/2026, 20/02/2026 & 21/02/2026

Date of Completion of Analysis: 28/02/2026

Other References :

Ref:1	Nature of Sample: Ambient Air Quality Monitoring (Core Zone)	Ref:2	Ambient Temperature: Min.- 26.0 °C	Max.- 29.0 °C
Ref:3	Monitoring Carried out by: RESL Lab Team	Ref:4	Duration of Sampling: 24 Hours	
Ref:5	Humidity:- Min.- 52% Max.- 65%	Ref:6	General Environment Condition: Clear Sky	
Ref:7	Sampling Protocol: PIWMPL/LAB/SOP-45/2022: Rev./Issue:01			

TEST LIMIT AS PER MADHYA PRADESH POLLUTION CONTROL BOARD (M.P.P.C.B)

Table 1 - Ambient Air Quality Monitoring Result

Parameters			PM-10 (µg/m ³)	PM-2.5 (µg/m ³)	NO ₂ (µg/m ³)	SO ₂ (µg/m ³)	CO (mg/m ³)
Method of Test			IS 5182 (Part 23) : 2006	IS 5182 (Part 24) : 2019	IS 5182 (Part 6) : 2006	IS 5182 (Part 2) : 2006	IS 5182 (Part 10) : 1999 RA 2019 NDIR
S. No.	Date of Sampling	Sampling Location					
1	17-02-2025	Near CAAQMS	55.23	28.91	18.26	10.48	0.56
2	18-02-2026	Near Guest House	56.19	29.65	15.19	9.71	0.51
3	19-02-2026	Near C-Block	54.58	28.74	13.97	8.79	0.48
Monthly Average Value			55.33	29.10	15.81	9.66	0.52
Limit			100	60	80	80	4.0

- The above results relate only to conditions prevailing at the time of sampling.
- Statement of conformity to a specification or standard is given only on the request of customer.
- The report cannot be reproduced in part or in full without the permission of Pithampur Industrial Waste Management Pvt. Ltd.

***** End of the test report*****

Page No: 1/1



S. Babyrani
Authorized Signatory:
S. Babyrani

PIWMPL/LAB/QR/00/21.07.2022

Pithampur Industrial Waste Management Private Limited
(A Subsidiary of Re Sustainability Limited)

CIN No. U90000TG2010PTC071919

Registered Office:

Level 11B, Aurobindo Galaxy,
Hyderabad Knowledge City,
HITECH City Road, Hyderabad-500 081.
India.

Site Address:

Plot No 104, Industrial Area, Sector-II,
Pithampur, District Dhar - 454 775,
Madhya Pradesh,
India.

Certificate REG No : 44 100 20392865 (ISO 45001 : 2018)
Certificate REG No : 44 104 20392865 (ISO 9001 : 2015)
Certificate REG No : 44 126 20392865 (ISO 14001 : 2015)

T: 7067678811,12,13

E: mbdmpwmp@resustainability.com

piwmp.com



Annexure-V

Acknowledgement copy of EC
submission

Ref. No. JKCEMENT/ENV/COLONY/2025-26/26/08

Dated: 20.01.2026

To,
The Regional Officer,
Madhya Pradesh Pollution Control Board,
Pt. Deen Dayal Nagar, Housing Board Colony,
Makronia, Sagar (MP), -485001

Subject- Display of Environment clearance (EC) of Construction of the Residential Colony with a Plot Area of 14 Ha and a Built-up Area of 34,050 sq.m at Villages- Sotipura & Harduaken, Tehsil Amanganj, District Panna (M.P.) by JK Cement Works Panna (A unit of JK Cement Limited).

Ref.: Compliance with standard condition no. 31 of EC File No: P2/1316/2025 Dated: 16/01/2026.


Dear Sir,

We would like to inform you that, the state level environment impact assessment authority (SEIAA) Madhya Pradesh has granted environment clearance to J K CEMENT LIMITED of the Construction of the Residential Colony with a Plot Area of 14 Ha and a Built-up Area of 34,050 sq.m at Villages- Sotipura & Harduaken, Tehsil Amanganj, District Panna (M.P.) by JK Cement Works Panna (A unit of JK Cement Limited) via File No. P2/1316/2025 and EC ID No. EC25C3801MP5670992N, dated 16/01/2026.

Hence, we are submitting the copy of EC to your good office for your kind record and display of the same at your office notice board for 30 days for public viewing (EC copy enclosed).

Thanking you

Yours faithfully
For JK Cement Limited


सरपंच
ग्राम पंचायत देवरा
ज.पं.पवई जिला पन्ना (म.प्र.)


Kapil Agrawal
(Unit Head)

Encl: As above

- CC: 1. The Member Secretary, Madhya Pradesh Pollution control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal (MP)-462016.
2. Collector Office Panna Dist-Panna-488001.
3. Tehsildar's Office Amanganj Dist-Panna-488441.
4. Sarpanch Gram Panchayat Deora, Tehsil - Amanganj Dist -Panna - 488441.



Corporate Office
• Prism Tower, Ninaniya Estate, Gwal Pahari,
Gurgaon, Haryana - 122102, India
• +0124-6919000
• corpcem@jkcement.com



Manufacturing Units at:
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka).
Jharli (Haryana) | Katni, Panna, Ujjain (M.P.) | Prayagraj, Aligarh, Hamirpur (U.P.)
Balasinor (Gujarat) | Buxar (Bihar) | Fujairah (UAE) | Ampavali, Choudwar (Odisha)



Ref. No. JKCEMENT/ENV/COLONY/2025-26/26/08

Dated: 20.01.2026

To,
The Regional Officer,
Madhya Pradesh Pollution Control Board,
Pt. Deen Dayal Nagar, Housing Board Colony,
Makronia, Sagar (MP), -485001

Subject- Display of Environment clearance (EC) of Construction of the Residential Colony with a Plot Area of 14 Ha and a Built-up Area of 34,050 sq.m at Villages- Sotipura & Harduaken, Tehsil Amanganj, District Panna (M.P.) by JK Cement Works Panna (A unit of JK Cement Limited).

Ref.: Compliance with standard condition no. 31 of EC File No: P2/1316/2025 Dated: 16/01/2026.

Dear Sir,

We would like to inform you that, the state level environment impact assessment authority (SEIAA) Madhya Pradesh has granted environment clearance to J K CEMENT LIMITED of the Construction of the Residential Colony with a Plot Area of 14 Ha and a Built-up Area of 34,050 sq.m at Villages- Sotipura & Harduaken, Tehsil Amanganj, District Panna (M.P.) by JK Cement Works Panna (A unit of JK Cement Limited) via File No. P2/1316/2025 and EC ID No. EC25C3801MP5670992N, dated 16/01/2026.

Hence, we are submitting the copy of EC to your good office for your kind record and display of the same at your office notice board for 30 days for public viewing (EC copy enclosed).

Thanking you

Yours faithfully
For JK Cement Limited



Kapil Agrawal
(Unit Head)

Encl: As above

- CC: 1. The Member Secretary, Madhya Pradesh Pollution control Board, Paryavaran Park, E-5, Arera Colony, Bhopal (MP)-462016.
2. Collector Office Panna Dist-Panna-488001.
3. Tehsildar's Office Amanganj Dist-Panna-488441.
4. Sarpanch Gram Panchayat Deora, Tehsil - Amanganj Dist -Panna - 488441.



Corporate Office

- Prism Tower, Ninaniya Estate, Gwal Pahari, Gurugram, Haryana - 122102, India
- +0124-6919000
- corpcom@jkcement.com



Manufacturing Units at:

- Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
- Jharli (Haryana) | Katni, Panna, Ujjain (M.P.) | Prayagraj, Aligarh, Hamirpur (U.P.)
- BatasInor (Gujarat) | Buxar (Bihar) | Fujairah (UAE) | Ampavati, Choudwar (Odisha)



Ref. No. JKCEMENT/ENV/COLONY/2025-26/26/08

Dated: 20.01.2026

To,
The Regional Officer,
Madhya Pradesh Pollution Control Board,
Pt. Deen Dayal Nagar, Housing Board Colony,
Makronia, Sagar (MP), -485001

Subject- Display of Environment clearance (EC) of Construction of the Residential Colony with a Plot Area of 14 Ha and a Built-up Area of 34,050 sq.m at Villages- Sotipura & Harduaken, Tehsil Amanganj, District Panna (M.P.) by JK Cement Works Panna (A unit of JK Cement Limited).

Ref.: Compliance with standard condition no. 31 of EC File No: P2/1316/2025 Dated: 16/01/2026.

Dear Sir,

We would like to inform you that, the state level environment impact assessment authority (SEIAA) Madhya Pradesh has granted environment clearance to JK CEMENT LIMITED of the Construction of the Residential Colony with a Plot Area of 14 Ha and a Built-up Area of 34,050 sq.m at Villages- Sotipura & Harduaken, Tehsil Amanganj, District Panna (M.P.) by JK Cement Works Panna (A unit of JK Cement Limited) via File No. P2/1316/2025 and EC ID No. EC25C3801MP5670992N, dated 16/01/2026.


Hence, we are submitting the copy of EC to your good office for your kind record and display of the same at your office notice board for 30 days for public viewing (EC copy enclosed).

Thanking you

Yours faithfully
For **JK Cement Limited**



Kapil Agrawal
(Unit Head)



Encl: As above

- CC: 1. The Member Secretary, Madhya Pradesh Pollution control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal (MP)-462016.
2. Collector Office Panna Dist-Panna-488001.
3. Tehsildar's Office Amanganj Dist-Panna-488441.
4. Sarpanch Gram Panchayat Deora, Tehsil - Amanganj Dist -Panna - 488441.



Corporate Office
Prism Tower, Ninaniya Estate, Gwal Pahari,
Gurugram, Haryana - 122102, India
+0124-6919000
corpcem@jkcement.com


JKsuper
— cement —
BUILD STRONG


White Cement Based Putty

Manufacturing Units at:
Nimbahera, Mangrol, Gotan (Rajasthan) | Muddapur (Karnataka)
Jharli (Haryana) | Katni, Panna, Ujjain (M.P.) | Prayagraj, Aligarh, Hamirpur (U.P.)
Balasinor (Gujarat) | Buxer (Bihar) | Fujairah (UAE) | Ampavali, Ghoudwar (Odisha)



Annexure-VI
Town & Country Planning Department
approval/NOC

कार्यालय सहायक संचालक नगर तथा ग्राम निवेश
जिला छतरपुर मध्य प्रदेश
क्रमांक PANOLP10072426758

प्रति,

अनुविभागीय अधिकारी गुन्नौर जिला पन्ना (मध्य प्रदेश)

विषय:- ग्राम सोतीपुरा एवं हरदुआकेन तहसील अमानगंज जिला पन्ना म.प्र. की ग्राम सोतीपुरा स्थित भूमि खसरा क्रमांक 28, 29/1, 29/2, 35, 36, 37, 38, 39/1, 39/2, 40, 41/1, 41/2, 41/3, 42, 44, 45 क्रमशः रकवा 0.39 हेक्टेयर, 0.23 हेक्टेयर, 0.23 हेक्टेयर, 0.18 हेक्टेयर, 0.11 हेक्टेयर, 0.63 हेक्टेयर, 0.45 हेक्टेयर, 0.43 हेक्टेयर, 0.43 हेक्टेयर, 0.28 हेक्टेयर, 0.08 हेक्टेयर, 0.36 हेक्टेयर, 0.44 हेक्टेयर, 0.08 हेक्टेयर, 0.63 हेक्टेयर, 0.63 हेक्टेयर कुल रकवा 5.58 हेक्टेयर एवं ग्राम हरदुआकेन स्थित भूमि खसरा क्रमांक 880, 881, 882, 883, 884, 885/1, 885/2, 886, 887, 888, 890, 891/2, 892/2 क्रमशः रकवा 0.46 हेक्टेयर, 0.45 हेक्टेयर, 0.32 हेक्टेयर, 0.3 हेक्टेयर, 0.41 हेक्टेयर, 0.52 हेक्टेयर, 0.51 हेक्टेयर, 0.34 हेक्टेयर, 1.01 हेक्टेयर, 0.05 हेक्टेयर, 0.52 हेक्टेयर, 0.3 हेक्टेयर, 0.12 हेक्टेयर कुल रकवा 5.31 हेक्टेयर ग्राम सोतीपुरा एवं हरदुआकेन की उपरोक्त उल्लेखित खसरे की भूमि कुल रकवा 10.89 हेक्टेयर मे से रकवा 8.425 हेक्टेयर यानि 84250 वर्गमीटर पर समूह गृह निर्माण (सीमेंट प्लांट (औद्योगिक क्षेत्र), जे.के.सीमेंट लिमिटेड, पन्ना के कर्मचारियों हेतु, सीमेंट प्लांट परिसर के अंदर) के विकास हेतु अभिमत बावत्।
संदर्भ:- आपका पत्र PANOLP10072426758 दिनांक 13.07.2024 एवं आवेदक द्वारा आनलाईन प्रस्तुत जानकारी।

-00-

उपरोक्त विषयान्तर्गत संदर्भित पत्र के तारतम्य में लेख है कि ग्राम सोतीपुरा स्थित भूमि खसरा क्रमांक 28, 29/1, 29/2, 35, 36, 37, 38, 39/1, 39/2, 40, 41/1, 41/2, 41/3, 42, 44, 45 क्रमशः रकवा 0.39 हेक्टेयर, 0.23 हेक्टेयर, 0.23 हेक्टेयर, 0.18 हेक्टेयर, 0.11 हेक्टेयर, 0.63 हेक्टेयर, 0.45 हेक्टेयर, 0.43 हेक्टेयर, 0.43 हेक्टेयर, 0.28 हेक्टेयर, 0.08 हेक्टेयर, 0.36 हेक्टेयर, 0.44 हेक्टेयर, 0.08 हेक्टेयर, 0.63 हेक्टेयर, 0.63 हेक्टेयर कुल रकवा 5.58 हेक्टेयर एवं ग्राम हरदुआकेन स्थित भूमि खसरा क्रमांक 880, 881, 882, 883, 884, 885/1, 885/2, 886, 887, 888, 890, 891/2, 892/2 क्रमशः रकवा 0.46 हेक्टेयर, 0.45 हेक्टेयर, 0.32 हेक्टेयर, 0.3 हेक्टेयर, 0.41 हेक्टेयर, 0.52 हेक्टेयर, 0.51 हेक्टेयर, 0.34 हेक्टेयर, 1.01 हेक्टेयर, 0.05 हेक्टेयर, 0.52 हेक्टेयर, 0.3 हेक्टेयर, 0.12 हेक्टेयर कुल रकवा 5.31 हेक्टेयर, ग्राम सोतीपुरा एवं हरदुआकेन की भूमि कुल रकवा 10.89 हेक्टेयर मे से रकवा 8.425 हेक्टेयर यानि 84250 वर्गमीटर पर समूह गृह निर्माण (सीमेंट प्लांट (औद्योगिक क्षेत्र), जे.के.सीमेंट लिमिटेड, पन्ना के कर्मचारियों हेतु, सीमेंट प्लांट परिसर के अंदर) के प्रेषित अभिन्यास हेतु इस कार्यालय का अभिमत चाहा गया है।

ग्राम सोतीपुरा एवं हरदुआकेन तहसील अमानगंज जिला पन्ना की प्रश्नाधीन भूमि मध्यप्रदेश नगर तथा ग्राम निवेश अधिनियम 1973 के अन्तर्गत गठित निवेश क्षेत्र सीमा के अन्तर्गत स्थित नहीं है।

प्रश्नाधीन स्थल का निरीक्षण दिनांक 23/08/2024 को आवेदक/अधिकृत प्रतिनिधि संदीप कुमार त्रिवेदी, सीनियर मैनेजर जे. के. सीमेंट लिमिटेड की उपस्थिति में उनके द्वारा बतलाई गई सीमा के अनुसार किया गया है, भूमि तक पहुँच मार्ग उपलब्ध है। अतः आपके संदर्भित पत्र के संबंध में समूह गृह निर्माण (सीमेंट प्लांट (औद्योगिक क्षेत्र), जे.के.सीमेंट लिमिटेड, पन्ना के कर्मचारियों हेतु, सीमेंट प्लांट परिसर के अंदर) के अभिन्यास के विकास के सम्बन्ध में इस कार्यालय का अभिमत निम्नानुसार है-

1. निम्नलिखित अधिनियम/नियम/सक्षम अधिकारियों तथा संस्था से अनापत्ति/अनुज्ञा प्राप्त करना अनिवार्य होगा:-

- (1) नजूल कार्यालय पन्ना।
 - (2) मध्य प्रदेश औद्योगिक विकास निगम लिमिटेड, पन्ना।
 - (3) मध्यप्रदेश विद्युत वितरण कंपनी लिमिटेड जिला पन्ना से अनापत्ति प्राप्त करना अनिवार्य होगा।
 - (4) मध्यप्रदेश प्रदूषण निवारण मण्डल, पन्ना
 - (5) संबंधित शासकीय विभाग (शासकीय विभाग से लगी भूमि के विकास की स्थिति में)।
 - (6) अन्य किसी नियम/अधिनियम के अंतर्गत कोई अनुमति/अनुज्ञा अनिवार्य हो तो उसे आवश्यक रूप से प्राप्त किया जावे।
2. आवेदित भूमि हेतु पहुँच मार्ग की चौड़ाई संलग्न मानचित्र में दर्शाया अनुसार सुरक्षित रखी जाना आवश्यक होगा।
3. प्रश्नाधीन भूमि पर संलग्न मानचित्र अनुसार प्रावधान निम्नानुसार मान्य होंगे।

- अधिकतम तल क्षेत्र अनुपात (एफ.ए.आर.) - 1.25
- अधिकतम ऊँचाई - 12.00 मीटर
- न्यूनतम सीमान्त खुला क्षेत्र (एम.ओ.एस.) - संलग्न मानचित्र अनुसार।
- अधिकतम निर्मित क्षेत्र - 16641.82 वर्गमीटर (19.754 प्रतिशत)
- सामुदायिक खुला क्षेत्र - 9067.45 वर्गमीटर (10.763 प्रतिशत)

- सर्विस एरिया

- 1412.34 वर्गमीटर (1.676 प्रतिशत)

- परिसर से जनित होने वाले पार्किंग की व्यवस्था परिसर के भीतर ही की जाना एवं करना अनिवार्य होगा। कुल निर्मित क्षेत्र के मान से पार्किंग का प्रावधान रखना होगा। उपलब्ध पार्किंग के मान से कुल निर्मित क्षेत्र प्रावधानित किया जा सकेगा, तदनुसार भवन मानचित्र सक्षम प्राधिकारी से स्वीकृत कराना अनिवार्य होगा।

4. मध्य प्रदेश औद्योगिक विकास निगम लिमिटेड, पन्ना के स्वामित्व की आवेदित भूमि हेतु मध्य प्रदेश औद्योगिक विकास निगम लिमिटेड की लीज दीड की समस्त शर्तों का पालन करना अनिवार्य होगा।

5. आवासीय परिसर में किचिन/टायलेट से उत्पन्न होने वाले धूसर जल के पुनर्चक्रीयकरण की व्यवस्था करना अनिवार्य होगा। किसी भी स्थिति में दूषित जल का प्रवाह सार्वजनिक नदी, नालों में नहीं किया जावे।

6. समस्त आधारभूत सुविधाओं जैसे जल प्रदाय व्यवस्था, जल-मल-निकासी की व्यवस्था, विद्युत व्यवस्था आदि सुविधाओं का विकास पूर्ण कर विकास पूर्णता का प्रमाण पत्र आवेदक संस्था को सक्षम प्राधिकारी से प्राप्त करना होगा।

7. संलग्न मानचित्र में दर्शाया अनुसार खुले स्थानों (पार्क की भूमि) को फेन्सिंग कर उसका विकास पथ वृक्षारोपण एवं पौधे लगाकर प्राथमिकता के आधार पर करना होगा।

8. आवेदित स्थल पर प्रत्येक भूखण्ड के सामने एक बड़ा घना छायादार वृक्ष लगाना होगा। इसके अतिरिक्त 15 वृक्ष प्रति हेक्टेयर के मान से वृक्षारोपण भी करना होगा।

9. भवनों में जल प्रदाय प्रणाली हेतु रेन वाटर हार्वेस्टिंग की प्रक्रिया अपनायी होगी।

10. प्राकृतिक परिसंकट उन्मुख क्षेत्र के विकास संबंधी अधिनियमों, नियमों तथा उपविधियों का अनुपालन सुनिश्चित करना होगा। भवन का निर्माण भूकम्परोधी तकनीक के अनुसार किया जाना होगा।

11. प्रस्तावित स्थल पर स्थित विद्युत लाईन के नीचे एवं नियमानुसार निर्धारित दूरी तक किसी भी प्रकार के भवनों का विकास/निर्माण कार्य मान्य नहीं होगा।

12. भवनों के निर्माण में अग्नि तथा संरचनात्मक सुरक्षा एवं नियम का पालन करना अनिवार्य होगा।

13. भवन मानचित्र सक्षम प्राधिकारी से स्वीकृत कराना अनिवार्य होगा।

14. संलग्न मानचित्र में आवेदित स्थल की सीमा तक दर्शाये गये मार्गों की निरंतरता सुनिश्चित किया जाना अनिवार्य होगा। अतः मार्गों को गेट अथवा बाऊंड्रीवाल से अवरूद्ध नहीं किया जावे। विषयांकित भूमि के प्रस्तावित अभिन्यास के आस-पास लगी हुई भूमियों पर निर्मित/अनुमोदित मार्गों, प्रस्तावित मार्गों, भूखण्डों, खुले क्षेत्र तथा अन्य क्षेत्रों की निरंतरता का समायोजन किया जावे।

15. यह अभिमत केवल सीमेंट प्लांट (औद्योगिक क्षेत्र), जे.के.सीमेंट लिमिटेड, पन्ना के कर्मचारियों हेतु सीमेंट प्लांट परिसर के अंदर समूह गृह निर्माण हेतु दिया जा रहा है। अन्य प्रयोजन हेतु परिवर्तन अथवा भूमि का उप विभाजन मान्य नहीं होगा।

16. आवेदक द्वारा प्रस्तुत खसरा अक्स/बटांकन में किसी भी प्रकार की विसंगति होने पर उसकी जवाबदारी आवेदक की होगी।

17. यह अभिमत तीन वर्ष की समयावधि तक मान्य रहेगा।

18. इस अभिलेख को भू स्वामित्व का दस्तावेज न समझा जावे।

19. भूमि की सीमाएं राजस्व विभाग के द्वारा सत्यापन की गई ही मान्य होंगी तथा भूमि की वैधानिकता के संबंध में किसी भी प्रकार से भूमि स्वामित्व अथवा सीमा संबंधी विवाद होने पर या दी गई जानकारी असत्य पायी जाने पर अथवा उपरोक्त उल्लेखित शर्तों का उल्लंघन होने पर यह अभिमत निरस्त किया जा सकेगा।

संलग्न:- मानचित्र।

सहायक संचालक

नगर तथा ग्राम निवेश,

जिला छतरपुर म.प्र.

क्रमांक PANOLP10072426758/ दिनांक / 11/NOV/2024

प्रतिलिपि:-

1- कलेक्टर, जिला पन्ना की ओर सूचनार्थ प्रेषित।

2- सहायक श्रम आयुक्त, पन्ना संभाग सागर की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

3- उप महाप्रबंधक/कार्यपालन यंत्री, मध्यप्रदेश विद्युत वितरण कंपनी लिमिटेड जिला पन्ना की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

4- महाप्रबंधक मध्य प्रदेश औद्योगिक विकास निगम लिमिटेड, पन्ना की ओर सूचनार्थ प्रेषित।

5- संदीप कुमार त्रिवेदी, सीनियर मैनेजर जे.के.सीमेंट लिमिटेड, पन्ना की ओर सूचनार्थ एवं पालनार्थ प्रेषित।

संलग्न:- मानचित्र।

सहायक संचालक

नगर तथा ग्राम निवेश,

जिला छतरपुर म.प्र.

Layout Plan

24.32365,79.96954

24.32365,79.97439


PROJECT NAME: JK TOWNSHIP
PROPOSED LAYOUT PLAN FOR THE DEVELOPMENT
OF Group Housing
at Village - Sotipura , Tehsil - Amanganj , District -
Panna

SCHEDULE OF PLOTS

S.No.	Description	Area/Length	Unit	%
1	Area Applied for Permission	84244.76	Sqm.	
2	Area under Road Widening	0.00	Sqm.	
3	Net Planning Area	84244.76	Sqm.	100
4	Proposed Ground Coverage	16641.82	Sqm.	19.754
5	Community Open Space	9067.45	Sqm.	10.763
6	Service Area	1412.34	Sqm.	1.676
7	MOS Front	4.50	m.	
8	MOS Rear	4.50	m.	
9	MOS Side1	4.50	m.	
10	MOS Side 2	4.50	m.	
11	Proposed FAR	1.25		
12	Proposed Height	12.00	m.	
13	Road Abutting width	12.00	m.	
14	Pathway	0.00	m.	
15	Parking	Parking Shall be Provided as per Development Plan and M.P.B.V.N 2012..		
16	Openspace Parking	5990.23	Sqm.	7.11

Details of Ownership

S.no.	Khasra/Nazul Plot No.	Total Area (Ha.)
1	892/2, 891/2, 890, 888, 887, 886, 885/2, 885/1, 884, 883, 882, 881, 880 (Tehsil-Amanganj, Village-Harduwaken)	5.31
2	45, 44, 42, 41/3, 41/2, 41/1, 40, 39/2, 39/1, 38, 37, 36, 35, 29/2, 29/1, 28 (Tehsil-Amanganj, Village-Sotipura)	5.58




24.32044,79.96954

24.32044,79.97439

Khasra/Nazul Plot Plan



Location Plan



Legend:

- Area Applied
- Road Widening
- Plot Area
- Community Open Space
- Service Area



Abbreviation:
SA - Service Area

Application Number - PANOLP10072426758

Authorized Signatory

Project

Client/Owner

Consultant / Architect

Date

JK TOWNSHIP

(Sandeep Kumar Trivedi)JK Cement Limited

SUYASH KULSHRESTHA

10/JUL/2024

Annexure-VII
STP water monitoring report



TC-11359



Test Report

Issued from: PITHAMPUR INDUSTRIAL WASTE MANAGEMENT PVT.LTD.,(LABORATORY)

Issued to: JK Cement Colony of M/s. JK Cement Limited

Report No: PIWMPL/LAB/JKCL-390/2025-26

Village Sotipura & Village Harduaken
Tehsil Amanganj, Distt. Panna, PIN- 488441
Madhya Pradesh

Issued Date : 05/03/2026

ULR No : TC1135926000000814F

Lab Ref. No.: PIWMPL/LAB/5535/2025-26

Nature of Sample : Waste Water

Date of Sampling : 19/02/2026

Name of Sample : Guest House STP (Inlet)

Date & Time of Receipt : 21/02/2026 at 10:40AM

Date of Start of Analysis: 21/02/2026

Date of Completion of Analysis: 28/02/2026

Other References :

Ref:1 Sample Quantity : 02 Liters

Ref:2 Ambient Temperature : 26.0°C

Ref:3 Sample Collected By : RESL Lab Team

Ref:4 Humidity : 55%

TEST RESULTS

Table 1- Physical & Chemical Parameters

Sl. No	Parameters	Unit	Results	Test Method
1	pH	-	6.91	APHA 24 th Edition; 4500 H ⁺ B : 2023
2	Total Suspended Solids (TSS)	mg/L	172.0	APHA 24 th Edition; 2540 D : 2023
3	Chemical Oxygen Demand (COD)	mg/L	158.0	APHA 24 th Edition; 5220 B : 2023
4	Biochemical Oxygen Demand (3 days at 27°C)	mg/L	50.7	IS 3025 (Part-44) : 2023
5	Oil and Grease	mg/L	8.2	APHA 24 th Edition; 5520 B : 2023

Table 2- MicroBiological Parameters

Sl. No	Parameters	Unit	Results	Test Method
1	Fecal Coliforms	MPN/100ml	350	APHA 24 th Edition, 9221 E : 2023

- Note :
1. The above results relate only to conditions prevailing at the time of sampling.
 2. The report cannot be reproduced in part or in full without the permission of Pithampur Industrial Waste Management Pvt. Ltd.
 3. Statement of conformity to a specification or standard is given only on the request of customer.

Shraddha
Authorized Signatory-Biological
(Shraddha Mishra)

Page No. 1/1



Babyrani
Authorized Signatory-Chemical
S. Babyrani

PIWMPL/LAB/QRF/00/21.07.2022

Pithampur Industrial Waste Management Private Limited
(A Subsidiary of Re Sustainability Limited)

CIN No. U90000TG2010PTC071919

Registered Office:

Level 11B, Aurobindo Galaxy,
Hyderabad Knowledge City,
HITECH City Road, Hyderabad-500 081.
India.

Site Address:

Plot No 104, Industrai Area, Sector-II,
Pithampur, District Dhar - 454 775,
Madhya Pradesh,
India.Certificate REG No : 44 100 20392865 (ISO 45001 : 2018)
Certificate REG No : 44 104 20392865 (ISO 9001 : 2015)
Certificate REG No : 44 126 20392865 (ISO 14001 : 2015)

T: 7067678811,12,13

E: mbdmpwmp@resustainability.com

piwmp.com





TC-11359



Test Report

Issued from: PITHAMPUR INDUSTRIAL WASTE MANAGEMENT PVT.LTD.,(LABORATORY)

Issued to: JK Cement Colony of M/s. JK Cement Limited

Report No: PIWMPL/LAB/JKCL-391/2025-26

Village Sotipura & Village Harduaken

Issued Date : 05/03/2026

Tehsil Amanganj, Distt. Panna, PIN- 488441

ULR No : TC113592600000815F

Madhya Pradesh

Lab Ref. No.: PIWMPL/LAB/5536/2025-26

Nature of Sample : Waste Water

Date of Sampling : 19/02/2026

Name of Sample : Guest House STP (Outlet)

Date & Time of Receipt : 21/02/2026 at 10:40AM

Date of Start of Analysis: 21/02/2026

Date of Completion of Analysis: 28/02/2026

Other References :

Ref:1 Sample Quantity : 02 Liters

Ref:2 Ambient Temperature : 26.0°C

Ref:3 Sample Collected By : RESL Lab Team

Ref:4 Humidity : 55%

TEST LIMITS AS PER MADHYA PRADESH POLLUTION CONTROL BOARD (M.P.P.C.B)

Table 1- Physical & Chemical Parameters

Sl. No	Parameters	Unit	Results	Limit	Test Method
1	pH	-	7.31	5.5 - 9.0	APHA 24 th Edition; 4500 H ⁺ B : 2023
2	Total Suspended Solids (TSS)	mg/L	21.0	NMT 100	APHA 24 th Edition; 2540 D : 2023
3	Chemical Oxygen Demand (COD)	mg/L	52.0	NMT 250	APHA 24 th Edition; 5220 B : 2023
4	Biochemical Oxygen Demand (3 days at 27°C)	mg/L	9.3	NMT 30	IS 3025 (Part-44) : 2023
5	Oil and Grease	mg/L	<4.0	NMT 10	APHA 24 th Edition; 5520 B : 2023

Table 2- MicroBiological Parameters

Sl. No	Parameters	Unit	Results	Limit	Test Method
1	Fecal Coliforms	MPN/100ml	79	NMT 1000	APHA 24 th Edition, 9221 E : 2023

- Note :**
- The above results relate only to conditions prevailing at the time of sampling.
 - The report cannot be reproduced in part or in full without the permission of Pithampur Industrial Waste Management Pvt. Ltd.
 - Statement of conformity to a specification or standard is given only on the request of customer.
 - NMT refers to "Not More Than"

Shraddha
 Authorized Signatory-Biological
 (Shraddha Mishra)

Page No. 1/1



Deepi
 Authorized Signatory-Chemical
 S. Babyrani

PIWMPL/LAB/QR/00/21.07.2022

Pithampur Industrial Waste Management Private Limited
 (A Subsidiary of Re Sustainability Limited)

CIN No. U90000TG2010PTC071919

Registered Office:

Level 11B, Aurobindo Galaxy,
 Hyderabad Knowledge City,
 Hitech City Road, Hyderabad-500 081,
 India.

Site Address:

Plot No 104, Industrial Area, Sector-II,
 Pithampur, District Dhar - 454 775,
 Madhya Pradesh,
 India.

Certificate REG No : 44 100 20392865 (ISO 45001 : 2018)
 Certificate REG No : 44 104 20392865 (ISO 9001 : 2015)
 Certificate REG No : 44 126 20392865 (ISO 14001 : 2015)

T: 7067678811,12,13

E: mbdmpwmp@resustainability.com

piwmp.com





TC-11359



Test Report

Issued from: PITHAMPUR INDUSTRIAL WASTE MANAGEMENT PVT.LTD.,(LABORATORY)

Issued to: JK Cement Colony of M/s. JK Cement Limited

Report No: PIWMPL/LAB/JKCL-396/2025-26

Village Sotipura & Village Harduaken

Issued Date : 05/03/2026

Tehsil Amanganj, Distt. Panna, PIN- 488441

ULR No : TC113592600000820F

Madhya Pradesh

Lab Ref. No.: PIWMPL/LAB/5531/2025-26

Nature of Sample : Waste Water

Date of Sampling : 19/02/2026

Name of Sample : Colony STP (Inlet) (120KLD)

Date & Time of Receipt : 21/02/2026 at 11:20AM

Date of Start of Analysis: 21/02/2026

Date of Completion of Analysis: 28/02/2026

Other References :

Ref:1 Sample Quantity : 02 Liters

Ref:2 Ambient Temperature : 26.0°C

Ref:3 Sample Collected By : RESL Lab Team

Ref:4 Humidity : 55%

TEST RESULTS

Table 1- Physical & Chemical Parameters

Sl. No	Parameters	Unit	Results	Test Method
1	pH	-	7.42	APHA 24 th Edition; 4500 H ⁺ B : 2023
2	Total Suspended Solids (TSS)	mg/L	95.0	APHA 24 th Edition; 2540 D : 2023
3	Chemical Oxygen Demand (COD)	mg/L	216.0	APHA 24 th Edition; 5220 B : 2023
4	Biochemical Oxygen Demand (3 days at 27°C)	mg/L	79.4	IS 3025 (Part-44) : 2023
5	Oil and Grease	mg/L	9.3	APHA 24 th Edition; 5520 B : 2023

Table 2- MicroBiological Parameters

Sl. No	Parameters	Unit	Results	Test Method
1	Fecal Coliforms	MPN/100ml	920	APHA 24 th Edition, 9221 E : 2023

- Note :**
- The above results relate only to conditions prevailing at the time of sampling.
 - The report cannot be reproduced in part or in full without the permission of Pithampur Industrial Waste Management Pvt. Ltd.
 - Statement of conformity to a specification or standard is given only on the request of customer.

Shraddha
Authorized Signatory-Biological
(Shraddha Mishra)

Page No. 1/1



Deepa
Authorized Signatory-Chemical
S. Babyrani

PIWMPL/LAB/QRF/00/21.07.2022

Pithampur Industrial Waste Management Private Limited
(A Subsidiary of Re Sustainability Limited)

CIN No. U90000TG2010PTC071919

Registered Office:

Level 11B, Aurobindo Galaxy,
Hyderabad Knowledge City,
HITECH City Road, Hyderabad-500 081,
India.

Site Address:

Plot No 104, Industrial Area, Sector-II,
Pithampur, District Dhar - 454 775,
Madhya Pradesh,
India.

Certificate REG No : 44 100 20392865 (ISO 45001 : 2018)
Certificate REG No : 44 104 20392865 (ISO 9001 : 2015)
Certificate REG No : 44 126 20392865 (ISO 14001 : 2015)

T: 7067678811,12,13

E: mbdmpwmp@resustainability.com

piwmp.com





TC-11359

Test Report

Issued from: PITHAMPUR INDUSTRIAL WASTE MANAGEMENT PVT.LTD.,(LABORATORY)	
Issued to: JK Cement Colony of M/s. JK Cement Limited	Report No: PIWMPL/LAB/JKCL-397/2025-26
Village Sotipura & Village Harduaken	Issued Date : 05/03/2026
Tehsil Amanganj, Distt. Panna, PIN- 488441	ULR No : TC113592600000821F
Madhya Pradesh	Lab Ref. No.: PIWMPL/LAB/5532/2025-26

Nature of Sample : Waste Water	Date of Sampling : 19/02/2026
Name of Sample : Colony STP (Outlet) (120KLD)	Date & Time of Receipt : 21/02/2026 at 11:20AM
Date of Start of Analysis: 21/02/2026	Date of Completion of Analysis: 28/02/2026
Other References :	
Ref:1 Sample Quantity : 02 Liters	Ref:2 Ambient Temperature : 26.0°C
Ref:3 Sample Collected By : RESL Lab Team	Ref:4 Humidity : 55%

TEST LIMITS AS PER MADHYA PRADESH POLLUTION CONTROL BOARD (M.P.P.C.B)

Table 1- Physical & Chemical Parameters

Sl. No	Parameters	Unit	Results	Limit	Test Method
1	pH	-	7.84	5.5 - 9.0	APHA 24 th Edition; 4500 H ⁺ B : 2023
2	Total Suspended Solids (TSS)	mg/L	21.0	NMT 100	APHA 24 th Edition; 2540 D : 2023
3	Chemical Oxygen Demand (COD)	mg/L	32.0	NMT 250	APHA 24 th Edition; 5220 B : 2023
4	Biochemical Oxygen Demand (3 days at 27°C)	mg/L	6.1	NMT 30	IS 3025 (Part-44) : 2023
5	Oil and Grease	mg/L	<4.0	NMT 10	APHA 24 th Edition; 5520 B : 2023

Table 2- MicroBiological Parameters

Sl. No	Parameters	Unit	Results	Limit	Test Method
1	Fecal Coliforms	MPN/100ml	84	NMT 1000	APHA 24 th Edition, 9221 E : 2023

- Note :**
- The above results relate only to conditions prevailing at the time of sampling.
 - The report cannot be reproduced in part or in full without the permission of Pithampur Industrial Waste Management Pvt. Ltd.
 - Statement of conformity to a specification or standard is given only on the request of customer.
 - NMT refers to "Not More Than"

Shraddha
 Authorized Signatory-Biological
 (Shraddha Mishra)

Page No. 1/1



Babyrani
 Authorized Signatory-Chemical
 S. Babyrani

PIWMPL/LAB/QRF/00/21.07.2022

Pithampur Industrial Waste Management Private Limited
 (A Subsidiary of Re Sustainability Limited)

CIN No. U90000TG2010PTC071919

Registered Office:

Level 11B, Aurobindo Galaxy,
 Hyderabad Knowledge City,
 Hitech City Road, Hyderabad-500 081,
 India.

Site Address:

Plot No 104, Industrial Area, Sector-II,
 Pithampur, District Dhar - 454 775,
 Madhya Pradesh,
 India.

Certificate REG No : 44 100 20392865 [ISO 45001 : 2018]
 Certificate REG No : 44 104 20392865 [ISO 9001 : 2015]
 Certificate REG No : 44 126 20392865 [ISO 14001 : 2015]

T: 7067678811,12,13

E: mbdmpwmp@resustainability.com

piwmp.com



Annexure-VIII
Noise Monitoring Report



TC-11359

TEST REPORT

Issued from : PITHAMPUR INDUSTRIAL WASTE MANAGEMENT PVT.LTD. (LABORATORY)

Issued to: JK Cement Colony of M/s. JK Cement Limited
Village Sotipura & Village Harduaken
Tehsil Amanganj, Distt. Panna, PIN- 488441
Madhya Pradesh

Report No: PIWMPL/LAB/JKCL-453/2025-26

Issued Date : 05/03/2026

ULR No : TC113592600000863F

Lab Ref. No.: PIWMPL/LAB/5276/1-3/2025-26

Sampling Particulars : Ambient Noise Level Monitoring (Core Zone)

Date of Monitoring : 12/02/2026

Date of Completion of Monitoring: 13/02/2026

Other References :

Ref:1	Time of Measurement (Day Time) : 10:40 Hours	Ref:2	Monitoring Carried out by: RESL Lab Team
Ref:3	Time of Measurement (Night Time) : 22:35 Hours	Ref:4	Environmental Condition : Clear Sky

TEST LIMIT AS PER MADHYA PRADESH POLLUTION CONTROL BOARD (M.P.P.C.B)

Table 1:- Noise Monitoring During Day Time

Sl. No	Monitoring Location	Unit	Maximum	Minimum	Result (Leq)	Limit	Method of Test
1	Near CAAQMS	dB(A)	64.8	59.4	62.1	NMT 75	IS 9989 :1981
2	Near Guest House	dB(A)	67.3	58.8	63.1	NMT 75	IS 9989 :1981
3	Near C-Block	dB(A)	66.1	56.2	61.2	NMT 75	IS 9989 :1981

Table 2:- Noise Monitoring During Night Time

Sl. No	Monitoring Location	Unit	Maximum	Minimum	Result (Leq)	Limit	Method of Test
1	Near CAAQMS	dB(A)	57.5	44.6	51.1	NMT 70	IS 9989 :1981
2	Near Guest House	dB(A)	55.8	43.1	49.5	NMT 70	IS 9989 :1981
3	Near C-Block	dB(A)	55.3	47.4	51.4	NMT 70	IS 9989 :1981

- Note:-
1. The above results relate only to conditions prevailing at the time of sampling.
 2. Day time Shall mean from : 6:00 AM to 10:00 PM
 3. Night Time shall mean from: 10:00 PM to 6:00 AM
 4. Statement of conformity to a specification or standard is given only on the request of customer.
 5. The report cannot be reproduced in part or in full without the permission of Pithampur Industrial Waste Management Pvt. Ltd.
 6. NMT - refers to "Not More Than"

*****End of the test report*****

Page No. 1/1



Authorized Signatory

S. Babyrani

PIWMPL/LAB/QRF/00/21.07.2022

Pithampur Industrial Waste Management Private Limited
(A Subsidiary of Re Sustainability Limited)

CIN No. U90000TG2010PTC071919

Registered Office:

Level 11B, Aurobindo Galaxy,
Hyderabad Knowledge City,
HITECH City Road, Hyderabad-500 081.
India.

Site Address:

Plot No 104, Industrial Area, Sector-II,
Pithampur, District Dhar - 454 775,
Madhya Pradesh,
India.

Certificate REG No : 44 100 20392865 (ISO 45001 : 2018)
Certificate REG No : 44 104 20392865 (ISO 9001 : 2015)
Certificate REG No : 44 126 20392865 (ISO 14001 : 2015)

T: 7067678811,12,13

E: mbdmpwmp@resustainability.com

piwmp.com



Annexure-IX
Environment Policy

J K Cement Limited

CORPORATE ENVIRONMENT POLICY

JK Cement Limited is committed to ensure clean, green and healthy environment for sustainable development through:

- By ensuring that the activities of the company comply with all the relevant laws, regulations and industry and applicable codes of standards and practices, as well as to take any additional measures considered necessary.
- By involving all employees in implementation of the Company's policy and imparting appropriate training, providing for dissemination of information to employees on Environmental objectives and performance through suitable communication networks.
- By involving the Suppliers, Vendors, Customers, Clients and other Business Associates to promote awareness among them for their responsibility towards Environment and to encourage their participation in achieving our Environmental Goals.
- Continuously improve in effectiveness of environmental management with proper systems to prevent, mitigate and control environmental impacts due to operations across the value chain and local community.
- By building awareness to all stakeholders including employees, customers, vendors etc. on environmental issues as well as compliance of relevant environmental legislation by implementing the environmental management system.
- By improvement in environment management, efficient use of natural resources, energy & plant equipments.
- By promoting reuse and recycling wastes, reduction in emission, noise, waste and greenhouse gases.
- By greenbelt development for local bio-diversity management and conservation in coalition with local communities, authorities and other stakeholders.
- By reporting of non-compliances (if any), violations of environmental norms of the conditions of environment clearance/ consent/ NOC/ authorization and permission etc. relevant to the environmental conditions, wherever required to the director and occupier by the respective Unit Head, Administrative Head, Technical Head and Environment Head so as to fulfil the deviation from compliances as and when required.

This policy will be reviewed periodically and updated as may be required. This Policy shall be made known to all our customers and stakeholders, apart from all our employees.



K.N. Khandelwal
Director and Occupier



ENVIRONMENT MANAGEMENT SYSTEM

1. LEGAL & OTHER REQUIREMENTS

a) The company is IMS certified and have established and maintained a procedure to identify, access and update legal and other requirements to which we subscribe, that are applicable to the environmental aspects / impacts. The list of legal and other requirements applicable to our operations are maintained separately and are communicated to our stakeholders. Main legal requirements are as follows:

- Environmental acts & rules
- Mines acts & rules
- Factory acts & rules
- Boiler acts & rules

2. OPERATIONAL CONTROL PROCEDURES

a) We have identified our operations and activities that are associated with Environmental aspects and OHS risks in line with our Environmental Policy.

- We have established and maintained SOP's to check out the deviations from Environment Management System.
- We have maintained rule and regulation register comply with legal and other requirement.
- We ensure to review control measures and SOP's on regular intervals, effectiveness of system checked by IMS audit and necessary implement.

b) Relevant Operatlon Control Measures

- Limestone mines operation- Water sprinkling on the haulage road and at unloading point (crusher), raw material transportation by covered belt and emission control system at transfer points.
- Clinkerization- Covered storage of raw materials, petcoke and coal, clinker in silos, use of high efficient pollution control measures such as ESP, Bag house, bag filters at all transfer points, coved conveyors and De-NOx system etc.
- Cement Grinding & Packing- Bag Filters at all transfer points, storage of fly ash in silo and pneumatic Fly ash handling, automatic bag filing machines, use of tarpaulin to each truck and wagon and vacuum sweeping machine.
- Storage in yard- Covered.
- Utility operation- Management of waste/used oil, oily wastes and management by 100% recycling/ sold to authorized recycler in process to maintain ZLD and treatment of domestic sewage water in STP to use for plantation and process.
- General- Dust control by good housekeeping & maintenance, use of dust extraction and recycling systems to remove dust from work areas, contractor activities and task observations.
- Use of proper personal protective equipment (PPE).
- Minimum 33 % plantation in the project area with native species in a time bound manner.




K.N. Khandelwal
Director and Occupier



3. ROLES & RESPONSIBILITIES

We have established, implemented and maintained EMS to meet its requirements at all of our locations within the organizational boundaries. Roles and responsibilities of various personnel, who manage, perform and verify the activities and their impacts on environment and/or OH&S have been defined by the top management as per hierarchy or administrative order by board of directors.

The below organizational structure Management Cell is responsible for any non-compliance/ infringement/ deviation/ violation of the environmental or forest norms under the supervision of Board of Directors.



K.N. Khandelwal

K.N. Khandelwal
 Director and Occupier

